

CUADERNOS *de* HERPETOLOGÍA

VOLUMEN 39 - SUPLEMENTO 1 - NOVIEMBRE 2025

ojs.aha.org.ar - aha.org.ar



Asociación Herpetológica Argentina

Presidenta: María Gabriela Agostini

Vicepresidenta: Marcelo Bonino

Secretaria: María Soledad Valdecantos

Prosecretaria: Katyuscia Araujo-Vieira

Tesorero: Camila Deutsch

Vocales Titulares: Julián Faivovich, Jimena Grosso

Vocal Suplente: Julián Lescano

Junta Revisora de Cuentas: Diego Barrasso, Sebastián Barrionuevo

CUADERNOS de HERPETOLOGÍA

Una publicación semestral de la Asociación Civil Herpetológica Argentina (Paz Soldán 5100. Piso 1 Dpto 8. Ciudad Autónoma de Buenos Aires, Argentina). Incluye trabajos científicos relacionados con todos los aspectos de la investigación en Anfibios y Reptiles, abarcando tópicos como: sistemática, taxonomía, anatomía, fisiología, embriología, ecología, comportamiento, zoogeografía, etc. Comprende las siguientes secciones: Trabajos, Puntos de Vista, Notas, Novedades Zoogeográficas y Novedades Bibliográficas. Publica en formato digital online y en formato impreso artículos científicos originales asegurando a los autores un proceso de revisión por evaluadores externos sólido y transparente más una alta visibilidad internacional de sus trabajos. Para los lectores, se garantiza el acceso libre a los artículos. Los idiomas aceptados son castellano, portugués e inglés.

Comité Científico

Virginia Abdala

Instituto de Biología Neotropical (CONICET-UNT), Tucumán, Argentina.

Vanessa Arzamendia

Instituto Nacional de Limnología (CONICET-UNL), Facultad de Humanidades y Ciencias, Universidad Nacional del Litoral, Santa Fe, Argentina.

María Laura Ponssa

Unidad Ejecutora Lillo (CONICET-FML), Tucumán, Argentina.

María Florencia Vera Candioti

Unidad Ejecutora Lillo (CONICET-FML), Tucumán, Argentina.

Margarita Chiaraviglio

Instituto de Diversidad y Ecología Animal (CONICET-UNC), Córdoba, Argentina.

Gabriela Perotti

Instituto de Investigaciones en Biodiversidad y Medioambiente (CONICET-UNComa), San Carlos de Bariloche, Rio Negro, Argentina.

Juliana Sterli

Museo Paleontológico Egidio Feruglio (CONICET), Trelew, Chubut, Argentina.

Lee Fitzgerald

Department of Wildlife and Fisheries Sciences, Texas A&M University, College Station, Texas, EE.UU.

Darrel Frost

Division of Vertebrate Zoology, Herpetology, American Museum of Natural History, New York, EE.UU.

Célio F. B. Haddad

Departamento de Zoologia, Instituto de Biociências, UNESP, Rio Claro, São Paulo, Brasil.

Taran Grant

Departamento de Zoologia, Instituto de Biociências, Universidade de São Paulo (USP), São Paulo, Brasil.

James A. Schulte II

Department of Biology, 212 Science Center, Clarkson University, Potsdam, NY, EE.UU.

Esteban O. Lavilla

Unidad Ejecutora Lillo (CONICET-FML), Tucumán, Argentina.

Gustavo Scrocchi

Unidad Ejecutora Lillo (UEL, CONICET-FML), Tucumán, Argentina.

Directores / Editores

Silvia Quinzio / Sebastián Quinteros

Instituto de Diversidad y Ecología Animal (IDEA-CONICET), CCT-Córdoba. Av. Vélez Sarsfield 299, CP 5000, Córdoba, Argentina
Instituto de Bio y Geociencias del NOA (IBIGEO-UNSa-CONICET) CCT-Salta/Jujuy. Av. 9 de Julio 14, A4405BBA, Rosario de Lerma, Salta, Argentina

Editoras y Editores asociados

María Gabriela Agostini

Instituto de Ecología, Genética y Evolución de Buenos Aires (CONICET-UBA), Ciudad Autónoma de Buenos Aires, Argentina.

Katyuscia Araujo-Vieira

Laboratório de Herpetologia, Departamento de Biodiversidade and Centro de Aquicultura (CAUNESP), Rio Claro, São Paulo, Brasil.

Diego Barrasso

Instituto de Diversidad y Evolución Austral (IDEAus-CONICET), Puerto Madryn, Chubut, Argentina. diegobarrasso@gmail.com

Gisela Bellini

Instituto Nacional de Limnología (INALI, CONICET-UNL), Facultad de Humanidades y Ciencias, Universidad Nacional del Litoral, Santa Fe, Argentina.

Luciana Bolsoni Lourenço

Departamento de Biología Estructural e Funcional, Instituto de Biologia, Universidade Estadual de Campinas (UNICAMP), Campinas, São Paulo, Brasil.

Claudio Borteiro

Sección Herpetología, Museo Nacional de Historia Natural de Montevideo, Montevideo, Uruguay.

David Buckley

Dpto de Biodiversidad y Biología Evolutiva, Museo Nacional de Ciencias Naturales, CSIC, Madrid, España.

Mario R. Cabrera

Departamento Diversidad Biológica y Ecología, FCEfYN, Universidad Nacional de Córdoba, Córdoba, Argentina.

Clarissa Canedo

Departamento de Zoologia, IBRAG, UERJ, Maracanã, Rio de Janeiro, Brasil.

Paola A. Carrasco

Centro de Zoología Aplicada, Instituto de Diversidad y Ecología Animal (IDEA-CONICET), Universidad Nacional de Córdoba, Córdoba, Argentina.

Santiago Castroviejo-Fisher

Laboratorio de Sistemática de Vertebrados, Pontificia Universidade Católica do Rio Grande do Sul (PUCRS), Porto Alegre, Brasil.

Ana Lucia da Costa Prudente

Coordenação de Zoologia, Museu Paraense Emílio Goeldi, Belém, Estado do Pará, Brasil.

Julián Faivovich

Museo Argentino de Ciencias Naturales “Bernardino Rivadavia”, Ciudad Autónoma de Buenos Aires, Argentina.

Javier Goldberg

Instituto de Diversidad y Ecología Animal (IDEA-CONICET), CCT-Córdoba. Av. Vélez Sarsfield 299, CP 5000, Córdoba, Argentina.

Adriana Jerez

Departamento de Biología, Universidad Nacional de Colombia, Bogotá, Colombia.

Claudia Koch

Alexander Koenig Research Museum, Bonn, Alemania (ZFMK).

Julián N. Lescano

Instituto de Diversidad y Ecología Animal, (IDEA, CONICET-UNC), Córdoba, Argentina.

Antonieta Labra

1. ONG Vida Nativa, Chile. 2. Centre for Ecological and Evolutionary Synthesis, University of Oslo, Noruega.

Roberta A. Murta-Fonseca

Universidade Federal de Mato Grosso do Sul, Campus do Pantanal (UFMS - CPan), Brasil.

Carlos A. Navas

Departamento de Fisiologia, Instituto de Biociências, Universidade de São Paulo (USP), São Paulo, Brasil.

Daniel E. Naya

Dpto de Ecología y Evolución, Facultad de Ciencias, Universidad de la República, Montevideo, Uruguay.

Laura Nicoli

Museo Argentino de Ciencias Naturales “Bernardino Rivadavia”, Ciudad Autónoma de Buenos Aires, Argentina. nicoli.laura@gmail.com

Paulo Passos

Departamento de Vertebrados, Setor de Herpetologia, Museu Nacional, Universidade Federal do Rio de Janeiro, Quinta da Boa Vista, São Cristóvão, Rio de Janeiro, Brasil.

Paola Peltzer

Facultad de Bioquímica y Ciencias Biológicas, Universidad Nacional del Litoral, Santa Fe, Argentina.

Sebastián Quinteros

Instituto de Bio y Geociencias del NOA (IBIGEO, CONICET-UNSa), Salta, Argentina.

Alex Richter-Boix

Evolutionary Biology Centre, Uppsala Universitet, Norbyvägen, Uppsala, Suecia.

Miguel Tejedo

Departamento de Ecología Evolutiva Estación Biológica de Doñana (EBD-CSIC), Sevilla, España.

Marcos Vaira

Instituto de Ecorregiones Andinas (CONICET-UNJu), San Salvador de Jujuy, Argentina.

Soledad Valdecantos

Instituto de Bio y Geociencias del NOA (IBIGEO, CONICET-UNSa), Salta, Argentina..

Volumen 39 - Suplemento 1 - Noviembre 2025

CUADERNOS *de* HERPETOLOGÍA

Revista de la Asociación Herpetológica Argentina

Unveiling Bolivia's Herpetological Splendor: A New Frontier of Discovery

Cuadernos de Herpetología is immensely proud to present a landmark contribution that profoundly enriches our understanding of the extraordinary reptilian diversity within the Plurinational State of Bolivia. This special issue, featuring the "Catalogue of the reptiles of Bolivia: checklist, distribution and literature", stands as a testament to the nation's unparalleled natural heritage and the unwavering dedication of their scientific community.

Bolivia's privileged geographical position, characterized by significant climatic and physiographic heterogeneity, generates a remarkable variety of ecosystems spanning an altitudinal range from less than 200 meters above sea level to over 6000 meters in the high Andes. This includes a mosaic of 12 distinct ecoregions, from the Amazonian rainforests and Chaco dry forests to the inter-Andean dry forests and high Andean plateaus. This ecological tapestry fosters an astonishing diversity of reptilian life. The greatest species richness is notably found in the Yungas and the Pre- and Sub-Andean Amazon Forests, while endemism is particularly concentrated in the Andean regions, specifically the Yungas, Sub-Andean Amazon Forests, and Inter-Andean Dry Forests.

This comprehensively compiled catalogue documents a staggering 314 species of reptiles, distributed across 118 genera and 28 families in Bolivia. The diversity is notably dominated by snakes, accounting for 173 species (55%), followed by lizards with 119 species (38%), tortoises and turtles with 16 species (5%), and caimans with 6 species (2%). Furthermore, the catalogue identifies 25 endemic species, representing 7.96% of the total, a number poised to grow as research progresses. The authors' rigorous effort in synthesizing existing literature, incorporating new records, and providing detailed distribution maps and photographs for a significant portion of the species (65%) underscores a monumental achievement in the field of Bolivian herpetology. This foundational work is crucial for informing conservation strategies and guiding future ecological and taxonomic studies.

Despite these advancements, significant gaps and a lack of information persist, highlighting that the diversity and systematics of Bolivian reptiles remain underexplored. Globally, an average of 227 new reptile species are described each year, and the Neotropics, particularly Bolivia, still possesses vast untapped taxonomic knowledge. The catalogue itself identifies an additional 24 species with probable occurrence in the country, given their proximity to Bolivian borders in neighboring nations.

To the emerging generations of herpetologists, we extend a resounding call to action. The work presented in this issue serves not just as a comprehensive resource, but as an inspiration. The immense task of fully understanding and protecting Bolivia's reptilian heritage lies ahead. May your passion, scientific rigor, and intrepid spirit lead you to the unexplored corners of this magnificent country. We are confident that your future endeavors will uncover countless new species and ecological insights, adding vital chapters to the grand narrative of life on Earth. The journey of discovery in Bolivia is far from over.

Diego Baldo

Catalogue of the reptiles (Reptilia) of Bolivia: checklist, distribution and literature

Pedro Gómez-Murillo¹, Oliver Quinteros-Muñoz¹, Enrique Domic², Teresa Camacho-Badani^{1,3}, Romeo Rojas-Estrada¹, Irene Arellano-Martín⁴, Rodrigo Aguayo⁵, Lucindo Gonzales⁶, Luis F. Esqueda⁷, Carlos Urdiales Alonso⁸, Dennis E. Lizarro (†)⁹, Edson Cortez⁶, Mauricio Ocampo¹¹, Steffen Reichle⁶, Octavio Jiménez-Robles¹³, Rene Carpio-Real⁵, Omar M. Entiauspe-Neto^{14,15}, Luis Rolando Rivas⁹, Alfonso Llobet¹⁰, Alejandro Bruno Miranda-Calle^{11,12}, Alvaro J. Aguilar-Kirigin^{9,11} & Ignacio De la Riva¹⁶

¹ Museo de Historia Natural Alcide d'Orbigny, casilla 843, Cochabamba, Bolivia.

² Wildlife Conservation Society, Programa Bolivia, Calle Gabino Villanueva 340, La Paz, Bolivia.

³ Museo de Zoología, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, Avenida 12 de Octubre y Roca, Apartado 17-01-2184, Quito, Ecuador.

⁴ Independent Researcher, C/ Caridad, 8, planta 2, puerta 8, Estepona, Spain.

⁵ Centro de Biodiversidad y Genética, Universidad Mayor de San Simón, casilla 538, Cochabamba, Bolivia.

⁶ Museo Historia Natural Noel Kempff Mercado, Avenida Irala, 556, Santa Cruz, Bolivia.

⁷ Programa de Doctorado en Sistemática y Biodiversidad, Departamento de Zoología, Facultad de Ciencias Naturales y Oceanográficas, Universidad de Concepción, Chile.

⁸ Estación Biológica de Doñana (EBD-CSIC), Avda. Américo Vespucio N° 26, 41092, Sevilla, Spain.

⁹ Centro de Investigación de Recursos Acuáticos, Universidad Autónoma del Beni "José Ballivián", Campus Universitario Hernán Melgar Justiniano, Trinidad, Beni, Bolivia.

¹⁰ Coordinador de Planificación, Monitoreo y Evaluación, WWF, Bolivia.

¹¹ Red de Investigadores en Herpetología - Bolivia, Avda. José Aguirre 260, Los Pinos Zona sur, La Paz, Bolivia.

¹² Instituto de Ecología, Colección Boliviana de Fauna, c. 27 de Cota Cota, La Paz, Bolivia.

¹³ Research School of Biology, The Australian National University, 46 Sullivans Creek Road, 2601, Acton, Australian Capital Territory, Australia.

¹⁴ Universidade Federal do Rio Grande Do Sul, Departamento de Zoologia, Avda. Bento Gonçalves, Porto Alegre, Brazil.

¹⁵ Instituto Butantan, Laboratório de Coleções Zoológicas, Avda. Vital Brazil 1500, São Paulo, Brazil.

¹⁶ Museo Nacional de Ciencias Naturales (MNCN-CSIC), C/ José Gutiérrez Abascal, 2. 28006, Madrid, Spain.

Recibido: 06 Julio 2023

Revisado: 21 Octubre 2024

Aceptado: 11 Marzo 2025

Editor Asociado: D. Baldo

doi: 10.31017/CdH.2025.(2023-020)

ABSTRACT

Bolivia is biogeographically diverse and consequently has a rich herpetofauna. We present an updated list of reptiles from Bolivia, consisting of a total of 314 species, belonging to 118 genera and 28 families. For each taxon we include comments, conservation status, new records, distribution maps and photographs (of 65% of the species). We also provide a list of species of probable occurrence in the country (which have been documented in Argentina, Brazil, Chile, Paraguay or Peru in localities very close to the Bolivian frontier), and a list of erroneous records.

Key words: Conservation, Crocodilia, Lizards, Reptilia, Snakes, South America, Squamata, Testudines.

RESUMEN

Bolivia es un país biogeográficamente muy diverso y consecuentemente alberga una herpetofauna muy rica. Presentamos una lista actualizada de los reptiles de Bolivia, constituida por un total de 314 especies, pertenecientes a 118 géneros y 28 familias. Para cada taxón se incluyen comentarios, el estado de conservación, nuevos registros, mapas de distribución y fotografías (del 65% de las especies). Además, se incluye una lista de especies de probable existencia en el país (que han sido documentadas en Argentina, Brazil, Chile, Paraguay o Perú en localidades muy cercanas al límite con Bolivia), y otra de registros erróneos.

Palabras claves: Conservación, Crocodilia, Lagartos, Reptilia, Serpientes, América del Sur, Squamata, Testudines.

Introduction

Bolivia is a center of global importance for the origin and diversity of species. Its distribution, richness and endemism are distributed in different ecoregions. The greatest richness of species is found in the Yungas and the Pre- and Sub-Andean Amazon Forests. Endemism is especially concentrated in the Andes: Yungas, Forests Subandean Amazon and Interandean Dry Forests (Ibisch & Mérida, 2003), located in the center of South America, it is characterized by a significant climatic and physiographic heterogeneity, and a remarkable variety of ecosystems distributed across an altitudinal range from less than 200 meters above sea level to more than 6000 in the high Andes (CBD, 2002; Ibisch & Mérida, 2003; Ibisch, 2005). From the Andean highlands to the eastern lowlands, the Bolivian territory includes rainforests and swampy savannahs, deciduous forests, semi-arid and semi-desert areas, classified into 12 different ecoregions: Ibisch & Mérida, 2003; Navarro, 2011; Rivas-Martínez *et al.*, 2011). As a result of these characteristics, the country holds a remarkable biogeographical diversity (Ibisch, 2001).

The knowledge of herpetology in Bolivia has been increasing over the last three decades. Although its formal beginnings date back to the work of Kempff (1975), Fugler (1986a), Fugler (1989), Fugler & De la Riva (1990), Fugler *et al.*, (1995) Montero *et al.*, (1995) to Dirksen & De la Riva (1999). Later, other authors reviewed particular groups and presented updated checklists of the reptiles of Bolivia: Harvey *et al.* (2003), Padial *et al.* (2003), Cortez (2005), Harvey *et al.* (2005), Langstroth (2005), Embert (2008); MMAYA (2009), Montaña (2013), Pinto-Viveros *et al.* (2017). Aguayo (2009) published the last checklist of reptiles of Bolivia; Rodríguez-

Cordero *et al.*, (2019) for the crocodiles, Reichle (2019) for the snakes, and Domic *et al.*, (2021), Domic *et al.*, (in press) for the turtles.

The last decade of herpetofaunistic studies has produced new species and findings that changed the taxonomic status and nomenclature of many taxa (Gonzales *et al.*, 2020; Aguilar-Kirigin *et al.*, 2021; Langstroth, 2021; Pires *et al.*, 2021; Albuquerque & Fernandes, 2022; Trevine *et al.*, 2022; Quinteros-Muñoz *et al.*, 2024).

Even so, the gaps and lack of information demonstrate that, like other animal taxa, the diversity and systematics of Bolivian reptiles have been little studied. So, this has motivated to summarize what is known about the reptiles occurring in the country, and present our results in this complete and illustrated catalogue. On average, around 227 new species of reptiles are described in the world each year (Uetz *et al.*, 2025), and the Neotropics, especially Bolivia is a region still with poor taxonomic knowledge of this group. Due to the current context in relation to biological diversity and conservation in South America, it is a priority to have an updated general list of Bolivian reptiles. This type of information is extremely useful not only for systematic, taxonomic, and ecological studies, but also for the implementation of informed conservation policies.

Brief history of early herpetological investigations in Bolivia

Herpetological studies in Bolivia began with the Jesuit missions during the 17th and 18th centuries, highlighting the papers of Bernabé Cobo chronicler, scientist and priest and his book "Historia del Nuevo

Mundo, 1617" where he wrote about the impenetrable forests of the Yungas, in which venomous pests inhabit and are dangerous for its inhabitants.; José Sánchez Labrador, Jesuit missionary sent to South America in 1734, traveled extensively through what is now Bolivia, Argentina and Paraguay and started a manuscript on history; or the priest and chronicler Francisco Javier Eder who in 1753 described three species of caimans in the central region of Baures (department of Beni today). In 1789 the naturalist Tadeo Haenke participated in the Malaspina expedition, later settling in the Cochabamba region and making great contributions to the knowledge of the biodiversity of Bolivia with the description of several species of the genus *Coluber*. The Malaspina expedition was authorized by King Carlos III of Spain and had the objective of touring the American coast in order to expand knowledge of natural sciences, astronomy and hydrography. Alcide d'Orbigny, a French naturalist who travelled across Bolivia for more than three years (1829-1833), stands out for describing some 115 species of reptiles in volume V of his work "Voyage dans l'Amerique Méridionale (Journey to South America)". Throughout the 20th century, great events unfolded for the Bolivian herpetofauna. At the beginning of the century, different scientific expeditions provided records of new species for the country and new ones for science, the most important being the one headed by Maurice Neveu-Lemaire.

Boulenger also made significant contributions to the field of herpetology worldwide, describing over 600 reptiles and 1470 species and genera of amphibians, of which six reptiles and eight amphibians were described for Bolivia between 1896 and 1908. Most of his descriptions were based on specimens in the collection of the British Museum deposited by various naturalists such as Dr. H. von Ihering, Prof. L. Balzan, Mr. P. O. Simons, Mr. Oekenden, and others. J. Steinbach conducted collections in the department of Santa Cruz, which were reviewed by H. W. Parker, who identified four reptile species and two amphibians for this department (Parker, 1928). On the other hand, Alfredo Borelli conducted numerous collections in the Bolivian Chaco between 1895 and 1896, depositing all specimens at the Museo Zoológico di Torino. M. G. Peracca reviewed those collections and in 1897 presented a list of 19 amphibians and 36 reptiles for Bolivia (Peracca, 1897). This was followed by researchers such as Everet N. Pearson,

G. Mann, Flemming, Procter, W. Foster, Donoso Barros, J. Vellard, Carl Gans, Federico Medem, Gastón Bejarano, Ovidio Suárez and Noel Kempff Mercado. Later, herpetological collections were born in different Bolivian institutions like Museo de Historia Natural Noel Kempff (Santa Cruz, 1986), Colección Boliviana de Fauna (La Paz, 1989), Museo de Historia Natural Pedro Villalobos (Cobija, 2002) and Museo de Historia Natural Alcide d'Orbigny (Cochabamba, 2003). In addition, the first agreements were established with foreign institutions so that researchers of other nationalities could study the herpetofauna of the country (d'Orbigny, 1945; Ergueta, 1995; Orias, 2005; Aparicio, 2014; Aparicio, 2016b; De la Riva *et al.*, 2018).

Materials y methods

Each species account is divided into the following sections:

Taxonomy; at the generic level is usually the latest published opinion. In some cases where the taxonomy seems to be still in flux, for example *Anolis/Norops*, we have made a decision. We recognize that subspecies may refer to different species (e.g., *Boa constrictor*, *Oxyrhopus rhombifer* or *Erythrolamprus poecilogyrus*), we show at the species level, leaving it to future studies to determine their true status. In the cases (eg., *Apostolepis underwoodi*, *Epictia albifrons*, *Liolaemus chaltin* or *Liolaemus puna*) a brief discussion is made on the taxonomics of those species present in Bolivia. No taxonomic decision is made on the species cited in this work. We leave conflicting or changing taxonomic identities to future research that can resolve them.

Type and Type locality; we have used data from reviews or specific studies (e.g., Harvey, 2008; Wallach *et al.*, 2014; Reynolds & Henderson, 2018; Gonzales *et al.*, 2020; Pires *et al.*, 2021; TTWG, 2021; Albuquerque & Fernandes, 2022).

Collection codes; museum abbreviations used in the text follow the standardized list maintained by the American Society of Ichthyologists and Herpetologists obtained from Sabaj (2014) and Frost (2022) (Appendix 1).

Distribution; shows the general distribution and is based on citations in bibliographic references. **Maps;**

the maps were made using QGIS 3.26.3 (www.qgis.org). All but sixteen species (due to lack of data or localities) are mapped in detail according to altitude, based on 16,783 records present in our database. All of our maps are derived from a set of georeferenced data obtained from the literature records, especially from works presenting lists of material examined in taxonomic studies. Due to the scale of the map, a point may represent more than one of several nearby locations. Some of the localities may be imprecise and could be several kilometers away from the actual collection site.

Information on the distribution of the species is obtained from the bibliography records. All records are previously published, except new records from material deposited in zoological collections.

Remarks; we include information on national distribution by department, endemic species, new records, taxonomy and other aspects such as the national and global conservation status according to the categories used in the Red Book of Vertebrates of Bolivia and the IUCN Red List (MMAYA, 2009; IUCN, 2022). If information on the species is available it is mentioned, when the species does not appear in the source, we do not mention it. Examined specimens are mentioned, only mention is made for new records (voucher is specified).

Classification

We have considered taxonomic changes and geographic additions until April 2025. We have used the suprageneric taxonomy in The Reptile Database (Uetz *et al.*, 2025) with the following modifications: Testudines: TTTWG (2021).

Squamata: Gans (2005), Pyron *et al.* (2013), Wallach *et al.* (2014), Carrasco *et al.* (2019), Abdala *et al.* (2021c), Abdala *et al.* (2021d), Silva-Jr. (2021), Simões & Pyron (2021), Trevine *et al.* (2022), and Carvalho *et al.* (2023).

Results

Our research has allowed us to document a total of 314 species in Bolivia. The richness of the groups varies, with snakes being the most diverse with 173 species (55%), followed by lizards with 119 species (38%), tortoises and turtles with 16 species (5%) and caimans with 6 species (2%). There are 25 endemic species, which represents 7.96% of the total number of species. This number will increase in the coming

years due to descriptions of new species or new records; in fact, we have identified other 24 species that may occur in the territory, since they are reported close to the Bolivian border in neighboring countries. Also, there are at least 25 species that we consider erroneous records (see below).

Species Accounts

Clase Reptilia Laurenti, 1768

Order Testudines Batsch, 1788

Family Kinosternidae Agassiz, 1857

Genus *Kinosternon* Spix, 1824

***Kinosternon scorpioides* (Linnaeus, 1766)**

Fig. 1 - Map. 1

Type: Lost (Holotype), MNHN-RA 1760 and MNHN-RA 4349 (Syntypes).

Type locality: “Surinami” Surinam.

Distribution: Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz, Pando, Santa Cruz, and Tarija. Categorized as LC (MMAYA, 2009).

Selected references: Linnaeus, 1766; Gray, 1831; Duméril & Bibron, 1835; Bell, 1836; Bocourt, 1876; Schwartz & Henderson, 1991; Köhler, 2000; Iverson *et al.*, 2013; Montaña, 2013; TTTWG, 2014; Cacciali *et al.*, 2016a; TTTWG, 2017; Domic *et al.*, 2021; TTTWG, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025; Domic *et al.*, (in press).

Family Testudinidae Batsch, 1788

Genus *Chelonoidis* Fitzinger, 1835

***Chelonoidis carbonarius* (Spix, 1824)**

Fig. 2 - Map. 2

Type: Lost (Holotype).

Type locality: “flumen Amazonum” Pará, Brazil.

Distribution: Argentina, Bolivia, Brazil, Colombia, French Guiana, Guyana, Panama, Paraguay, Suriname, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando, Santa Cruz and Tarija. Categorized as NT (MMAYA, 2009).

Selected references: Duméril & Bibron, 1835; Bell, 1836; Duméril & Bibron, 1854; Williams, 1960; Ernst & Barbour, 1989; Schwartz & Henderson, 1991; Iverson, 1992; Cej, 1993; Gorzula & Señaris, 1999; Ziegler *et al.*, 2002b; Padial *et al.*, 2003; Mccord &



Figure 1. *Kinosternon scorpioides* from Puerto Almacén, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 5. *Acanthochelys macrocephala* from Puerto Suarez, department of Santa Cruz. Photo: Steffen Reichle.



Figure 2. *Chelonoidis carbonarius* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 6. *Acanthochelys pallidipectoris* from Corbalán, department of Tarija. Photo: Lucindo Gonzales.



Figure 3. *Chelonoidis chilensis* from Kaa-Iya, department of Santa Cruz. Photo: Steffen Reichle.




Figure 7. *Chelus fimbriata* from río Ipurupuru, department of Beni. Photo: Luis Rolando Rivas.



Figure 4. *Chelonoidis denticulatus* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 8. *Mesoclemmys raniceps* from Juan Chulo, department of Santa Cruz. Photo: Lucindo Gonzales.



Joseph-Ouni, 2004; Le *et al.*, 2006; Daltry, 2007; Cortez & Rey-Ortíz, 2009a; Mcnish, 2011; Montaña, 2013; TTWG, 2014; Olson & David, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; TTWG, 2017; Gómez-Murillo & Arellano-Martín, 2019; Domic *et al.*, 2021; TTWG 2021; Uetz *et al.*, 2025; Domic *et al.*, (in press).

***Chelonoidis chilensis* (Gray, 1870)**

Fig. 3 - Map. 3

Type: BMNH 1947.3.5.8 and BMNH 1947.3.5.9 (Syntypes).

Type locality: Argentina.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Gray, 1870; Kahl *et al.*, 1980; Ernst & Barbour, 1989; Cei, 1993; TFTSG, 1996b; Ernst, 1998; Varela & Bucher, 2002; Mccord & Joseph-Ouni, 2004; Carnovale, 2005; Le *et al.*, 2006; Cortez & Rey-Ortíz, 2009b; Winchell, 2010; Montaña, 2013; TTWG, 2014; Cacciali *et al.*, 2016a; TTWG, 2017; Domic *et al.*, 2021; TTWG, 2021; Uetz *et al.*, 2025; Domic *et al.*, (in press).

***Chelonoidis denticulatus* (Linnaeus, 1766)**

Fig. 4 - Map. 4

Type: NRM DeGeer collection 21 (Holotype).

Type locality: “Virginia” (USA) in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as NT (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Linnaeus, 1766; Duellman, 1978; Gorzula & Señaris, 1999; Mccord & Joseph-Ouni, 2004; Cortez, 2005; Moravec & Aparicio, 2005; Le *et al.*, 2006; Rey-Ortíz & Cortez, 2009; Whithworth & Beirne, 2011; Mcnish, 2011; Olson & David, 2014; TTWG, 2014; TTWG, 2017; Gómez-Murillo & Arellano-Martín, 2019; Aguilar-Kirigin, 2020; Aparicio *et al.*, 2021b; Domic *et al.*, 2021; Eversole *et al.*, 2021; TTWG, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025; Domic *et al.*, (in press).

Family Chelidae Gray, 1825

Genus *Acanthochelys* Gray, 1873

***Acanthochelys macrocephala* (Rhodin, Mittermeier**

& McMorris, 1984)

Fig. 5 - Map. 5

Type: NMW 1293 (Holotype).

Type locality: Caiçara, Rio Paraguai, Mato Grosso, Brazil.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as NT (MMAYA, 2009) and NT (IUCN, 2022).

Selected references: Rhodin *et al.*, 1984; Alderton, 1988; Rhodin *et al.*, 1990; Vinke & Vinke, 2001; Montaña & Gonzales, 2009; TTWG, 2014; TTWG, 2017; Cacciali *et al.*, 2016a; Rhodin *et al.*, 2018; Domic *et al.*, 2021; TTWG, 2021; Uetz *et al.*, 2025.

***Acanthochelys pallidipectoris* (Freiberg, 1945)**

Fig. 6 - Map. 6

Type: MACN 1731 (Holotype)

Type locality: “Presidencia Roque Sáenz Peña, Chaco” Argentina.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the department of Tarija. Categorized as NT (MMAYA, 2009) and EN (IUCN, 2022).

Selected references: Freiberg, 1945; Ernst & Barbour, 1989; Gonzales & Montaña, 2009b; TTWG, 2014; Cacciali *et al.*, 2016a; Vinke & Vinke, 2016; TTWG, 2017; Domic *et al.*, 2021; TTWG, 2021; Uetz *et al.*, 2025; Domic *et al.*, (in press).

Genus *Chelus* Duméril, 1805

***Chelus fimbriata* (Schneider, 1783)**

Fig. 7 - Map. 7

Type: Lost (Holotype).

Type locality: Surinam.

Distribution: Bolivia, Brazil, Ecuador, Peru, Suriname and Trinidad and Tobago.

Remarks: Recorded in the departments of Beni, Pando and Santa Cruz. Categorized as NT (MMAYA, 2009).


Selected references: Schneider, 1783; Günther, 1882; Mertens, 1934; Gorzula & Señaris, 1999; Cortez, 2009a; Rivas *et al.*, 2012; TTWG, 2014; Ceriaco & Bauer, 2017; TTWG, 2017; Vargas-Ramírez *et al.*, 2020; Domic *et al.*, 2021; TTWG, 2021; Uetz *et al.*, 2025; Domic *et al.*, (in press).

Genus *Mesoclemmys* Gray, 1873


***Mesoclemmys gibba* (Schweigger, 1812)**

Map. 8


Type: MNHN-RA 8756 (Holotype).




Map 7. Distribution map of *Chelus fimbriata* (Schneider, 1783) in Bolivia.




Map 10. Distribution map of *Mesoclemmys vanderhaegei* (Bour, 1973) in Bolivia.




Map 8. Distribution map of *Mesoclemmys gibba* (Schweigger, 1812) in Bolivia.



Map 11. Distribution map of *Mesoclemmys wermuthi* (Mertens 1969) in Bolivia.



Map 9. Distribution map of *Mesoclemmys raniceps* (Gray, 1856) in Bolivia.



Map 12. Distribution map of *Phrynosoma geoffroanus* (Schweigger, 1812) in Bolivia.

Type locality: Patria ignota = Not known.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as DD (MMAYA, 2009).

Selected references: Schweigger, 1812; Duméril & Bibron, 1835; Siebenrock, 1905; Gaffney, 1977; Duellman, 1978; Gorzula & Señaris, 1999; Mccord *et al.*, 2001; Mccord & Joseph-Ouni, 2002; Lehr, 2002; Hennig, 2004; Bour & Zaher, 2005; Bonin *et al.*, 2006; Rivas *et al.*, 2012; TTWG, 2017; Domic *et al.*, 2021; TTWG, 2021; Uetz *et al.*, 2025; Domic *et al.*, (in press).

***Mesoclemmys raniceps* (Gray, 1856)**

Fig. 8 - Map. 9

Type: BMNH 1947.3.5.92 (Lectotype).

Type locality: “Brazils; Para” Pará, Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as DD (MMAYA, 2009).

Selected references: Gray, 1856; Mccord *et al.*, 2001; Mccord & Joseph-Ouni, 2002; Souza, 2004; Bour & Zaher, 2005; Bonin *et al.*, 2006; TTWG, 2011; Rivas *et al.*, 2012; TTWG, 2017; Domic *et al.*, 2021; TTWG, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025; Domic *et al.*, (in press).

***Mesoclemmys vanderhaegei* (Bour, 1973)**

Fig. 9 - Map. 10

Type: MNHN-RA 1977.0050 (Holotype).

Type locality: “les environs d’Asunción au Paraguay”.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as NT (MMAYA, 2009) and NT (IUCN, 2022).

Selected references: Bour, 1973; Alderton, 1988; TFTSG, 1996a; McCord *et al.*, 2001; Gonzales & Reichle, 2002; McCord & Joseph-Ouni, 2002; Souza, 2004; Bour & Zaher, 2005; Gonzales & Montaña, 2009a; TTWG, 2011; Vinke *et al.*, 2013; Cacciali *et al.*, 2016a; TTWG, 2017; Domic *et al.*, 2021; TTWG, 2021; Uetz *et al.*, 2025; Domic *et al.*, (in press).

***Mesoclemmys wermuthi* (Mertens, 1969)**

Map. 11

Type: SMF 66246 (Holotype).

Type locality: Iquitos, Loreto, Peru.

Distribution: Bolivia, Brazil, Colombia and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba and Santa Cruz. Categorized as NE (MMAYA, 2009).

Selected references: Mertens, 1969; Bour & Pauler, 1987; TTWG, 2021; Uetz *et al.*, 2025; Domic *et al.*, (in press).

Genus *Phrynops* Wagler, 1830

***Phrynops geoffroanus* (Schweigger, 1812)**

Fig. 10 - Map. 12

Type: MNHN-RA 9417 (Holotype)

Type locality: “Brasilia” Brazil.

Distribution: Argentina, Bolivia, Brazil, Colombia, Ecuador, Paraguay, Peru and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009).

Selected references: Schweigger, 1812; Boulenger, 1886; Boulenger, 1889; Iverson, 1992; Gorzula & Señaris, 1999; Mccord *et al.*, 2001; Bour & Zaher, 2005; Cortez, 2005; Baldo *et al.*, 2007; Cacciali *et al.*, 2016a; TTWG, 2017; Aguilar-Kirigin, 2020; Domic *et al.*, 2021; Eversole *et al.*, 2021; TTWG, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025; Domic *et al.*, (in press).

Genus *Platemys* Wagler, 1830

***Platemys platycephala* (Schneider, 1792)**

Fig. 11 - Map. 13

Type: Lost (Holotype).

Type locality: Cayenne, French Guiana.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009).

Selected references: Schneider, 1792; Boulenger, 1889; Alderton, 1988; Gorzula & Señaris, 1999; Cortez, 2005; Moravec & Aparicio, 2005; TTWG, 2014; TTWG, 2017; Domic *et al.*, 2021; TTWG, 2021; Uetz *et al.*, 2025; Domic *et al.*, (in press).

Family Podocnemididae Cope, 1868

Genus *Podocnemis* Wagler, 1830

***Podocnemis expansa* (Schweigger, 1812)**

Fig. 12 - Map. 14

Type: Lost (Holotype), MNHN-RA 7997 (Lectotype), MNHN-RA 7893 and MNHN-RA



Figure 9. *Mesoclemmys vanderhaegei* from Serranía de Robore, department of Santa Cruz. Photo: Steffen Reichle.



Figure 10. *Phrynops Geoffroyanus* from Chalalán, department of La Paz. Photo: Ignacio De la Riva.



Figure 11. *Platymys platycephala* from Cuzco Amazónico, Madre de Dios / Peru. Photo: Ignacio De la Riva.



Figure 12. *Podocnemis expansa* from arroyo Negro, TIPNIS, department of Beni. Photo: Luis Rolando Rivas.



Figure 13. *Podocnemis unifilis* from Santa Ana de Yacuma, department of Beni. Photo: Steffen Reichle.



Figure 14. *Caiman latirostris* in captivity (Piriápolis, Uruguay). Photo: Ignacio De la Riva.



Figure 15. *Caiman yacare* from Otuquis, department of Santa Cruz. Photo: Steffen Reichle.





Figure 16. *Melanosuchus niger* from Bella Vista, department of Beni. Photo: Oliver Quinteros-Muñoz.



8359 (Paralectotypes).

Type locality: French Guiana.

Distribution: Bolivia, Brazil, Colombia, Ecuador, Guyana, Peru and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as EN (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Schweigger, 1812; Duméril & Bibron, 1835; Frair *et al.*, 1978; TFTSG, 1996d; Gorzula & Señaris, 1999; Acebey *et al.*, 2009a; TTWG, 2014; TTWG, 2017; Domic *et al.*, 2021; Fagundes *et al.*, 2021; TTWG, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025; Domic *et al.*, (in press).

***Podocnemis sextuberculata* Cornalia, 1849**

Map. 15

Type: Lost (Holotype).

Type locality: Amazon River, South America.

Distribution: Bolivia, Brazil, Colombia and Peru.

Remarks: Recorded in the department of Pando. Categorized as NE (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Alderton, 1988; TFTSG, 1996e; Lehr, 2002; TTWG, 2014; Domic *et al.*, 2021; TTWG, 2021; Uetz *et al.*, 2025; Domic *et al.*, (in press).

***Podocnemis unifilis* Troschel, 1848**

Fig. 13 - Map. 16

Type: Lost (Holotype).

Type locality: “Britisch-Guiana, Rupununi und Takutu” Guyana.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as VU (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Troschel, 1848; Siebenrock, 1902; Frair *et al.*, 1978; Kahl *et al.*, 1980; TFTSG, 1996c; Gorzula & Señaris, 1999; Padial *et al.*, 2003; Moravec & Aparicio, 2004; Acebey *et al.*, 2009b; Emmons, 2016; TTWG, 2017; Aguilar-Kirigin, 2020; Domic *et al.*, 2021; Fagundes *et al.*, 2021; TTWG, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025; Domic *et al.*, (in press).

Order Crocodylia Gmelin, 1789

Family Alligatoridae Gray, 1844

Genus *Caiman* Spix, 1825

***Caiman crocodilus* (Linnaeus, 1758)**

Map. 17

Type: UUZM (= ZMUU) (2) (Lectotype).

Type locality: “Restricted to Guyana”.

Distribution: Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Gorzula & Señaris, 1999; Lehr, 2002; Embert, 2008; Balaguera & Velasco, 2019; Ortiz *et al.*, 2019; Uetz *et al.*, 2025.

***Caiman latirostris* (Daudin, 1802)**

Fig. 14 - Map. 18

Type: MNHN-RA 7769 (Holotype).

Type locality: Joinville, Santa Catarina, Brazil.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the department of Tarija. In the IUCN Red List, this species is listed as Least Concern (LC). Categorized as EN (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boulenger, 1886; Waller, 1987; Cei, 1993; Nickel & Auliya, 2004; Carreira *et al.*, 2005; Aparicio *et al.*, 2009; Verdade *et al.*, 2010; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Rodriguez-Cordero *et al.*, 2019; Uetz *et al.*, 2025.

***Caiman yacare* (Daudin, 1802)**

Fig. 15 - Map. 19

Type: Lost (Holotype).

Type locality: Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cei, 1993; Norman, 1994; Nickel & Auliya, 2004; Cortez, 2005; Campos *et al.*, 2010; Montaña, 2013; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Rodriguez-Cordero *et al.*, 2019; Aguilar-Kirigin, 2020; Eversole *et al.*, 2021; De la Quintana *et al.*, 2022; Ríos, 2022; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

Genus *Melanosuchus* Spix, 1825

***Melanosuchus niger* (Spix, 1825)**




Fig. 16 - Map. 20

Type: ZSM 2480,0 (Lectotype)

Type locality: "Fluminis Amazonium et Solimoens", Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as VU (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Spix, 1825; King & Burke, 1989; Poe, 1996; Ross, 2000; Zug *et al.*, 2001; Padial *et al.*, 2003; Llobet *et al.*, 2009; Thorbjarnarson, 2010; Morato *et al.*, 2014; Rodríguez-Cordero *et al.*, 2019; Aguilar-Kirigin 2020; De la Quintana *et al.*, 2022; Ríos Ríos 2022; Uetz *et al.*, 2025.

Genus *Paleosuchus* Gray, 1862

***Paleosuchus palpebrosus* (Cuvier, 1807)**

Fig. 17 - Map. 21

Type: MNHN-RA 7530 (Holotype)

Type locality: "Cayenne" French Guiana.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Suriname, Trinidad and Tobago and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cuvier, 1807; Duméril & Bibron, 1836; Brühl, 1874; Gorzula & Señaris, 1999; Moravec & Aparicio, 2004; Cortez, 2005; Méndez *et al.*, 2009; Cacciali *et al.*, 2016a; Campos *et al.*, 2018; Magnusson *et al.*, 2019; Rodríguez-Cordero *et al.*, 2019; Uetz *et al.*, 2025.

***Paleosuchus trigonatus* (Schneider, 1801)**

Fig. 18 - Map. 22

Type: ZMB 243 (Lectotype), ZFMK 52352 (Paralectotype)

Type locality: Not known.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Pando and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Schneider, 1801; Duellman, 1978; Gorzula & Señaris, 1999; Lehr, 2002; Padial *et al.*, 2003; Méndez & Cortez, 2009; Campos *et al.*, 2019a; Campos *et al.*, 2019b; Rodríguez-Cordero *et al.*, 2019; Uetz *et al.*, 2025.

Order Squamata Oppel, 1811

Sauria Gauthier, 1984

Family Alopoglossidae Goicoechea *et al.*, 2016

Genus *Alopoglossus* Boulenger, 1885

***Alopoglossus andeanus* Ruibal, 1952**

Map. 23

Type: MCZ 45590 (Holotype).

Type locality: La Pampa, Dpto. Puno, Peru.

Distribution: Bolivia and Peru.

Remarks: Recorded in the department of La Paz. Categorized as NE (MMAYA, 2009).

Selected references: Ruibal, 1952; Cortez, 2005; Langstroth, 2005; Ribeiro-Júnior *et al.*, 2020; Uetz *et al.*, 2025.

***Alopoglossus avilapiresae* Ribeiro-Júnior, Choueri, Lobos, Venegas, Torres-Carvajal & Werneck, 2020**

Map. 24

Type: INPA-H 9515 (Holotype).

Type locality: Amanã, Baré, Maraã municipality, State of Amazonas, Brazil.

Distribution: Bolivia, Brazil, Colombia and Peru.

Remarks: Recorded in the department of Pando. Categorized as NE (MMAYA, 2009).

Selected references: Langstroth, 2005; Ribeiro-Júnior *et al.*, 2020.

***Alopoglossus brevifrontalis* (Boulenger, 1912)**

Map. 25

Type: BMNH 1946.8.31.63 (Holotype).

Type locality: El Topo, Río Pastaza, Ecuador.

Distribution: Bolivia, Brazil, Colombia, Ecuador, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni and Cochabamba. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boulenger, 1912; Peters & Donoso-Barros, 1970; Duellman, 1978; Harris, 1994; Dirksen & De la Riva, 1999; Lehr, 2002; Ribeiro-Júnior & Amaral, 2016b; Calderón *et al.*, 2019b; Hernández-Morales *et al.*, 2020; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

Family Amphisbaenidae Gray, 1865

Genus *Amphisbaena* Linnaeus, 1758

***Amphisbaena alba* Linnaeus, 1758**

Fig. 19 - Map. 26

Type: NRM (Syntypes)

Type locality: "America".

Distribution: Bolivia, Brazil, Colombia, Guianas, Panama, Paraguay, Peru, Trinidad and Tobago, and



Figure 17. *Paleosuchus palpebrosus* in captivity (Topeka Zoo, Kansas / USA). Photo: Ignacio De la Riva.



Figure 21. *Amphisbaena bassleri* from Puerto Almacén, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 18. *Paleosuchus trigonatus* from Quince Mil, Cuzco / Peru. Photo: Ignacio De la Riva.



Figure 22. *Amphisbaena borelli* from Kaa-Iya, department of Santa Cruz. Photo: Steffen Reichle.



Figure 19. *Amphisbaena alba* from Santiago de Chiquitos, department of Santa Cruz. Photo: Steffen Reichle.




Figure 23. *Amphisbaena camura* from Santa Cruz de la Sierra, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 20. *Amphisbaena angustifrons* from Incahuasi, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 24. *Amphisbaena cegei* from Pampa Grande, department of Santa Cruz. Photo: Lucindo Gonzales.



Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Duméril & Bibron, 1839; Gray, 1865; Griffin, 1917; Procter, 1921; Starace, 1998; Dirksen & De la Riva, 1999; Gans, 2005; Montaña, 2013; Cacciali *et al.*, 2016a; Ibáñez *et al.*, 2019a; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

***Amphisbaena angustifrons* Cope, 1861**

Fig. 20 - Map. 27

Type: ANSP 9690 (Holotype).

Type locality: Buenos Aires, Argentina.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Beni, Cochabamba and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Hellmich, 1960; Ceí, 1993; Dirksen & De la Riva, 1999; Gans, 2005; Cacciali *et al.*, 2016a; Montero 2016; Uetz *et al.*, 2025.

***Amphisbaena bassleri* Vanzolini, 1951**

Fig. 21 - Map. 28

Type: AMNH 56606 (Holotype).

Type locality: Roaboya, Loreto, Peru.

Distribution: Bolivia and Peru.

Remarks: Recorded in the departments of Chuquisaca, Cochabamba, La Paz and Santa Cruz. Categorized as NE (MMAYA, 2009).

Selected references: Boettger, 1891; Vanzolini, 1951; Rhodes, 1963; Gans, 1967b; De la Riva, 1993; Montero *et al.*, 1995; Scrocchi & Gonzales, 1996a; Dirksen & De la Riva, 1999; Gans, 2005; Ribeiro *et al.*, 2008; Avila *et al.*, 2013; Montaña 2013; Torres-Carvajal *et al.*, 2019; Quinteros-Muñoz *et al.*, 2023.

***Amphisbaena bolivica* Mertens, 1929**

Map. 29

Type: SMF 22099 (Holotype), SMF 28105 (Paratype).

Type locality: Villa Montes, Río Pilcomayo, Bolivia.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Beni, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Mertens, 1929; Gans, 1965; Montero, 1996; Dirksen & De la Riva, 1999; Gans, 2005; Arzamendia *et al.*, 2016a; Cacciali *et al.*, 2016a; Uetz *et al.*, 2025.

***Amphisbaena borelli* Peracca, 1897**

Fig. 22 - Map. 30

Type: MRSN R2096, BMNH 98.7.7.13-RR1946.8.2.23, MRSN 2043 (Syntypes).

Type locality: “Caiza (Chaco boliviano)”.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Gans, 1964b; Gallardo, 1969; Vanzolini, 1992; Montero *et al.*, 1995; Gonzales, 1998; Dirksen & De la Riva, 1999; Gans, 2005; Mott & Vieites, 2009; Avila *et al.*, 2010; Avila *et al.*, 2013; Aguayo *et al.*, 2016c; Uetz *et al.*, 2025.

***Amphisbaena camura* Cope, 1862**

Fig. 23 - Map. 31

Type: USNM 5860 (Syntypes).

Type locality: Paraguay.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Werner, 1910; Gans, 1960; Hellmich, 1960; Gans, 1965; Ceí, 1993; Lavilla *et al.*, 1996; Montero, 1996; Dirksen & De la Riva, 1999; Gans, 2005; Montaña, 2013; Cacciali *et al.*, 2016a; Scott *et al.*, 2016a; Uetz *et al.*, 2025.

***Amphisbaena cegei* Montero, Sáfadez, & Álvarez, 1997**

Fig. 24 - Map. 32

Type: MNK R 580 (Holotype).

Type locality: Pampa Grande, Province of Florida, Department of Santa Cruz, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Potosí, Santa Cruz and Tarija. Categorized as VU (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Montero *et al.*, 1997; Dirksen & De la Riva, 1999; Gans, 2005; Börschig, 2007; Gonzales & Muñoz, 2009; Mendoza, 2010; Montaña, 2013; Gonzales *et al.*, 2016; Montero *et al.*, 2017; Uetz *et al.*, 2025.


***Amphisbaena heterozonata* Burmeister, 1861**

Map. 33

Type: MNHN-RA 3107 (Holotype)

Type locality: Argentina.

Distribution: Argentina, Bolivia and Paraguay.



Remarks: Recorded in the departments of Tarija and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Burmeister, 1861; Gans, 1966; Peters & Donoso-Barros, 1970; Dirksen & De la Riva, 1999; Vanzolini, 2002; Gans, 2005; Bérnils *et al.*, 2007; Pinna *et al.*, 2010; Teixeira *et al.*, 2014; Arzamendia *et al.*, 2016b; Cacciali *et al.*, 2016a; Costa *et al.*, 2018.

***Amphisbaena kingii* (Bell, 1833)**

Map. 34

Type: Lost (Holotype), MNHN-RA 551 (Syntypes).

Type locality: “America Australi”.

Distribution: Argentina, Bolivia, Brazil, and Uruguay.

Remarks: Recorded in the department of Tarija. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Bell, 1833; Duméril & Bibron, 1839; Gray, 1865; Boulenger, 1886; Stejneger, 1916; Gans, 2005; Gonzales & Sosa, 2005; Mott & Vieites, 2009; Avila *et al.*, 2010; Avila *et al.*, 2013; Montero 2019a; Uetz *et al.*, 2025.

***Amphisbaena silvestrii* Boulenger, 1902**

Map. 35

Type: MSNG 28308 (Holotype).

Type locality: Mato Grosso, Cuyaba, Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the department of Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Gans, 1964a; Dirksen & De la Riva, 1999; Gans, 2005; Teixeira *et al.*, 2014; Strüssmann *et al.*, 2019; Uetz *et al.*, 2025.

***Amphisbaena slateri* Boulenger, 1907**

Map. 36

Type: BMNH RR 1946.8.31.82 (Holotype).

Type locality: Puno, Valley of the Rio San Gaban, Peru.

Distribution: Bolivia and Peru.

Remarks: Recorded in the department of La Paz. Categorized as DD (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Boulenger, 1907; Gans, 1967a; Dirksen & De la Riva, 1999; Gans, 2005; Aguayo *et al.*, 2020a; Uetz *et al.*, 2025.

***Amphisbaena steindachneri* Strauch, 1881**

Fig. 25 - Map. 37

Type: NMW 12343 (Lectotype), NMW 12342 (Lectoparatypes:).

Type locality: “Brasilien (Caigara; Mattogrosso)” Brazil.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Strauch, 1881; De la Riva, 1993; Harvey, 1995; Dirksen & De la Riva, 1999; Gans, 2005; Mott & Vieites, 2009; Cacciali *et al.*, 2016a; Aparicio *et al.*, 2019a; Uetz *et al.*, 2025.

***Amphisbaena vermicularis* Wagler, 1824**

Map. 38

Type: CAS 49423 (Holotype), ZSM 660/0 (Lectotype).

Type locality: “In provincia Bahiae, aux environs de la ville de Bahia” Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of Santa Cruz and Tarija. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wagler, 1824; Duméril & Bibron, 1839; Gray, 1865; Hellmich, 1960; Dirksen & De la Riva, 1999; Gans 2005; Nogueira & Strüssmann, 2019; Uetz *et al.*, 2025.

Genus *Leposternon* Wagler, 1824

***Leposternon microcephalum* Wagler, 1824**

Fig. 26 - Map. 39

Type: ZSM 3150/0 (Holotype).

Type locality: Rio de Janeiro, Brazil.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the departments of Cochabamba, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wagler, 1824; Duméril & Bibron, 1839; Gray, 1865; Griffin, 1917; Fugler, 1989; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Gans, 2005; Pérez & Ribeiro, 2008; Mott & Vieites, 2009; Avila *et al.*, 2010; Avila *et al.*, 2013; Cacciali *et al.*, 2016a; Montero, 2019b; Uetz *et al.*, 2025.

Family Diploglossidae Bocourt, 1873

Genus *Diploglossus* Wiegmann, 1834

***Diploglossus fasciatus* (Gray, 1831)**

Fig. 27 - Map. 40

Type: BMNH XV.126a and XV.126b (Syntypes).



Figure 25. *Amphisbaena steindachneri* from Puerto Almacén, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 26. *Leposternon microcephalum* from Santa Cruz de la Sierra, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 27. *Diploglossus fasciatus* near to Tumupasa, department of La Paz. Photo: Steffen Reichle.



Figure 28. *Ophiodes intermedius* from Vallegrande a La Higuera, department of Santa Cruz. Photo: Steffen Reichle.



Figure 29. *Hemidactylus mabouia* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.




Figure 30. *Lygodactylus wetzeli* from El Ceibo / Paraguay. Photo: Octavio Jiménez-Robles.



Figure 31. *Homonota septentrionalis* from Tatarenda, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 32. *Phyllopezus pollicaris* from Velasco, department of Santa Cruz. Photo: Lucindo Gonzales.



Type locality: Not known.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba and La Paz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Gray, 1831; Reuss, 1834; Boettger, 1891; Barbour, 1909; Dirksen & De la Riva, 1999; Pianka & Vitt, 2003; Muñoz, 2009b; Domic *et al.*, 2015; Aparicio *et al.*, 2019b; Uetz *et al.*, 2025.

Genus *Ophiodes* Wagler, 1828

***Ophiodes intermedius* Boulenger, 1894**

Fig. 28 - Map. 41

Type: ZFMK 26407, BMNH 1946.8.31.1-4 (Syntypes).

Type locality: Near Asunción, Paraguay.

Distribution: Argentina, Bolivia, Paraguay and Uruguay.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, Santa Cruz and Tarija. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Werner, 1910; Peters & Donoso-Barros, 1970; Fugler, 1989; Dirksen *et al.*, 1995; Montero *et al.*, 1995; Dirksen & De la Riva, 1999; Mendoza, 2010; Colina *et al.*, 2012; Avila *et al.*, 2013; Montaña, 2013; Arzamendia *et al.*, 2016c; Entiasupe-Neto *et al.*, 2017; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

Family Gekkonidae Oppel, 1811

Genus *Hemidactylus* Oken, 1817

***Hemidactylus mabouia* (Moreau De Jonnés, 1818)**

Fig. 29 - Map. 42

Type: MNHN-RA 6573 (Lectotype)

Type locality: “Insel St. Vincent, Kleine Antillen”.

Distribution: Originally from Africa. Introduced in South America: Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Suriname, Uruguay and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Moreau De Jonnés, 1818; Kluge, 1969; Peters & Donoso-Barros, 1970; Fugler, 1984; Fugler, 1988d; Cei, 1993; Glaw & Vences, 1994; Dirksen, 1995; Lavilla *et al.*, 1996; Scrocchi & Gonzales, 1996a; Dirksen & De la Riva, 1999; Carreira *et al.*, 2005; Wilson, 2011; Montaña, 2013; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017;

Spawls *et al.*, 2018; Marques *et al.*, 2018; Gómez-Murillo & Arellano-Martín, 2020; Howell *et al.*, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

Genus *Lygodactylus* Gray, 1864

***Lygodactylus wetzeli* (Smith, Martin & Swain, 1977)**

Fig. 30 - Map. 43

Type: MZUSP 7722 (Holotype).

Type locality: Mato Grosso do Sul, Urucum, Brazil.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Smith *et al.*, 1977; Bons & Pasteur, 1977; Fugler, 1989; Norman, 1994; Gonzales, 1998; Dirksen & De la Riva, 1999; Rösler, 2000; Montaña, 2013; Cacciali *et al.*, 2016a; Cacciali & Scott, 2019c; Uetz *et al.*, 2025.

Family Phyllodactylidae Gamble, Bauer, Greenbaum & Jackman, 2008

Genus *Homonota* Gray, 1845

***Homonota dorbignyi* (Duméril & Bibron, 1836)**

Map. 44

Type: MNHN-RA 2327 (Holotype).

Type locality: Dep. Chuquisaca, Bolivia.

Distribution: Bolivia and Chile.

Remarks: Recorded in the department of Chuquisaca. Categorized as DD (MMAYA, 2009).

Selected references: Duméril & Bibron, 1836; Duméril & Duméril, 1851; Kluge, 1964; Donoso-Barros, 1966; Dirksen & De la Riva, 1999; Rösler, 2000; Langstroth, 2005.

***Homonota septentrionalis* Cacciali, Morando, Medina, Köhler, Motte & Avila, 2017**

Fig. 31 - Map. 45


Type: MNHNP 12238 (Holotype).

Type locality: Fortín Mayor Infante Rivarola, Boquerón Department, Paraguay.

Distribution: Bolivia and Paraguay.

Remarks: Recorded in the departments of Cochabamba, Chuquisaca, Potosí, Santa Cruz and Tarija. Categorized as NE (MMAYA, 2009).

Selected references: Mertens, 1929; Hellmich, 1960; Peters & Donoso-Barros, 1970; Montero *et al.*, 1995; Lavilla *et al.*, 1996; Gonzales, 1998; Dirksen & De la Riva, 1999; Ávila *et al.*, 2000; Mendoza, 2010; Montaña, 2013; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2017a; Uetz *et al.*, 2025.



Genus *Phyllopezus* Peters, 1877

***Phyllopezus pollicaris* (Spix, 1825)**

Fig. 32 - Map. 46

Type: ZSM 165/0/1-2 (Paralectotypes).

Type locality: Bahia interior.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Spix, 1825; Griffin, 1917; Gans, 1960; Hellmich, 1960; Peters & Donoso-Barros, 1970; Rodrigues, 1986; Dirksen, 1995; Lavilla *et al.*, 1996; Gonzales, 1998; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Bauer, 2013; Montaña, 2013; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Cacciali *et al.*, 2018; Cacciali *et al.*, 2019c; Uetz *et al.*, 2025.

***Phyllopezus przewalskii* Koslowsky, 1895**

Fig. 33 - Map. 47

Type: MLP S2419 (Holotype)

Type locality: Descalvado, Distrito Cáceres, Mato Grosso, Brazil.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Santa Cruz and Tarija. Categorized as NE (MMAYA, 2009).

Selected references: Koslowsky, 1895; Griffin, 1917; Gallardo, 1966; Peters & Donoso-Barros, 1970; Gallardo, 1972; Dirksen & De la Riva, 1999; Costa & Bérnils, 2015; Cacciali *et al.*, 2018; Uetz *et al.*, 2025.

Genus *Thecadactylus* Goldfuss, 1820

***Thecadactylus solimoensis* Bergmann & Russell, 2007**

Fig. 34 - Map. 48

Type: QCAZ 6691 (Holotype)

Type locality: Reserva Faunistica Cuyabeno, Sucumbios, Ecuador.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. In the IUCN Red List, this species is listed as Least Concern (LC). Categorized as NE (MMAYA, 2009).

Selected references: Schmidt & Inger, 1951; Fugler, 1983; Fugler, 1984; Dirksen & De la Riva, 1999; Cortez, 2005; Bergmann & Russell, 2007; Avila-Pires *et al.*, 2019b; Uetz *et al.*, 2025.

Family Sphaerodactylidae Underwood, 1954

Genus *Chatogekko* Gamble, Daza, Colli, Vitt & Bauer, 2011

***Chatogekko amazonicus* (Andersson, 1918)**

Type: NRM 3254 (Holotype)

Type locality: Amazonas, Manaos, Lago Poraquecuare, Brazil.

Distribution: Bolivia, Brazil, French Guiana, Guyana, Suriname and Venezuela.

Remarks: Recorded in the department of Pando. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Andersson, 1918; Vanzolini, 1957; Rösler, 1995; Avila-Pires & Hoogmoed, 2000; Pianka & Vitt, 2003; Langstroth, 2005; Gamble *et al.*, 2011; Ribeiro-Júnior, 2015a; Hoogmoed & Ouboter, 2019a; Uetz *et al.*, 2025.

Genus *Gonatodes* Fitzinger, 1843

***Gonatodes hasemani* Griffin, 1917**

Map. 49

Type: CM 1040 (Holotype).

Type locality: Villa Bella, Rio Beni, Bolivia.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Griffin, 1917; Vanzolini, 1953; Fugler, 1983; Avila-Pires, 1995; Dirksen & De la Riva, 1999; Pianka & Vitt, 2003; Moravec & Aparicio, 2005; Pérez *et al.*, 2019; Uetz *et al.*, 2025.

***Gonatodes humeralis* (Guichenot, 1855)**

Fig. 35 - Map. 50

Type: Lost (Holotype).

Type locality: “Pebas” Peru.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Guichenot, 1855; Griffin, 1917; Schmidt & Inger, 1951; Fugler, 1983; Avila-Pires, 1995; Montero *et al.*, 1995; Harvey *et al.*, 1998; Dirksen & De la Riva, 1999; Gorzula & Señaris, 1999; Lehr, 2002; Moravec & Aparicio, 2004; Cortez, 2005; Moravec & Aparicio, 2005; Li Vigni, 2013; Pinto-Viveros *et al.*, 2017; Pinto *et al.*, 2018; Calderón *et al.*, 2019e; Uetz *et al.*, 2025.



Figure 33. *Phyllopezus przewalskii* from Santiago de Chiquitos, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 37. *Anolis ortonii* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 34. *Thecadactylus solimoensis* from Heath Madidi, department of La Paz. Photo: Mauricio Ocampo.



Figure 38. *Anolis punctatus* from Chalalán, department of La Paz. Photo: Ignacio De la Riva.



Figure 35. *Gonatodes humeralis* from Manuripi, department of Pando. Photo: Lucindo Gonzales.




Figure 39. *Anolis tandai* from Manuripi, department of Pando. Photo: Lucindo Gonzales.



Figure 36. *Anolis fuscoauratus* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 40. *Enyalioides palpebralis* from Chalalán, department of La Paz. Photo: Ignacio De la Riva.



Family Anolidae Cocteau, 1836

Genus *Anolis* Daudin, 1802

***Anolis fuscoauratus* D'Orbigny, 1837**

Fig. 36 - Map. 51

Type: MNHN-RA 2420 (Holotype).

Type locality: Moxos province, Bolivia.

Distribution: Bolivia, Brazil, Colombia, Ecuador, Guayana Francesa, Guyana, Peru and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: D'Orbigny, 1837; D'Orbigny, 1847; Bocourt, 1873; Boettger, 1891; Barbour, 1934; Fugler, 1984; Fugler, 1989; Ávila-Pires, 1995; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Köhler, 2000; Lehr, 2002; Nicholson, 2002; Ayala-Varela, 2004; Moravec & Aparicio, 2004; Cortez, 2005; Moravec & Aparicio, 2005; Nicholson *et al.*, 2012; Montaña, 2013; Morato *et al.*, 2014; Grisales-Martínez *et al.*, 2017; Nicholson *et al.*, 2018; Carvajal-Campos & Ayala-Varela, 2019a; Gómez-Murillo & Arellano-Martín, 2020; Ibáñez *et al.*, 2020; Aparicio *et al.*, 2021b; Uetz *et al.*, 2025.

***Anolis meridionalis* Boettger, 1885**

Map. 52

Type: Lost (Holotype), MNHNP 6608 (Neotype).

Type locality: Colonia Ybycui, Estancia Ybycui (aproximadamente 5 Km NE de la casa principal), Departamento Canindeyú. 3 de marzo de 1994. Aida L. Aquino y Guillermo Terol (Cols.). Paraguay.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Griffin, 1917; Barbour, 1934; Michaud & Dixon, 1987; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Nicholson, 2002; Langstroth, 2006; Motte & Cacciali, 2009; D'Angiolella *et al.*, 2011; Nicholson *et al.*, 2012; Cacciali *et al.*, 2016a; Nicholson *et al.*, 2018; Scott & Cacciali, 2020; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Anolis ortonii* Cope, 1868**

Fig. 37 - Map. 53

Type: ANSP 11404 (Holotype)

Type locality: Río Napo or Upper Río Marañón, Ecuador or Peru.

Distribution: Bolivia, Brazil, Ecuador, Guayana Francesa, Guyana, Peru, Surinam and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz and Pando. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cope, 1868; Peters *et al.*, 1970; Duellman, 1978; Fugler, 1983; Savage & Guyer, 1989; Ávila-Pires, 1995; Dirksen & De la Riva, 1999; Lehr, 2002; Nicholson, 2002; Ayala-Varela, 2004; Köhler, 2007; Nicholson *et al.*, 2012; Morato *et al.*, 2014; Nicholson *et al.*, 2018; Gómez-Murillo & Arellano-Martín, 2020; Aparicio *et al.*, 2021b; Castañeda *et al.*, 2021; Uetz *et al.*, 2025.

***Anolis punctatus* Daudin, 1802**

Fig. 38 - Map. 54

Type: MNHN-RA 2340 (Holotype)

Type locality: "South America".

Distribution: Bolivia, Brazil, Colombia, Ecuador, Guyana, Peru and Venezuela.

Remarks: Recorded in the departments of Cochabamba, Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril & Bibron, 1837; Gray, 1845; Griffin, 1917; Williams, 1965; Fugler, 1988b; De la Riva, 1993; Ávila-Pires, 1995; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Pianka & Vitt, 2003; Ayala-Varela, 2004; Moravec & Aparicio, 2004; Cortez, 2005; Moravec & Aparicio, 2005; Li Vigni, 2013; Ayala-Varela & Carvajal-Campos, 2019; Castañeda *et al.*, 2020; Aparicio *et al.*, 2021b; Eversole *et al.*, 2021; Quinteros-Muñoz *et al.*, 2022a; Uetz *et al.*, 2025.

***Anolis tandai* Ávila-Pires, 1995**

Fig. 39

Type: MPEG 15850 (Holotype).

Type locality: E. of Porto Urucu, Rio Urucu, Amazonas state, Brazil.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the department of Pando. Registered by Cadle *et al.*, (2003) as *Anolis nitens* in the Federico Roman immobilization area. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Ávila-Pires, 1995; Cadle *et al.*, 2003; Pianka & Vitt, 2003; Langstroth, 2005; Langstroth, 2006; D'Angiolella *et al.*, 2011; Nicholson *et al.*, 2012; Nicholson *et al.*, 2018; Aparicio *et al.*, 2020; Uetz *et al.*, 2025.

***Anolis transversalis* Duméril, 1851**

Map. 55

Type: MNHN-RA 2449 (Holotype).

Type locality: Sarayacú, Peru.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the department of Pando. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril & Duméril, 1851; Williams & Vanzolini, 1966; Duellman, 1978; Lehr, 2002; Cadle *et al.*, 2003; Pianka & Vitt, 2003; Ayala-Varela, 2004; Langstroth, 2005; Nicholson *et al.*, 2012; Nicholson *et al.*, 2018; Carvajal-Campos & Ayala-Varela, 2019b; Calderón *et al.*, 2020; Uetz *et al.*, 2025.

Family Hoplocercidae Frost & Etheridge, 1989

Genus *Enyalioides* Boulenger, 1885

***Enyalioides palpebralis* (Boulenger, 1883)**

Fig. 40 - Map. 56

Type: BMNH 81.5.13.25 (Holotype).

Type locality: Cashiboya, Peru.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Cochabamba, La Paz and Pando. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boulenger, 1883; Peters & Donoso-Barros, 1970; Avila-Pires, 1995; Dirksen & De la Riva, 1999; Reichle *et al.*, 2004; Cortez, 2005; Moravec & Aparicio, 2005; Torres-Carvajal *et al.*, 2011; Montaña, 2013; Avila-Pires *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Hoplocercus* Fitzinger, 1843

***Hoplocercus spinosus* Fitzinger, 1843**

Map. 57

Type: Lost (Holotype).

Type locality: Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Fitzinger, 1843; Peters & Donoso-Barros, 1970; Avila-Pires, 1995; Harvey, 1995; Scrocchi & Gonzales, 1996; Dirksen & De la Riva, 1999; Pianka & Vitt, 2003; Torres-Carvajal *et al.*, 2011; Langstroth 2021b; Uetz *et al.*, 2025.

Family Iguanidae Oppel, 1811

Genus *Iguana* Laurenti, 1768

***Iguana iguana* (Linnaeus, 1758)**

Fig. 41 - Map. 58

Type: MCZ R-75832 (Holotype).

Type locality: “Indiis” in error.

Distribution: Aruba, Belize, Bolivia, Bonaire, Brazil, Colombia, Costa Rica, El Salvador, French Guiana, Grenada, Guatemala, Guyana, Honduras, Mexico, Montserrat, Nicaragua, Panama, Paraguay, Peru, Suriname, Trinidad and Tobago and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Shaw & Nodder, 1795; Schmidt & Inger, 1951; Fugler, 1985; Conant & Collins, 1991; Aparicio, 1992; De la Riva *et al.*, 1992; Avila-Pires, 1995; Scrocchi & Gonzales, 1996a; Dirksen & De la Riva, 1999; Köhler, 2003; Moravec & Aparicio, 2004; Aguilar-Kirigin, 2011a; Mata-Silva *et al.*, 2015; Bock *et al.*, 2018; Uetz *et al.*, 2025.

Family Leiosauridae Frost, Etheridge, Janies & Titus, 2001

Genus *Urostrophus* Duméril & Biron, 1837

***Urostrophus chungarae* Carvalho, Laspiur, Klaczko, Rivas, Rodrigues, Sena & Céspedes, 2023**

Type: MHNC-R 3035 (Holotype).

Type locality: Parque Nacional Torotoro, Municipality of Torotoro, Charcas Province, Potosi Department, Plurinational State of Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the department of Potosí. Categorized as NE (MMAYA, 2009).

Selected references: Carvalho *et al.*, 2023.

***Urostrophus gallardoi* Etheridge & Williams, 1991**

Map. 59

Type: MACN 11043 (Holotype).

Type locality: Urundel, Dept. Oran. Prov. Salta, Argentina.


Distribution: Argentina and Bolivia.

Remarks: Recorded in the department of Tarija. Categorized as LC (MMAYA, 2009) and DD (IUCN, 2022).


Selected references: Etheridge & Williams, 1991; Torres, 1996; Dirksen & De la Riva, 1999; Montaña, 2013; Embert *et al.*, 2019a; Carvalho *et al.*, 2023; Uetz *et al.*, 2025.

Family Liolaemidae Frost & Etheridge, 1989


Genus *Liolaemus* Wiegmann, 1834




Map 55. Distribution map of *Anolis transversalis* Duméril, 1851 in Bolivia.




Map 58. Distribution map of *Iguana iguana* (Linnaeus, 1758) in Bolivia.




Map 56. Distribution map of *Enyalioides palpebralis* (Boulenger, 1883) in Bolivia.



Map 59. Distribution map of *Urostrophus gallardoi* Etheridge & Williams, 1991 in Bolivia.



Map 57. Distribution map of *Hoplocercus spinosus* Fitzinger, 1843 in Bolivia.



Map 60. Distribution map of *Liolaemus alticolor* Barbour, 1909 in Bolivia.



Figure 41. *Iguana iguana* from Chapare province, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 45. *Liolaemus chaltin* from San Pablo de Lipez, department of Potosí. Photo: Mauricio Ocampo.



Figure 42. *Liolaemus alticolor* from Tiahuanaco, department of La Paz. Photo: Ignacio De la Riva.



Figure 46. *Liolaemus fittkaui* from Cordillera de Tiraque, department of Cochabamba. Photo: Octavio Jiménez-Robles.



Figure 43. *Liolaemus aparicioi* from Sendero del Aguila, department of La Paz. Photo: Mauricio Ocampo.



Figure 47. *Liolaemus forsteri* between Peñas y Amaguaya, department of La Paz. Photo: Ignacio De la Riva.



Figure 44. *Liolaemus chacoensis* from Corbalan, department of Tarija. Photo: Steffen Reichle.



Figure 48. *Liolaemus ornatus* from Sama, department of Tarija. Photo: Octavio Jiménez-Robles.

***Liolaemus alticolor* Barbour, 1909**

Fig. 42 - Map. 60

Type: MCZ R-169004 (Lectotype), MCZ-R 7287 (Paralectotype).

Type locality: Tiwanaku, (around 3993 m asl), Ingavi Province, La Paz Department, Plurinational State of Bolivia.

Distribution: Bolivia and Peru.

Remarks: Recorded in La Paz Department. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Barbour, 1909; Rendahl, 1937; Shreve, 1938; Hellmich, 1961; Cei, 1993; Carrillo & Icochea, 1995; Etheridge, 1995; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Langstroth, 2005; Ocampo, 2010; Aguilar-Kirigin, 2011b; Ocampo *et al.*, 2012; Quinteros, 2012, Quinteros, 2013; Aparicio *et al.*, 2015; Portelli & Quinteros, 2018; Quinteros *et al.*, 2020; Aguilar-Kirigin *et al.*, 2021b, c; Langstroth, 2021c.

***Liolaemus aparicioi* Ocampo, Aguilar-Kirigin & Quinteros, 2012**

Fig. 43 - Map. 61

Type: CBF 3185 (Holotype).

Type locality: Jupapina, La Paz Department, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in La Paz Department. Categorized as NE (MMAYA, 2009) and CR (IUCN, 2022).

Selected references: Baudoin & Pacheco, 1991; Ocampo, 2010; Aguilar-Kirigin, 2011b; Apaza Coca, 2011; Ocampo *et al.*, 2012; Aparicio *et al.*, 2015; Aparicio, 2016a; Portelli & Quinteros, 2018; Quinteros *et al.*, 2020; Aguilar-Kirigin & Quinteros, 2021a; Aguilar-Kirigin *et al.*, 2021b; Miranda-Calle *et al.*, 2021.

***Liolaemus chacoensis* Shreve, 1948**

Fig. 44 - Map. 62

Type: MCZ 49519 (Holotype).

Type locality: Guachalla fort, Pilcomayo River, 580 km west of Asunción, Paraguayan Chaco, Paraguay.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in Tarija Department. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Donoso-Barros, 1970a; Shreve, 1948; Cei, 1980; Cruz & Ramírez Pinilla, 1996; Schulte *et al.*, 2000; Lobo, 2001; Lobo & Abdala, 2002; Morando *et al.*, 2004; Avila *et al.*, 2006; Gonzales *et al.*, 2006; Abdala, 2007; Laspiur *et al.*, 2007; Aguilar-Kirigin & Ocampo, 2011; Sanabrina *et*

al., 2011; Camargo *et al.*, 2012; Paz, 2012; Montaña, 2013; Pelegrin & Bucher, 2015; Aparicio *et al.*, 2016; Abdala *et al.*, 2019a; Aguilar-Kirigin *et al.*, 2021b; Laspiur, 2021.

***Liolaemus chaltin* Lobo & Espinoza, 2004**

Fig. 45 - Map. 63

Type: FML 9874 (Holotype).

Type locality: Provincial route 71, 4.2 km west of Abra Pampa, Cochínoca Department, Jujuy Province, Argentina.

Distribution: Argentina and Bolivia.

Remarks: Recorded in Potosí, and Tarija Departments. Difficult to distinguish morphologically from *L. puna* (misidentifications may have happened in previous publications). Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Espinoza *et al.*, 2004; Lobo & Espinoza, 2004; Langstroth, 2005; Ocampo & Aguilar-Kirigin, 2008; Muñoz, 2009c; Lobo *et al.*, 2010; Muñoz *et al.*, 2016c; Miranda-Calle *et al.*, 2018; Portelli & Quinteros, 2018; Quinteros *et al.*, 2020; Jiménez-Robles & De la Riva, 2019; Aguilar-Kirigin *et al.*, 2021b; Quipildor & Quinteros, 2021a.

***Liolaemus cranwelli* Donoso-Barros, 1973**

Map. 64

Type: MACN 3632 (Holotype).

Type locality: Nueva Moka, 10 Km south of Santa Rosa, Santa Cruz, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in Santa Cruz Department. Categorized as NE (MMAYA, 2009) and CR (IUCN, 2022).

Selected references: Donoso-Barros, 1973; Laurent, 1983a; Laurent, 1983b, Laurent, 1984; Etheridge, 2000; Domic & Cortez, 2009a; Aguilar-Kirigin *et al.*, 2021b; Bulacios Arroyo, 2021.

***Liolaemus erroneus* (Núñez & Yáñez, 1984)**

Map. 65


Type: Holotype deposited in the Zoological Museum of the University of Concepción, Chile. According to Langstroth (2021a), the holotype is missing, so the neotype was designated, currently deposited at the Fundación Miguel Lillo as FML 1192.

Type locality: "Antofagasta, Atacama, Chile".

Distribution: Bolivia and Chile.

Remarks: Recorded in Potosí Department. Categorized as NE (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Núñez & Yáñez, 1984;



Etheridge, 1995; Laurent, 1995; Núñez & Veloso, 2001; Valladares *et al.*, 2002; Pincheira-Donoso & Núñez, 2005; Gutiérrez *et al.*, 2018; Abdala *et al.*, 2019a; Abdala *et al.*, 2020; Abdala *et al.*, 2021b; Aguilar-Kirigin *et al.*, 2021b; Langstroth, 2021a; Langstroth *et al.*, 2021.

***Liolaemus fittkaui* Laurent, 1986**

Fig. 46 - Map. 66

Type: ZSM 17/1983 (Holotype).

Type locality: "Cochabamba region", Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in Cochabamba Department. Categorized as VU (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Laurent, 1986; Dirksen & De la Riva, 1999; Aguayo *et al.*, 2009c; Jiménez-Robles *et al.*, 2016; Gutiérrez *et al.*, 2018; Abdala *et al.*, 2019a; Abdala *et al.*, 2020; Abdala *et al.*, 2021b; Aguayo *et al.*, 2020b; Aguilar-Kirigin, 2021b; Aguilar-Kirigin *et al.*, 2021b.

***Liolaemus forsteri* Laurent, 1982**

Fig. 47 - Map. 67

Type: ZSM 646/1979 (Holotype).

Type locality: Chacaltaya, La Paz, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in La Paz Department. Categorized as VU (MMAYA, 2009) and EN (IUCN, 2022).

Selected references: Laurent, 1982; Pacheco, 1988; Baudoin & Pacheco, 1991; Dirksen & De la Riva, 1999; Aguilar-Kirigin & Domic, 2009; Aguilar-Kirigin, 2011b; Villarreal *et al.*, 2012; Aparicio *et al.*, 2015; Aparicio, 2017; Villarreal Aguilar, 2017; Aguilar-Puntriano, 2018; Abdala *et al.*, 2019a; Abdala *et al.*, 2020; Abdala *et al.*, 2021b; Aguilar-Kirigin, 2021a; Aguilar-Kirigin *et al.*, 2021b.

***Liolaemus lenzi* Boettger, 1981**

Map. 68

Type: SMF 11110 (Holotype).

Type locality: "Bolivian shores of Lake Titicaca".

Distribution: Bolivia, Chile and Peru.

Remarks: Recorded in the departments of Cochabamba, La Paz, Oruro and probably Potosí. Categorized as NE (MMAYA, 2009).

Selected references: Boettger, 1891; Burt & Burt, 1931; Laurent, 1992; Núñez, 2004; Langstroth, 2005, 2021a; De la Galvez Murillo & Pacheco, 2009; Aguilar-Kirigin, 2011b; Aguilar-Puntriano

et al., 2018; Abdala *et al.*, 2019a, 2020; Aguilar-Kirigin & Langstroth, 2021b; Aguilar-Kirigin *et al.*, 2021b.

***Liolaemus multiformis* (Cope, 1875)**

Map. 69

Type: ANSP 13064-13066, 13098, 13104, 11368-11370 (Syntypes)

Type locality: "Titicaca Lake" Peru.

Distribution: Bolivia and Peru.

Remarks: Recorded in La Paz Department. Categorized as NE (MMAYA, 2009).

Selected references: Cope, 1875; Boulenger, 1885; Burt & Burt, 1931; Pearson, 1954; Pearson & Bradford, 1976; Laurent, 1985; Laurent, 1992; De la Galvez Murillo & Pacheco, 2009; Aguilar-Kirigin, 2011b; Frost & Etheridge, 2016; Aguilar-Puntriano *et al.*, 2018; Abdala *et al.*, 2019a; Abdala *et al.*, 2020; Abdala *et al.*, 2021b; Chaparro *et al.*, 2020; Abdala 2021; Aguilar-Kirigin *et al.*, 2021b; Langstroth, 2021a.

***Liolaemus ornatus* Koslowsky, 1898**

Fig. 48 - Map. 70

Type: Lost (Holotype). MLP S. 787 - MPL S. 788 (Syntypes).

Type locality: Mountain ranges of Jujuy province, Argentina.

Distribution: Argentina, Bolivia, Chile and Peru.

Remarks: Recorded in the departments of La Paz, Oruro, Potosí and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Koslowsky, 1898; Pellegrin, 1909; Peters & Donoso-Barros, 1970; Fugler, 1989; Ramírez Pinilla, 1991; Laurent, 1992; Etheridge, 1993; Dirksen & De la Riva, 1999; Etheridge, 2000; Schulte *et al.*, 2000; Ramírez & Pincheira-Donoso, 2005; Ferraro & Williams, 2006; Abdala, 2007; Tarifa *et al.*, 2007; Labra *et al.*, 2009; Lobo, 2010; Aguilar-Kirigin, 2011b; Aparicio, 2012; Camargo *et al.*, 2012; Paz, 2012; Olave *et al.*, 2014; Abdala *et al.*, 2016a; Jiménez-Robles & De la Riva, 2019; Abdala *et al.*, 2019a; Aguilar-Kirigin *et al.*, 2021b; Laspiur *et al.*, 2021.

***Liolaemus pachecoi* Laurent, 1995**


Map. 71

Type: CBF 1057 (Holotype).

Type locality: Colorada Lagoon, Bolivia.

Distribution: Bolivia and Chile.

Remarks: Recorded in the department of Potosí. Categorized as NE (MMAYA, 2009) and LC (IUCN,



2022).

Selected references: Laurent, 1995; Pincheira-Donoso & Núñez, 2005; Lobo *et al.*, 2010; Langstroth, 2011; Demangel Miranda, 2016; Mella, 2017; Núñez *et al.*, 2017b; Abdala *et al.*, 2019a; Abdala *et al.*, 2020; Abdala *et al.*, 2021b; Abdala & Aguilar-Kirigin, 2021; Aguilar-Kirigin *et al.*, 2021b.

***Liolaemus pantherinus* Pellegrin, 1909**

Map. 72

Type: MNHN-RA 05-343, MNHN-RA 05-344 (Syntypes).

Type locality: “Hauts-Plateaux péruviens et boliviens”. Langstroth (2021a) restricted the type locality around Pulacayo, Potosí Department, Bolivia, between 4000-4320 m asl.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Chuquisaca, Oruro, Potosí and Tarija. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Pellegrin, 1909; Donoso-Barros, 1966; Ramirez & Pincheira-Donoso, 2005; Jiménez-Robles & De la Riva, 2017; Jiménez-Robles & De la Riva, 2019; Abdala *et al.*, 2019a; Abdala *et al.*, 2020; Abdala *et al.*, 2021b; Avila & Abdala, 2020; Ruiz De Gamboa & Ortiz, 2020; Aguilar-Kirigin & Langstroth, 2021a; Aguilar-Kirigin *et al.*, 2021b; Langstroth, 2021a.

***Liolaemus pleopholis* Laurent, 1998**

Map. 73

Type: DBGUCH 564 (Holotype).

Type locality: Pampa Chucuyo, Arica and Parinacota Region, Chile.

Distribution: Bolivia, Chile and Peru.

Remarks: Recorded in the departments of La Paz and Oruro. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Leyton *et al.*, 1982; Veloso *et al.*, 1982; Laurent, 1992; Laurent, 1998; Aguilar-Kirigin *et al.*, 2016, 2021b; Demangel Miranda, 2016; Mella, 2017; Aguilar-Puntriano *et al.*, 2018; Abdala *et al.*, 2019a, 2020, 2021a, b; Langstroth, 2021a; Valladares *et al.*, 2021.

***Liolaemus puna* Lobo & Espinoza, 2004**

Fig. 49 - **Map.** 74

Type: FML 1364 (Holotype).

Type locality: Los Berros ravine, approximately 5 Km east of Olacapato, Los Andes Department, Salta Province, Argentina.

Distribution: Argentina, Bolivia and Chile.

Remarks: Recorded in La Paz, Oruro, Potosí, and Tarija Departments. Difficult to distinguish morphologically from *L. chaltin* (misidentifications may have happened in previous publications, e.g.: in the Tajzara basin all phenotyped *Liolaemus* in the *alticolor-bibronii* group were *L. puna* (Jiménez-Robles & De la Riva, 2019), in spite of previous morphological identifications of *L. chaltin* in that area). Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Hellmich, 1961; Donoso-Barros, 1966; Donoso-Barros, 1970b; Valencia *et al.*, 1982; Veloso & Navarro, 1988; Laurent, 1992; Núñez & Jaksic, 1992; Etheridge & Espinoza, 2000; Espinoza *et al.*, 2004; Lobo & Espinoza, 2004; Langstroth, 2005; Pincheira-Donoso & Núñez, 2005; Aguayo *et al.*, 2009a, 2015a; Quinteros & Lobo, 2009; Aparicio *et al.*, 2015; Portelli & Quinteros, 2018; Jiménez-Robles & De la Riva, 2019; Quinteros *et al.*, 2020; Aguilar-Kirigin *et al.*, 2021b; Quipildor & Quinteros, 2021b.

***Liolaemus puritamensis* Núñez & Fox, 1989**

Map. 75

Type: MNHNC 1880 (Holotype).

Type locality: “On the road to El Tatio springs (42 km northeast of San Pedro de Atacama)”.

Distribution: Argentina, Bolivia and Chile.

Remarks: Recorded in Potosí Department. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Donoso-Barros, 1966; Peters & Donoso-Barros, 1970; Núñez & Fox, 1989; Núñez & Jaksic, 1992; Pincheira-Donoso & Núñez, 2005; Ramirez & Pincheira-Donoso, 2005; Quinteros & Abdala, 2007; Abdala *et al.*, 2008; Abdala *et al.*, 2016; Abdala *et al.*, 2019a; Abdala *et al.*, 2020; Abdala *et al.*, 2021; Pincheira-Donoso, 2014; Troncoso-Palacios, 2014; Troncoso-Palacios, 2015; Aguilar-Kirigin & Abdala, 2016; Demangel, 2016; Abdala *et al.*, 2020; Aguilar-Kirigin *et al.*, 2021a; Aguilar-Kirigin *et al.*, 2021b.

***Liolaemus schmidtii* (Marx, 1960)**

Map. 76

Type: FMNH 5759 (Holotype).

Type locality: San Pedro de Atacama, Antofagasta, Chile.

Distribution: Bolivia and Chile.

Remarks: Recorded in Potosí Department. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).






Figure 49. *Liolaemus puna* from Sama, department of Tarija. Photo: Octavio Jiménez-Robles.



Figure 53. *Polychrus liogaster* from San José de Uchupiamonas, department of La Paz. Photo: Ignacio De la Riva.



Figure 50. *Liolaemus tajzara* from Sama, department of Tarija. Photo: Octavio Jiménez-Robles.



Figure 54. *Plica plica* from Cuzco Amazónico, Madre de Dios / Peru. Photo: Ignacio De la Riva.



Figure 51. *Liolaemus variegatus* from Cordillera de Tiraque, department of Cochabamba. Photo: Octavio Jiménez-Robles.



Figure 55. *Plica umbra* from Cuzco Amazónico, Madre de Dios / Peru. Photo: Ignacio De la Riva.



Figure 52. *Polychrus acutirostris* from Tatarenda, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 56. *Stenocercus caducus* from Santiago de Chiquitos, department of Santa Cruz. Photo: Steffen Reichle.

Selected references: Marx, 1960; Cei, 1979; Dirksen & De la Riva, 1999; Pincheira-Donoso, 2005; Lobo *et al.*, 2010; Abdala *et al.*, 2013; Abdala *et al.*, 2019a; Abdala *et al.*, 2020; Abdala *et al.*, 2021b; Núñez *et al.*, 2017a; Aguilar-Kirigin, 2021c; Aguilar-Kirigin *et al.*, 2021b; Langstroth, 2021a.

***Liolaemus tajzara* Abdala, Aguilar-Kirigin, Semhan, Bulacios Arroyo, Valdes, Paz, Gutiérrez Poblete, Valladares Faundez, Langstroth & Aparicio, 2019**

Fig. 50 - Map. 77

Type: CBF 4610 (Holotype)

Type locality: Around Pujara Lagoon, Reserva Biológica Cordillera de Sama, Copacabana Canton, Yunchara Municipality, Avilez Province, Tarija Department, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in Tarija Department. Categorized as NE (MMAYA, 2009).

Selected references: Tarifa *et al.*, 2007; Aguilar-Puntriano *et al.*, 2018; Gutiérrez *et al.*, 2018; Abdala *et al.*, 2019a; Abdala *et al.*, 2020; Abdala *et al.*, 2021b; Jiménez-Robles & De la Riva, 2019; Aguilar-Kirigin & Abdala, 2021; Aguilar-Kirigin *et al.*, 2021b.

***Liolaemus variegatus* Laurent, 1984**

Fig. 51 - Map. 78

Type: ZS-MH 253/1982 (Holotype)

Type locality: Tiraque, Cochabamba, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in Cochabamba and Tarija Departments. Categorized as VU (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Laurent, 1984; Dirksen & De la Riva, 1999; Langstroth, 2005; Aguayo *et al.*, 2009b; Quinteros, 2012; Aguilar-Kirigin *et al.*, 2013; Rey-Ortiz, 2013; Jiménez-Robles *et al.*, 2016, 2021; Aguayo *et al.*, 2017b; Portelli & Quinteros, 2018; Quinteros *et al.*, 2020; Aguilar-Kirigin & Quinteros, 2021b; Aguilar-Kirigin *et al.*, 2021b.

Family Polychrotidae Fitzinger, 1843

Genus *Polychrus* Merrem, 1820

***Polychrus acutirostris* Spix, 1825**

Fig. 52 - Map. 79

Type: Lost (Holotype).

Type locality: Bahia, Brazil.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni,

Chuquisaca, Cochabamba, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Spix, 1825; Duméril & Bibron, 1837; Griffin, 1917; Hellmich, 1960; Peters & Donoso-Barros, 1970; Fugler, 1989; Norman, 1994; Montero *et al.*, 1995; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Montaña, 2013; Cacciali *et al.*, 2016a; Torres-Carvajal *et al.*, 2017; Gainsbury, 2019; Cacciali *et al.*, 2019b; Eversole *et al.*, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

***Polychrus liogaster* Boulenger, 1908**

Fig. 53 - Map. 80

Type: BMNH 1946.8.8.22-23 (Type).

Type locality: Provincia Sara, Bolivia, 750 m elevation, and Chanchamayo, eastern Peru.

Distribution: Bolivia, Brazil, Ecuador and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boulenger, 1908; Fugler, 1983; Fugler, 1984; Avila-Pires, 1995; Dirksen & De la Riva, 1999; Montaña, 2013; Schlüter, 2013; Avila-Pires *et al.*, 2019c; Torres-Carvajal, 2019; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

Family Tropiduridae Bell, 1843

Genus *Plica* Gray, 1831

***Plica plica* (Linnaeus, 1758)**

Fig. 54 - Map. 81

Type: Lost (Holotype), NRM 112 (Lectotype).

Type locality: Suriname.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).


Selected references: Linnaeus, 1758; Schmidt & Inger, 1951; Fugler, 1988c; Frost, 1992; Ávila-Pires, 1995; Dirksen & De la Riva, 1999; Gorzula & Señaris, 1999; Harvey & Gutberlet, 2000; Frost *et al.*, 2001; Moravec & Aparicio, 2004; Aguilar-Kirigin, 2012; Murphy & Jowers, 2013; Ribeiro-Júnior, 2015b; Ribeiro-Júnior & Amaral, 2016; Avila-Pires *et al.*, 2020; Uetz *et al.*, 2025.

***Plica umbra* (Linnaeus, 1758)**


Fig. 55 - Map. 82

Type: NRM 111 and UUZM 73 (Syntypes).


Type locality: “in Meridionalibus”.




Map 79. Distribution map of *Polychrus acutirostris* Spix, 1825 in Bolivia.




Map 82. Distribution map of *Plica umbra* (Linnaeus, 1758) in Bolivia.




Map 80. Distribution map of *Polychrus liogaster* Boulenger, 1908 in Bolivia.



Map 83. Distribution map of *Stenocercus caducus* (Cope, 1862) in Bolivia.



Map 81. Distribution map of *Plica plica* (Linnaeus, 1758) in Bolivia.



Map 84. Distribution map of *Stenocercus fimbriatus* Avila-Pires, 1995 in Bolivia.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; O'Shaughnessy, 1881; Andersson, 1918; Etheridge, 1970; Peters & Donoso-Barros, 1970; Fugler, 1983; De la Riva *et al.*, 1992; Frost, 1992; Avila-Pires, 1995; Lavilla *et al.*, 1996; Harvey *et al.*, 1998; Dirksen & De la Riva, 1999; Harvey & Gutberlet, 2000; Frost *et al.*, 2001; Padial *et al.*, 2003; Cortez, 2005; Aguilar-Kirigin, 2012; Murphy & Jowers, 2013; Almendáriz *et al.*, 2019a; Torres-Carvajal, 2019; Uetz *et al.*, 2025.

Genus *Stenocercus* Duméril & Bibron, 1837

***Stenocercus caducus* (Cope, 1862)**

Fig. 56 - Map. 83

Type: USNM 5852 (Holotype).

Type locality: Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Gallardo, 1959; Fritts, 1974; Frost, 1992; Cei, 1993; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Torres-Carvajal *et al.*, 2006; Torres-Carvajal, 2007; Teixeira *et al.*, 2015; Cacciali *et al.*, 2016a; Aparicio *et al.*, 2019h, 2021b; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Stenocercus fimbriatus* Avila-Pires, 1995**

Map. 84

Type: TCWC 41795 (Holotype).

Type locality: Mishana, Iquitos Region, Dep. Loreto, Peru.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the department of Beni. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Fugler, 1986b; Avila-Pires, 1995; Dirksen & De la Riva, 1999; Lehr, 2002; Pianka & Vitt, 2003; Langstroth, 2005; Torres-Carvajal, 2007; Avila-Pires *et al.*, 2019d; Uetz *et al.*, 2025.

***Stenocercus marmoratus* (Duméril & Bibron, 1837)**

Fig. 57 - Map. 85

Type: MNHN-RA 2513 (Holotype).

Type locality: Pampa Ruíz, between Valle Grande and El Pescado, De La Laguna Province, east of Chuquisaca, Bolivia.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Chuquisaca, Cochabamba, Santa Cruz, Tarija and Potosí. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril & Bibron, 1837; Fitzinger, 1843; D'Orbigny, 1847; Werner, 1910; Ibsch & Böhme, 1993; Dirksen *et al.*, 1995; Harvey, 1997; Dirksen & De la Riva, 1999; Torres *et al.*, 2000; Langstroth, 2005; Torres-Carvajal, 2007; Aguayo *et al.*, 2016e; Rivas *et al.*, 2018; Uetz *et al.*, 2025.

***Stenocercus prionotus* Cadle, 2001**

Fig. 58 - Map. 86

Type: USNM 193683 (Holotype).

Type locality: Jardín Botánico de la Universidad Agraria de La Selva, Tingo María, vicinity of Río Huallaga, Huánuco, Peru.

Distribution: Bolivia and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba and La Paz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cadle, 2001; Langstroth, 2005; Torres-Carvajal, 2007; Teixeira *et al.*, 2015; Aguayo *et al.*, 2017a; Gómez-Murillo & Arellano-Martín, 2020; Aparicio *et al.*, 2021b; Uetz *et al.*, 2025.

***Stenocercus roseiventris* D'Orbigny, 1837**

Fig. 59 - Map. 87

Type: MNHN-RA 6879 (Holotype).

Type locality: Bolivia.

Distribution: Argentina, Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril & Bibron, 1837; Fitzinger, 1843; D'Orbigny, 1847; Werner, 1913; Griffin, 1917; Avila-Pires, 1995; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Langstroth, 2005; Torres-Carvajal, 2007; Avila *et al.*, 2013; Abdala *et al.*, 2019b; Gómez-Murillo & Arellano-Martín, 2020; Uetz *et al.*, 2025.

Genus *Tropidurus* Wied-Neuwied, 1824

***Tropidurus azurduyae* Carvalho, Rivas, Céspedes & Rodrigues, 2018**



Figure 57. *Stenocercus marmoratus* from Tiraque, department of Cochabamba. Photo: Ignacio De la Riva.



Figure 60. *Tropidurus azurduyae* from Norte Potosí, department of Potosí. Photo: Mauricio Ocampo.



Figure 58. *Stenocercus prionotus* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 61. *Tropidurus chromatops* from Velasco, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 59. *Stenocercus roseiventris* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 62. *Tropidurus melanopleurus* from Samaipata, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 63. *Tropidurus spinulosus* from Chaco, department of Tarija. Photo: Mauricio Ocampo.




Fig. 60 - Map. 88

Type: MHNC-R 3011 (Holotype).

Type locality: Parque Nacional Torotoro, Potosí, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Chuquisaca, Cochabamba, Potosí and Santa Cruz. Categorized as NE (MMAYA, 2009).

Selected references: Carvalho *et al.*, 2018; Uetz *et al.*, 2025.

***Tropidurus callathelys* Harvey & Gutberlet, 1998
Map. 89**

Type: UTA R-89610 (Holotype).

Type locality: rock outcrops on northern slope of Serrania de Huanchaca, Bolivia.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the department of Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Harvey & Gutberlet, 1998; Dirksen & De la Riva, 1999; Domic & Cortez, 2009b; Morais *et al.*, 2014; Aguayo *et al.*, 2019a; Uetz *et al.*, 2025.

***Tropidurus chromatops* Harvey & Gutberlet, 1998
Fig. 61 - Map. 90**

Type: UTA R-39605 (Holotype).

Type locality: Parque Nacional Noel Kempff Mercado. Provincia Velasco, Dept. Santa Cruz, Bolivia.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the department of Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Dirksen, 1995; Harvey & Gutberlet, 1998; Dirksen & De la Riva, 1999; Domic & Cortez, 2009c; Morais *et al.*, 2014; Muñoz *et al.*, 2019; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

***Tropidurus etheridgei* Cei, 1982**

Map. 91

Type: KU 186101 (Holotype).

Type locality: Mina Claveros, Cordoba, Argentina.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Gans, 1960; Cei, 1982; Fugler, 1984; Rodrigues, 1987; De la Riva *et al.*, 1992;

Dirksen, 1995; Montero *et al.*, 1995; Gonzales, 1998; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Mendoza, 2010; Montaña, 2013; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Cacciali & Köhler, 2018; Aparicio *et al.*, 2019d; Uetz *et al.*, 2025.

***Tropidurus madeiramamore* Carvalho, Paredero, Villalobos-Chaves, Ferreira, Rodrigues & Curcio, 2024**

Type: MZUSP 107155 (Holotype).

Type locality: Floresta Nacional do Jamari, Município de Itapuã de Oeste, Estado de Rondônia, Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the department of Beni.

Selected references: Carvalho *et al.*, 2024; Langstroth *et al.*, 2025; Uetz *et al.*, 2025.

***Tropidurus melanopleurus* Boulenger, 1902**

Fig. 62 - Map. 92

Type: BMNH 1946.8.29.66-67 (Type).

Type locality: Tamampoya, Bolivia.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Beni, La Paz, Chuquisaca, Cochabamba, Santa Cruz and Tarija. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Müller, 1923; Mertens, 1929; Fugler, 1989; Cei, 1993; Pérez-Mellado & De la Riva, 1993; Dirksen *et al.*, 1995; Lavilla *et al.*, 1996; Harvey, 1997; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Domic & Cortez, 2009d; Carvalho, 2013; Montaña, 2013; Abdala *et al.*, 2017; Aparicio *et al.*, 2021b; Uetz *et al.*, 2025.

***Tropidurus spinulosus* (Cope, 1862)**

Fig. 63 - Map. 93


Type: USNM 5956 (Holotype).

Type locality: "Paraguay".

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Griffin, 1917; Gans, 1960; Hellmich, 1960; Gallardo, 1969; De la Riva *et al.*, 1992; Frost, 1992; Cei, 1993; Norman, 1994; Gonzales, 1998; Harvey & Gutberlet, 1998; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Carvalho, 2013; Montaña, 2013; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2016c; Pinto-Viveros *et al.*, 2017; Cacciali &



Köhler, 2018; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

***Tropidurus xanthochilus* Harvey & Gutberlet, 1998**
Map. 94

Type: UTA R-38052 (Holotype).

Type locality: El Refugio Biological Reserve, Provincia Velasco, Dept. Santa Cruz, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the department of Santa Cruz. Categorized as NT (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Harvey, 1995; Harvey & Gutberlet, 1998; Dirksen & De la Riva, 1999; Domic & Cortez, 2009e; Gomes De Carvalho, 2013; Aguayo *et al.*, 2017d; Uetz *et al.*, 2025.

Genus *Uracentron* Kaup, 1827

***Uracentron flaviceps* (Guichenot, 1855)**

Map. 95

Type: MNHN-RA 6882 (Holotype).

Type locality: Misión de Sarayacu, Perú.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the department of Pando. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Guichenot, 1855; Duellman, 1978; Frost, 1992; Avila-Pires, 1995; Harvey & Gutberlet, 2000; Frost *et al.*, 2001; Pianka & Vitt, 2003; Moravec & Aparicio, 2005; Avila-Pires *et al.*, 2019e; Uetz *et al.*, 2025.

Genus *Uranoscodon* Kaup, 1825

***Uranoscodon superciliosus* (Linnaeus, 1758)**

Fig. 64 - Map. 96

Type: NRM 109-110 and ZMB 591 (Syntypes).

Type locality: "Indiis" in error.

Distribution: Bolivia, Brazil, Colombia, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni and Pando. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Kaup, 1825; Frost, 1992; Avila-Pires, 1995; Dirksen & De la Riva, 1999; Páez *et al.*, 2019; Uetz *et al.*, 2025.

Family Gymnophthalmidae Merrem, 1820

Genus *Bachia* Gray, 1845

***Bachia cacerensis* Castrillon & Strussman, 1998**

Fig. 65 - Map. 97

Type: ZUEC 01523 (Holotype).

Type locality: Cáceres, Mato Grosso, Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the department of Santa Cruz. The record of *B. dorbignyi* in the department of Santa Cruz, Lomas de Arena (Dirksen & De La Riva, 1999) corresponds to *B. cacerensis*. In the review of the Bolivian reptile collection of the Estación Biológica de Doñana - EBD-CSIC, we found that the specimen EBD37695H presents morphological characters that correspond with those described by Castrillon & Strussman in 1998 for *B. cacerensis*, this is the first record of the species for Bolivia, extending the distribution of the species 618 km. towards the southwest from the nearest record in Brasil (Castrillon & Strussman, 1998). Langstroth (2005) had already suggested the possibility of this new record. Categorized as NE (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Castrillon & Strussman, 1998; Dirksen & De la Riva, 1999; Langstroth, 2005; Silveira *et al.*, 2019a; Uetz *et al.*, 2025.

Especimens Examined: SANTA CRUZ: Lomas de Arena (EBD37695H).

***Bachia dorbignyi* (Duméril & Bibron, 1839)**

Fig. 66 - Map. 98

Type: MNHN-RA 2841 (Holotype).

Type locality: Santa Cruz de la Sierra, Bolivia.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril & Bibron, 1839; Gray, 1845; Garman, 1892; Griffin, 1917; Procter, 1921; Burt & Burt, 1931; Vanzolini, 1961; Peters & Donoso-Barros, 1970; Dixon, 1973; Aparicio, 1992; De la Riva *et al.*, 1992; Avila-Pires, 1995; Dirksen, 1995; Lavilla *et al.*, 1996; Gonzales, 1998; Padial *et al.*, 2003; Cortez, 2005; Freitas *et al.*, 2011; Montaña, 2013; Prudente *et al.*, 2013; Texeira *et al.*, 2013; Ribeiro-Júnior & Amaral, 2016a; Ribeiro-Júnior *et al.*, 2016; Ribeiro-Júnior & Amaral, 2017; Aparicio *et al.*, 2019f; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Bachia trisanale* (Cope, 1868)**

Type: ANSP 9637 (Holotype).

Type locality: Napo or upper Marañon, Ecuador.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the department of La Paz.



Figure 64. *Uranoscodon superciliosus* from Federico Roman, department of Pando. Photo: Lucindo Gonzales.



Figure 65. *Bachia cacerensis* from Lomas de Arena, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 66. *Bachia dorbignyi* from Alto Madidi, department of La Paz. Photo: Mauricio Ocampo.



Figure 67. *Cercosaura argulus* from Alto Madidi, department of La Paz. Photo: Mauricio Ocampo.



Figure 68. *Cercosaura eigenmanni* from Guarayos, department of Santa Cruz. Photo: Lucindo Gonzales.




Figure 69. *Cercosaura manicata* from Sehuencas-P. N. Carrasco, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 70. *Cercosaura parkeri* from Sipia Madidi, department of La Paz. Photo: Mauricio Ocampo.



Figure 71. *Cercosaura schreibersii* from Samaipata, department of Santa Cruz. Photo: Ignacio De la Riva.



Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cope, 1868; Procter, 1921; Lehr, 2002; Pérez *et al.*, 2002; Langstroth, 2005; Teixeira *et al.*, 2013; Aparicio *et al.*, 2019g; Uetz *et al.*, 2025.

Genus *Cercosaura* Wagler, 1830

***Cercosaura argulus* Peters, 1863**

Fig. 67 - Map. 99

Type: ZMB 4555 (Holotype).

Type locality: Cundinamarca, Colombia.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Andersson, 1914; Peters & Donoso-Barros, 1970; Uzzell, 1970; Uzzell, 1973; Duellman, 1978; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Lehr, 2002; Pianka & Vitt, 2003; Doan, 2003b; Moravec & Aparicio, 2004; Doan & Lamar, 2012; Torres-Carvajal *et al.*, 2015; Echevarria *et al.*, 2015; Sturaro *et al.*, 2017; Caicedo *et al.*, 2019g; Torres-Carvajal *et al.*, 2019; Eversole *et al.*, 2021; Aparicio *et al.*, 2021b; Uetz *et al.*, 2025.

***Cercosaura bassleri* Ruibal, 1952**

Type: AMNH 23191 (Holotype).

Type locality: Perené, Rio Perené, Peru.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the department of La Paz. Categorized as NE (MMAYA, 2009).

Selected references: Ruibal, 1952; Peters & Donoso-Barros, 1970; Avila-Pires, 1995; Lehr, 2002; Dixon & Soini, 1975; Torres-Carvajal *et al.*, 2015; Ribeiro-Júnior & Amaral, 2017; Sturaro *et al.*, 2018; Uetz *et al.*, 2025.

***Cercosaura eigenmanni* (Griffin, 1917)**

Fig. 68 - Map. 100

Type: CM 981 (Holotype).

Type locality: Provincia del Sara, Bolivia.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Griffin, 1917; Peters & Donoso-Barros, 1970; Uzzell, 1973; Hoogmoed & Vaca, 1990; Avila-Pires, 1995; Lavilla *et al.*, 1996; Dirksen & De

la Riva, 1999; Doan, 2003b; Moravec & Aparicio, 2004; Moravec & Aparicio, 2005; Doan & Lamar, 2012; Aparicio *et al.*, 2019c; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Cercosaura manicata* O'Shaughnessy, 1881**

Fig. 69 - Map. 101

Type: BMNH 1946.8.2.1 and BMNH 1946.8.31.15-17 (Syntypes).

Type locality: Canelos and Pallatanga, Ecuador.

Distribution: Bolivia, Colombia, Ecuador and Peru. **Remarks:** Recorded in the departments of Beni, Cochabamba and La Paz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: O'shaughnessy, 1881; Werner, 1899; Werner, 1916; Peters & Donoso-Barros, 1970; Duellman, 1978; Fugler, 1989; Dirksen & De la Riva, 1999; Doan, 2003b; Doan & Lamar, 2012; Catenazzi *et al.*, 2013; Caicedo *et al.*, 2017; Mamani *et al.*, 2020; Uetz *et al.*, 2025.

***Cercosaura olivacea* (Gray, 1845)**

Map. 102

Type: ZMB 899 (Holotype).

Type locality: Pernambuco, Brazil.

Distribution: Argentina, Bolivia and Brazil.

Remarks: Recorded in the department of Santa Cruz. Categorized as NE (MMAYA, 2009).

Selected references: Gray, 1845; Peters, 1862; Tedesco & Aguire, 1998; Sturaro, 2018; Uetz *et al.*, 2025.

***Cercosaura parkeri* (Ruibal, 1952)**

Fig. 70 - Map. 103

Type: MCZ 20627 (Holotype).

Type locality: Buenavista, Departamento de Santa Cruz, Bolivia.

Distribution: Argentina, Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Santa Cruz and Tarija. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).


Selected references: Ruibal, 1952; Meier, 1983; Tedesco & Cei, 1999; Doan, 2003b; Langstroth, 2005; Doan & Lamar, 2012; Barreto *et al.*, 2012; Bernarde, 2016; Aparicio *et al.*, 2019e; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

***Cercosaura schreibersii* Wiegmann, 1834**


Fig. 71 - Map. 104

Type: ZMB 898 (Holotype)


Type locality: Brazil.




Map 103. Distribution map of *Cercosaura parkeri* (Ruibal, 1952) in Bolivia.




Map 106. Distribution map of *Loxopholis percarinatum* (Müller, 1923) in Bolivia.




Map 104. Distribution map of *Cercosaura schreibersii* Wiegmann, 1834 in Bolivia.



Map 107. Distribution map of *Micrablepharus maximiliani* (Reinhardt & Lütken, 1862) in Bolivia.



Map 105. Distribution map of *Iphisa elegans* Gray, 1851 in Bolivia.



Map 108. Distribution map of *Potamites ecpleopus* (Cope, 1876) in Bolivia.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz, Santa Cruz and Tarija. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Burt & Burt, 1931; Ruibal, 1952; Hellmich, 1960; Gallardo, 1966; Peters & Donoso-Barros, 1970; Fugler, 1989; Bauer & Günther, 1994; Dirksen *et al.*, 1995; Harvey, 1995; Lavilla *et al.*, 1996; Harvey, 1997; Dirksen & De la Riva, 1999; Doan, 2003b; Padial *et al.*, 2003; Carreira & Meneghel, 2005; Rodrigues *et al.*, 2007; Cacciali, 2010; Mendoza, 2010; Doan & Lamar, 2012; Montaña, 2013; Zaracho *et al.*, 2014; Goicoechea *et al.*, 2016; Torres-Carvajal *et al.*, 2016; Carreira *et al.*, 2019; Aparicio *et al.*, 2021b; Uetz *et al.*, 2025.

Genus *Iphisa* Gray, 1851

***Iphisa elegans* Gray, 1851**

Fig. 72 - Map. 105

Type: BMNH 1946.9.1.1 (Holotype)

Type locality: Pará, Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru and Suriname.

Remarks: Recorded in the departments of Cochabamba, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Gray, 1851; Gray, 1852; Peters & Donoso-Barros, 1970; Dixon, 1974; Duellman, 1978; Avila-Pires, 1995; Harvey *et al.*, 1998; Dirksen & De la Riva, 1999; Castoe *et al.*, 2004; Moravec & Aparicio, 2004; Nunes *et al.*, 2012; Cole *et al.*, 2013; Calderón *et al.*, 2019c; Uetz *et al.*, 2025.

Genus *Loxopholis* Cope, 1869

***Loxopholis percarinatum* (Müller, 1923)**

Map. 106

Type: ZSM 140/1911 (Holotype)

Type locality: Peixeboi, Estado do Pará, Brazil.

Distribution: Bolivia, Brazil, Colombia, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the department of Pando. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Müller, 1923; Burt & Burt, 1931; Peters & Donoso-Barros, 1970; Ayala, 1986; Avila-Pires, 1995; Gorzula & Señaris, 1999; Castoe *et al.*, 2004; Langstroth, 2005; Aguayo & Quinteros-Muñoz, 2008; Ribeiro-Júnior & Amaral, 2016; Goicoechea *et al.*, 2016; Calderón *et al.*, 2019a; Uetz

et al., 2025.

Genus *Micrablepharus* Boettger, 1885

***Micrablepharus maximiliani* (Reinhardt & Lütken, 1862)**

Map. 107

Type: ZMUC (Holotype).

Type locality: Maruim, Sergipe, Brazil.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Chuquisaca and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Reinhardt & Lütken, 1862; Peters & Donoso-Barros, 1970; Avila-Pires, 1995; Gonzales, 1998; Dirksen & De la Riva, 1999; Castoe *et al.*, 2004; Cacciali, 2010; Montaña, 2013; Cacciali *et al.*, 2016a; Scott *et al.*, 2019b; Uetz *et al.*, 2025.

Genus *Potamites* Doan & Castoe, 2005

***Potamites ecpleopus* (Cope, 1876)**

Map. 108

Type: Lost (Holotype).

Type locality: Peru.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of Beni, La Paz and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: O'shaughnessy, 1879; Werner, 1910; Uzzell, 1966; Peters & Donoso-Barros, 1970; Duellman, 1978; Fugler, 1984; Montero *et al.*, 1995; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Castoe *et al.*, 2004; Cortez, 2005; Doan & Castoe *et al.*, 2005; Chávez & Vásquez, 2012; Prudente *et al.*, 2013; Ribeiro-Júnior, 2013; Cisneros-Heredia & Calderón 2019; Uetz *et al.*, 2025.

***Potamites ocellatus* (Sinitsin, 1930)**

Fig. 73 - Map. 109

Type: AMNH 22512 (Holotype).

Type locality: Rurrenabaque, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Beni, Cochabamba and La Paz. Categorized as VU (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Sinitsin, 1930; Vanzolini, 1995; Dirksen & De la Riva, 1999; Doan & Castoe *et al.*, 2005; Cortez & Aguayo, 2009a; Montaña, 2013; Aparicio *et al.*, 2017; Uetz *et al.*, 2025.



Figure 72. *Iphisa elegans* from Sagusa, department of Pando. Photo: Steffen Reichle.



Figure 76. *Proctoporus xestus* from Sehuencas, department of Cochabamba. Photo: Teresa Camacho-Badani.



Figure 73. *Potamites ocellatus* from Serranía de Bellavista, department of La Paz. Photo: Ignacio De la Riva.



Figure 77. *Vanzosaura rubricauda* from Margarita, department of Tarija. Photo: Lucindo Gonzales.



Figure 74. *Proctoporus bolivianus* from Pelechuco, department of La Paz. Photo: Ignacio De la Riva.




Figure 78. *Aspronema cochabambae* from Toralapa Baja, department of Cochabamba. Photo: Teresa Camacho-Badani.



Figure 75. *Proctoporus guentheri* from Sehuencas, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 79. *Manciola guaporicola* from Palmar de las Islas, department of Santa Cruz. Photo: Lucindo Gonzales.



Genus *Proctoporus* Tschudi, 1845

***Proctoporus bolivianus* Werner, 1910**

Fig. 74 - Map. 110

Type: Lost (Holotype), CBF 3437 (Neotype).

Type locality: Sorata, Dpto. La Paz, Bolivia.

Distribution: Bolivia and Peru.

Remarks: Recorded in the departments of La Paz and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Werner, 1910; Andersson, 1914; Dirksen & De la Riva, 1999; Doan, 2003a; Doan & Schargel, 2003; Doan *et al.*, 2005; Goicoechea *et al.*, 2013; Aguayo *et al.*, 2016d; Uetz *et al.*, 2025.

***Proctoporus guentheri* (Boettger, 1891)**

Fig. 75 - Map. 111

Type: BMNH 1946.8.31.22 (Type)

Type locality: Sorata, Bolivia.

Distribution: Bolivia and Peru.

Remarks: Recorded in the departments of Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boettger, 1891; Peters & Donoso-Barros, 1970; Uzzell, 1970; Emmons, 1991; Dirksen, 1995; Dirksen & De la Riva, 1999; Doan, 2003a; Doan & Schargel, 2003; Mendoza, 2010; Moravec & Langstroth, 2019; Uetz *et al.*, 2025.

***Proctoporus xestus* (Uzzell, 1969)**

Fig. 76 - Map. 112

Type: UMMZ 128835 (Holotype)

Type locality: Incachaca, Cochabamba, Bolivia.

Distribution: Argentina, Bolivia and Peru.

Remarks: Recorded in the departments of Cochabamba, Chuquisaca and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Uzzell, 1969; Ceï, 1993; Köhler *et al.*, 1995; Harvey, 1997; Dirksen & De la Riva, 1999; Avila *et al.*, 2013; Goicoechea *et al.*, 2013; Montaña, 2013; Cacciali *et al.*, 2016a; Uetz *et al.*, 2025.

Genus *Vanzosaura* Rodrigues, 1991

***Vanzosaura rubricauda* (Boulenger, 1902)**

Fig. 77 - Map. 113

Type: BMNH 1946.8.2.22 (Type)

Type locality: Cruz del Eje, Córdoba, Argentina.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Cochabamba, Santa Cruz, and Tarija. Categorized

as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Werner, 1910; Gallardo, 1951; Hellmich, 1960; Gallardo, 1969; Peters & Donoso-Barros, 1970; Ceï, 1986; Rodrigues, 1991; Vanzolini, 1991; Gonzales, 1998; Dirksen & De la Riva, 1999; Ziegler *et al.*, 2002a; Castoe *et al.*, 2004; Freitas & Silva, 2005; Cacciali, 2010; Avila *et al.*, 2013; Montaña, 2013; Recoder *et al.*, 2014; Cacciali *et al.*, 2016b; Cacciali *et al.*, 2019a; Uetz *et al.*, 2025.

Family Scincidae Gray, 1825

Genus *Aspronema* Hedges & Conn, 2012

***Aspronema cochabambae* (Dunn, 1935)**

Fig. 78 - Map. 114

Type: UMMZ 68094 (Holotype)

Type locality: Pocona, Dep. Cochabamba, Bolivia.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Cochabamba and Santa Cruz. Categorized as VU (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Dunn, 1935; Fugler, 1989; De la Riva *et al.*, 1992; Dirksen & De la Riva, 1999; Mausfeld *et al.*, 2002; Padial *et al.*, 2003; Harvey *et al.*, 2008a; Aguayo & Harvey, 2009; Mendoza, 2010; Hedges & Conn, 2012; Montaña, 2013; Aguayo *et al.*, 2017e; Burgos-Gallardo & Harvey, 2019; Uetz *et al.*, 2025.

***Aspronema dorsivittatum* (Cope, 1862)**

Map. 115

Type: USNM 5405 (Holotype)

Type locality: Paraguay.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boulenger, 1886; Hellmich, 1960; Peters & Donoso-Barros, 1970; Ceï, 1993; Dirksen & De la Riva, 1999; Greer & Nussbaum, 2000; Mausfeld *et al.*, 2002; Carreira *et al.*, 2005; Cabrera, 2009; Hedges & Conn, 2012; Cacciali *et al.*, 2016a; Kacolis *et al.*, 2020; Rivera *et al.*, 2020; Uetz *et al.*, 2025.

Genus *Copeoglossum* Tschudi, 1845


***Copeoglossum nigropunctatum* (Spix, 1825)**

Map. 116

Type: Lost (Holotype), MPEG 15248 (Neotype).

Type locality: Ecjá, Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador,



French Guiana, Guyana, Paraguay, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Spix, 1825; Dirksen, 1995; Harvey *et al.*, 1998; Dirksen & De la Riva, 1999; Greer *et al.*, 2000; Mausfeld *et al.*, 2002; Moravec & Aparicio, 2004; Cortez, 2005; Moravec & Aparicio, 2005; Whithworth & Beirne, 2011; Hedges & Conn, 2012; Pinto-Sánchez *et al.*, 2015; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2019e; Torres-Carvajal *et al.*, 2019; Aparicio *et al.*, 2021b; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

Genus *Exila* Hedges & Conn, 2012

***Exila nigropalmata* (Andersson, 1918)**

Map. 117

Type: NRM 23258 (Lectotype).

Type locality: Rio Curucá, Brazil and San Fermin, Bolivia.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of La Paz and Pando. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Andersson, 1918; Peters & Donoso-Barros, 1970; Dirksen & De la Riva, 1999; Greer & Nussbaum, 2000; Mausfeld *et al.*, 2002; Moravec & Aparicio, 2004; Hedges & Conn, 2012; Ribeiro-Júnior & Amaral, 2016; Moravec *et al.*, 2019; Uetz *et al.*, 2025.

Genus *Manciola* Hedges & Conn, 2012

***Manciola guaporicola* (Dunn, 1935)**

Fig. 79 - Map. 118

Type: CM P-962 (Holotype).

Type locality: Bastos Farm on Río Alegre, Headwaters of Río Guaporé, western Mato Grosso, Brazil.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Dunn, 1935; Peters & Donoso-Barros, 1970; Fugler, 1989; Harvey *et al.*, 1998; Dirksen & De la Riva, 1999; Greer *et al.*, 2000; Mausfeld *et al.*, 2002; Hedges & Conn, 2012; Montaña, 2013; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2019d; Rivas *et al.*, 2021b; Uetz *et al.*, 2025.

Genus *Notomabuya* Hedges & Conn, 2012

***Notomabuya frenata* (Cope, 1862)**

Fig. 80 - Map. 119

Type: ANSP 9395 and USNM 5855 (Syntypes).

Type locality: Río Paraguay valley, Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Dunn, 1935; Gans, 1960; Hellmich, 1960; Gallardo, 1968; Fugler, 1989; De la Riva, 1993; Cej, 1993; Norman, 1994; Dirksen, 1995; Lavilla *et al.*, 1996; Scrocchi & Gonzales, 1996a; Gonzales, 1998; Dirksen & De la Riva, 1999; Greer *et al.*, 2000; Mausfeld *et al.*, 2002; Hedges & Conn, 2012; Montaña, 2013; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2019f; Uetz *et al.*, 2025.

Genus *Varzea* Hedges & Conn, 2012

***Varzea altamazonica* (Miralles, Barrio-Amoros, Rivas, Chaparro-Auza, 2006)**

Fig. 81 - Map. 120

Type: MNHN-RA 2006.0291 (Holotype).

Type locality: Rio Cainarachi, Departamento San Martin, Peru.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of Beni, La Paz and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Miralles *et al.*, 2006; Harvey *et al.*, 2008a; Hedges & Conn, 2012; Pinto-Sánchez *et al.*, 2015; Ribeiro-Júnior & Amaral, 2016a; Torres-Carvajal *et al.*, 2019; Cisneros-Heredia *et al.*, 2021; Uetz *et al.*, 2025.

Family Teiidae Gray, 1827

Genus *Ameiva* Meyer, 1795

***Ameiva ameiva* (Linnaeus, 1758)**

Fig. 82 - Map. 121

Type: NHRM (2 specimen) and 1 in Gyllenborg collection (Syntypes).

Type locality: "America".

Distribution: Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guyana, Honduras, Panama, Paraguay, Peru, Suriname, Trinidad and Tobago, United States and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).



Figure 80. *Notomabuya frenata* from Puerto Almacén, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 81. *Varzea altamazonica* from Alto Beni, department of La Paz. Photo: Mauricio Ocampo.



Figure 82. *Ameiva ameiva* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 83. *Contomastix vittata* from Pojo, department of Cochabamba. Photo: Luis Rolando Rivas.



Figure 84. *Dracaena paraguayensis* from Otuquis, department of Santa Cruz. Photo: Steffen Reichle.




Figure 85. *Kentropyx altamazonica* from Amboró, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 86. *Kentropyx pelviceps* from Sagusa, department of Pando. Photo: Steffen Reichle.



Figure 87. *Kentropyx vanzoi* from Heath Madidi, department of La Paz. Photo: Mauricio Ocampo.



Selected references: Linnaeus, 1758; Shaw & Nodder, 1809; Griffin, 1917; Procter, 1921; Mertens, 1929; Burt & Burt, 1930; Schmidt & Inger, 1951; Fugler, 1983; Fugler, 1984; Fugler, 1989; Hoogmoed & Vaca, 1990; Conant & Collins, 1991; Emmons, 1991; Aparicio, 1992; De la Riva *et al.*, 1992; Ceí, 1993; De la Riva, 1993; Dirksen, 1995; Harvey, 1995; Lavilla *et al.*, 1996; Pérez, 1997; Gonzales, 1998; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Moravec & Aparicio, 2004; Cortez, 2005; Moravec & Aparicio, 2005; Montaña, 2013; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Ibáñez *et al.*, 2019b; Gómez-Murillo & Arellano-Martín, 2020; Aparicio *et al.*, 2021b; Eversole *et al.*, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

Genus *Ameivula* Harvey, Ugueto & Gutberlet, 2012

***Ameivula abalosi* (Cabrera, 2012)**

Map. 122

Type: UNNE 05676 (Holotype).

Type locality: La Libertad, Provincia de Formosa, Departamento Bermejo, Argentina.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Chuquisaca, Santa Cruz and Tarija. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Hellmich, 1960; Dirksen & De la Riva, 1999; Cabrera, 2012; Montaña, 2013; Arzamendia *et al.*, 2016d; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Uetz *et al.*, 2025.

Genus *Contomastix* Harvey, Ugueto & Gutberlet, 2012

***Contomastix lacertoides* (Duméril & Bibron, 1839)**

Map. 123

Type: Lost (Holotype).

Type locality: Montevideo, Uruguay.

Distribution: Argentina, Bolivia, Brazil and Uruguay.

Remarks: Recorded in the departments of Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril & Bibron, 1839; Boulenger, 1886; Burt, 1931; Gallardo, 1966; Maslin & Secoy, 1986; Ceí, 1993; Dirksen *et al.*, 1995; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Harvey *et al.*, 2012; Avila *et al.*, 2013; Cacciali *et al.*, 2020; Uetz *et al.*, 2025.

***Contomastix vittata* (Boulenger, 1902)**

Fig. 83 - Map. 124

Type: BMNH 1946.8.31.13 (Holotype).

Type locality: Parotani, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Chuquisaca, Cochabamba, Santa Cruz, and Potosí. Categorized as VU (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Vance, 1978; Maslin & Secoy, 1986; Dirksen & De la Riva, 1999; Muñoz & Rivas, 2009b; Harvey *et al.*, 2012; Montaña, 2013; Muñoz, 2017; Pinto-Viveros *et al.*, 2017; Rivas *et al.*, 2018; Uetz *et al.*, 2025.

Genus *Dracaena* Daudin, 1802

***Dracaena paraguayensis* Amaral, 1950**

Fig. 84 - Map. 125

Type: DZSJRP 696 (Holotype).

Type locality: São Lourenço, Mato Grosso, Brazil.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Amaral, 1950; Vanzolini & Valencia, 1966; Peters & Donoso-Barros, 1970; Harvey, 1995; Dirksen & De la Riva, 1999; Gonzales & Montaña, 2009c; Harvey *et al.*, 2012; Scott *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Kentropyx* Spix, 1825

***Kentropyx altamazonica* (Cope, 1875)**

Fig. 85 - Map. 126

Type: ANSP 13105 (Holotype)

Type locality: Moyabamba, Peru.

Distribution: Bolivia, Brazil, Colombia, Ecuador, Peru and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Peters & Donoso-Barros, 1970; Gallagher & Dixon, 1992; Avila-Pires, 1995; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Moravec & Aparicio, 2004; Harvey *et al.*, 2012; Montaña, 2013; Pinto-Viveros *et al.*, 2017; Calderón *et al.*, 2019g; Uetz *et al.*, 2025.


***Kentropyx calcarata* Spix, 1825**

Map. 127

Type: Lost (Holotype).

Type locality: Rio Itapicurú, Maranhão, Brazil.

Distribution: Bolivia, Brazil, Guyana, French



Guiana, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Spix, 1825; Duméril & Bibron, 1839; Gallagher & Dixon, 1992; De la Riva, 1993; Montero *et al.*, 1995; Scrocchi & Gonzales, 1996b; Gonzales, 1998; Dirksen & De la Riva, 1999; Avila-Pires *et al.*, 2012; Harvey *et al.*, 2012; Hoogmoed & Ouboter 2019b; Uetz *et al.*, 2025.

***Kentropyx paulensis* (Boettger, 1893)**

Map. 128

Type: SMF 11672 (Holotype).

Type locality: São Paulo, Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of La Paz and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boettger, 1893; Peters *et al.*, 1970; Embert, 2005; Langstroth, 2005; Gallagher & Dixon, 1992; Harvey *et al.*, 2012; Silveira *et al.*, 2021a; Uetz *et al.*, 2025.

***Kentropyx pelviceps* (Cope, 1868)**

Fig. 86 - Map. 129

Type: ANSP 9556 (Holotype).

Type locality: Napo or Upper Amazon or Ecuador.

Distribution: Bolivia, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of La Paz and Pando. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cope, 1868; Duellman, 1978; Avila-Pires, 1995; Dirksen & De la Riva, 1999; Cortez, 2005; Moravec & Aparicio, 2006; Whithworth & Beirne, 2011; Harvey *et al.*, 2012; Calderón *et al.*, 2019f; Uetz *et al.*, 2025.

***Kentropyx vanzoi* Gallagher & Dixon, 1980**

Fig. 87 - Map. 130

Type: MZUSP 36924 (Holotype).

Type locality: Mato Grosso, Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of La Paz and Santa Cruz. Categorized as LC (MMAYA, 2009) and NT (IUCN, 2022).

Selected references: Gallagher & Dixon, 1980; Montero *et al.*, 1995; Dirksen & De la Riva, 1999; Pianka & Vitt, 2003; Langstroth, 2005; Harvey *et al.*, 2012; Ribeiro-Júnior & Amaral, 2016; Silveira *et al.*, 2021b; Uetz *et al.*, 2025.

***Kentropyx viridistriga* (Boulenger, 1894)**

Map. 131

Type: BMNH 1946.8.29.31 (Type).

Type locality: near Asunción, Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Hellmich, 1960; Peters & Donoso-Barros, 1970; Gallagher & Dixon, 1992; Lavilla *et al.*, 1996; Dirksen & De la Riva, 1999; Embert, 2008; Harvey *et al.*, 2012; Cacciali *et al.*, 2016a; Pelegrin *et al.*, 2019; Uetz *et al.*, 2025.

Genus *Salvator* Duméril & Bibron, 1839

***Salvator merianae* Duméril & Bibron, 1839**

Fig. 88 - Map. 132

Type: Lost (Holotype).

Type locality: state of Rio de Janeiro, Brazil.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril & Bibron, 1839; Harvey *et al.*, 1998; Dirksen & De la Riva, 1999; Vrcibradic *et al.*, 2011; Harvey *et al.*, 2012; Avila *et al.*, 2013; Montaña, 2013; Cacciali *et al.*, 2016a; Ribeiro-Júnior & Amaral, 2016a; Scott *et al.*, 2016b; Pinto-Viveros *et al.*, 2017; Aparicio *et al.*, 2021b; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

***Salvator rufescens* (Günther, 1871)**

Fig. 89 - Map. 133

Type: BMNH 74.3.27.1 (Lectotype)

Type locality: Mendoza, Argentina.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Günther, 1871; Presch, 1973; Norman, 1994; Gonzales, 1998; Dirksen & De la Riva, 1999; Péres & Colli, 2004; Mendoza, 2010; Harvey *et al.*, 2012; Avila *et al.*, 2013; Montaña, 2013; Costa & Bernils, 2015; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2021a; Uetz *et al.*, 2025.

Genus *Teius* Merrem, 1820

***Teius teyou* (Daudin, 1802)**

Fig. 90 - Map. 134



Figure 88. *Salvator merianae* from Puerto Almacén, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 89. *Salvator rufescens* from Corbalan, department of Tarija. Photo: Steffen Reichle.



Figure 90. *Teius teyou* from Morocos, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 91. *Tupinambis teguixin* from P. N. Noel Kempff Mercado, department of Santa Cruz. Photo: Steffen Reichle.



Figure 92. *Boa constrictor* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.




Figure 93. *Corallus batesii* from Chalalan, department of La Paz. Photo: Steffen Reichle.



Figure 94. *Corallus hortulana* from Chalalan, department of La Paz. Photo: Steffen Reichle.



Figure 95. *Epicrates cenchria* from Chalalan, department of La Paz. Photo: Steffen Reichle.



Type: MNHN-RA 4188 (Neotype).

Type locality: Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Cochabamba, Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril & Bibron, 1839; Müller, 1928; Mertens, 1929; Gans, 1960; Hellmich, 1960; Ceí & Lescure, 1985; De la Riva *et al.*, 1992; Ceí, 1993; Emmons, 1993; Gonzales, 1998; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Mendoza, 2010; Harvey *et al.*, 2012; Montaña, 2013; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2016d; Cacciali *et al.*, 2016e; Pinto-Viveros *et al.*, 2017; Uetz *et al.*, 2025.

Genus *Tupinambis* Daudin, 1802

***Tupinambis teguixin* (Linnaeus, 1758)**

Fig. 91 - Map. 135

Type: UUZM 13 (Lectotype).

Type locality: "Indiis" in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Cuvier, 1831; Gans, 1960; Hellmich, 1960; Presch, 1973; Duellman, 1978; Fugler, 1983; Rese, 1983; De la Riva *et al.*, 1992; Aparicio, 1992; Ceí, 1993; De la Riva, 1993; Dirksen, 1995; Harvey, 1995; Lavilla *et al.*, 1996; Gonzales, 1998; Dirksen & De la Riva, 1999; Padial *et al.*, 2003; Moravec & Aparicio, 2004; Mcnish, 2011; Harvey *et al.*, 2012; Ribeiro-Júnior & Amaral, 2016; Pinto-Viveros *et al.*, 2017; Hladki *et al.*, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

Serpentes Linnaeus, 1758

Alethinophidia Nopcsa, 1923

Family Boidae Gray, 1825

Genus *Boa* Linnaeus, 1758

***Boa constrictor* Linnaeus, 1758**

Fig. 92 - Map. 136

Type: NRM 10 and NHRM 20001 (Syntypes).

Type locality: "Indiis" in error.

Distribution: South America: Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Boulenger, 1893; Duméril & Bibron, 1844; Fugler, 1983; Fugler *et al.*, 1995a; Starace, 1998; Mcdiarmid *et al.*, 1999; Reed & Rodda, 2009; Montaña, 2013; Reynold *et al.*, 2014; Wallach *et al.*, 2014; Pinto-Viveros *et al.*, 2017; Reynolds & Henderson, 2018; Nogueira *et al.*, 2019a; Aguilar-Kirigin, 2020; Aparicio *et al.*, 2021b; Arzamendia *et al.*, 2021a; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

Genus *Corallus* Daudin, 1803

***Corallus batesii* (Gray, 1860)**

Fig. 93 - Map. 137

Type: BMNH 1859.12.28.12 (Holotype)

Type locality: State of Amazonas, Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Gray, 1860; Boulenger, 1898; Fugler *et al.*, 1995a; Cortez & Zapata, 2009; Henderson *et al.*, 2009; Montaña, 2013; Wallach *et al.*, 2014; Rivas *et al.*, 2016; Reynolds & Henderson, 2018; Nogueira *et al.*, 2019; Uetz *et al.*, 2025.

***Corallus hortulana* (Linnaeus, 1758)**

Fig. 94 - Map. 138

Type: ZMB 1526 (Holotype).

Type locality: "America".

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Henderson, 1997; Mcdiarmid *et al.*, 1999; Cortez, 2005; Moravec & Aparicio, 2005; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Calderón *et al.*, 2016; Reynolds & Henderson, 2018; Frétey, 2019; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

Genus *Epicrates* Wagler, 1830

***Epicrates alvarezi* Abalos, Baez & Nader, 1964**

Map. 139

Type: IAV 13 (Holotype).

Type locality: Forres, Robles Department, Santiago del Estero, Argentina.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Santa Cruz and Tarija. Categorized as NE (MMAYA, 2009) and NT (IUCN, 2022).

Selected references: Peracca, 1897; Abalos *et al.*, 1964; Peters & Orejas-Miranda, 1970; Waller & Buonghermini, 1998; McDiarmid *et al.*, 1999; Tipton, 2005; Scrocchi *et al.*, 2006; Passos & Fernandes, 2008a; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Reynolds & Henderson, 2018; Waller *et al.*, 2021a; Uetz *et al.*, 2025.

***Epicrates cenchria* (Linnaeus, 1758)**

Fig. 95 - Map. 140

Type: NRM Lin. 6 (Holotype).

Type locality: Suriname.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz, Pando, Santa Cruz and Tarija. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Garman, 1887; Boulenger, 1896; Procter, 1921; Stull, 1938; Fugler, 1984; Fugler *et al.*, 1995a; McDiarmid *et al.*, 1999; Savage, 2002; Cortez, 2005; Passos & Fernandes, 2008a; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Pinto-Viveros *et al.*, 2017; Reynolds & Henderson, 2018; Nogueira *et al.*, 2019a; Aparicio *et al.*, 2021b; Calderón *et al.*, 2021a; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

***Epicrates crassus* Cope, 1862**

Fig. 96 - Map. 141

Type: USNM 12413 (Holotype).

Type locality: Paraná River, Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Chuquisaca and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Passos & Fernandes, 2008a; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Reynolds & Henderson, 2018; Nogueira *et al.*, 2019a; Arzamendia *et al.*, 2021b; Uetz *et al.*, 2025.

Genus *Eunectes* Wagler, 1830

***Eunectes beniensis* Dirksen, 2002**

Fig. 97 - Map. 142

Type: AMNH 101924 (Holotype); CBF 1675, NKR 1735, UMMZ 56863 (Paratypes).

Type locality: Trinidad, Beni, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Beni, Santa Cruz, and Pando. Categorized as VU (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Dirksen, 2002; Dirksen & Böhme, 2005; Embert, 2009a; Wallach *et al.*, 2014; Muñoz *et al.*, 2016a; De la Quintana *et al.*, 2011, 2017; Reynolds & Henderson, 2018; Aguilar-Kirigin, 2020; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

***Eunectes murinus* (Linnaeus, 1758)**

Fig. 98 - Map. 143

Type: NRM Lin. 9 (Holotype).

Type locality: "America".

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Wagler, 1830; Duméril & Bibron, 1844; Boulenger, 1893; Fugler, 1984; Fugler *et al.*, 1995a; McDiarmid *et al.*, 1999; Strimple *et al.*, 1997; Starace, 1998; Cortez, 2005; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; De la Quintana *et al.*, 2018; Reynolds & Henderson, 2018; Nogueira *et al.*, 2019a; Calderón *et al.*, 2021; Rivas *et al.*, 2022; Uetz *et al.*, 2025.

***Eunectes notaeus* Cope, 1862**

Fig. 99 - Map. 144

Type: Lost (Holotype).

Type locality: Paraguay River, near the border between Brazil, Bolivia and Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Kahl *et al.*, 1980; Leynaud & Bucher, 1999; McDiarmid *et al.*, 1999; Dirksen, 2002;






Figure 96. *Epicrates crassus* from Santiago de Chiquitos, department of Santa Cruz. Photo: Steffen Reichle.



Figure 97. *Eunectes beniensis* from Espíritu, department of Beni. Photo: Octavio Jiménez-Robles.



Figure 98. *Eunectes murinus* from Manuripi, department of Pando. Photo: Lucindo Gonzales.



Figure 99. *Eunectes notaeus* from San Matias, department of Santa Cruz. Photo: Steffen Reichle.



Figure 100. *Chironius dixonii* from Sehuenas, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 101. *Chironius exoletus* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 102. *Chironius flavolineatus* from Palmasola, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 103. *Chironius fuscus* from Abel Iturralde, department of La Paz. Photo: Dennis E. Lizarro.

Langstroth, 2005; Zaracho *et al.*, 2014; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Reynolds & Henderson, 2018; Nogueira *et al.*, 2019a; Waller *et al.*, 2021b; Uetz *et al.*, 2025.

Family Colubridae Oppel, 1811

Genus *Chironius* Fitzinger, 1826

***Chironius dixonii* Wiest, 1978**

Fig. 100 - Map. 145

Type: AMNH 101815 (Holotype).

Type locality: Rio Mamore, Department of Beni, Bolivia.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of Beni, Cochabamba, and Santa Cruz. Categorized as LC (MMAYA, 2009).

Selected references: Dixon *et al.*, 1993; Hollis, 2006; Montaña, 2013; Wallach *et al.*, 2014; Entiauspe-Neto & Loebmann, 2019; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Chironius exoletus* (Linnaeus, 1758)**

Fig. 101 - Map. 146

Type: ZMUU 135 (Holotype).

Type locality: Brazil.

Distribution: Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guyana, Panama, Paraguay, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Griffin, 1916; Procter, 1921; Gans, 1960; Hoge *et al.*, 1978; Wiest, 1978; Dixon *et al.*, 1993; Fugler, 1983; Fugler, 1984; Fugler *et al.*, 1995a; Kornacker, 1999; Savage, 2002; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Acosta *et al.*, 2019; Nogueira *et al.*, 2019a; Gómez-Murillo & Arellano-Martín, 2020; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Chironius flavolineatus* (Jan, 1863)**

Fig. 102 - Map. 147

Type: MSNM 2729 (Lectotype).

Type locality: Brazil, no specific locality by original designation.

Distribution: Bolivia Brazil, French Guyana, and Paraguay.

Remarks: Recorded in the departments of Beni, La Paz and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Bailey, 1955; Peters & Orejas-Miranda, 1970; Wiest, 1978; Fugler *et al.*, 1995a; Lehr, 2002; Tipton, 2005; Wallach *et al.*, 2014; Rufray *et al.*, 2015; Cacciali *et al.*, 2016a; Montaña, 2013; Hamdan *et al.*, 2014; Pinto-Viveros *et al.*, 2017; Cacciali *et al.*, 2019g; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Chironius fuscus* (Linnaeus, 1758)**

Fig. 103 - Map. 148

Type: NRM 34 (Holotype).

Type locality: “Asia” in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Duméril & Bibron, 1854; Griffin, 1916; Beebe, 1946; Wiest, 1978; Gasc & Rodrigues, 1980; Fugler, 1988a; Fugler *et al.*, 1995a; Starace, 1998; Gorzula & Señaris, 1999; Padial *et al.*, 2003; Cortez, 2005; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Caicedo *et al.*, 2019i; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Chironius maculiventris* Dixon, Wiest & Cei, 1993**

Map. 149

Type: ZMUC 60816 (Holotype).

Type locality: Corrientes province, Argentina.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Tarija. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Dixon *et al.*, 1993; Embert, 2002; Hollis, 2006; Wallach *et al.*, 2014; Marra *et al.*, 2015; Cacciali *et al.*, 2016a; Torres-Carvajal *et al.*, 2018; Nogueira *et al.*, 2019a; Cacciali & Scott 2022; Uetz *et al.*, 2025.

***Chironius monticola* Roze, 1952**


Fig. 104 - Map. 150

Type: MBUCV 2019 (Holotype).


Type locality: El Junquito, D.F., Venezuela.

Distribution: Bolivia, Colombia, Ecuador, Peru and Venezuela.


Remarks: Recorded in the departments of Cochabamba, La Paz and Santa Cruz. Categorized




Map 145. Distribution map of *Chironius dixonii* Wiest, 1978 in Bolivia.




Map 148. Distribution map of *Chironius fuscus* (Linnaeus, 1758) in Bolivia.




Map 146. Distribution map of *Chironius exoletus* (Linnaeus, 1758) in Bolivia.



Map 149. Distribution map of *Chironius maculiventris* Dixon *et al.*, 1993 in Bolivia.



Map 147. Distribution map of *Chironius flavolineatus* (Jan, 1863) in Bolivia.



Map 150. Distribution map of *Chironius monticola* Roze, 1952 in Bolivia.



Figure 104. *Chironius monticola* from El Limbo, department of Cochabamba. Photo: Teresa Camacho-Badani.



Figure 108. *Drymobius rhombifer* from Manuripi, department of Pando. Photo: Lucindo Gonzales.



Figure 105. *Chironius whipala* from Tocos, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 109. *Leptophis bolivianus* from Espíritu, department of Beni. Photo: Octavio Jiménez-Robles.



Figure 106. *Dendrophidion dendrophis* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 110. *Mastigodryas boddaerti* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 107. *Drymarchon corais* from Buenavista, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 111. *Oxybelis aeneus* in captivity (Zoologico Santa Cruz). Photo: Daniel Alarcon.

as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Roze, 1952; Wiest, 1978; Fugler *et al.*, 1995a; Esqueda & La Marca, 1999; Kornacker, 1999; Padial *et al.*, 2003; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Daza *et al.*, 2016; Uetz *et al.*, 2025.

***Chironius multiventris* Schmidt & Walker, 1943**
Map. 151

Type: FMNH 38250 (Holotype).

Type locality: Selvas del Rio Madre de Dios, Dep. Madre de Dios, Peru.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru and Venezuela.

Remarks: Recorded in the departments of Beni and La Paz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Schmidt & Walker, 1943; Gasc & Rodrigues, 1980; Hoogmoed & Avila-Pires, 1991; Dixon *et al.*, 1993; Starace, 1998; Kornacker, 1999; Embert, 2002; Mattos *et al.*, 2009; Klaczko *et al.*, 2010; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Nogueira *et al.*, 2019a; Ortega *et al.*, 2019; Uetz *et al.*, 2025.

***Chironius quadricarinatus* (Boie, 1827)**
Map. 152

Type: RMNH 605 (Holotype).

Type locality: Paraguay.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boie, 1827; Bailey, 1955; Wiest, 1978; Dixon *et al.*, 1993; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Tipton, 2005; Hollis, 2006; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Torres-Carvajal *et al.*, 2018; Cacciali & Scott 2019a; Uetz *et al.*, 2025.

***Chironius scurrula* (Wagler, 1824)**
Map. 153

Type: ZSM 2628/0 (Lectotype).

Type locality: "probably Rio Japura", Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wagler, 1824; Wiest, 1978; Gasc & Rodrigues, 1980; Fugler, 1986a; Fugler *et al.*,

1995a; Gorzula & Señaris, 1999; Boos, 2001; Cortez, 2005; Moravec & Aparicio, 2005; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Hammerson *et al.*, 2019a; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Chironius whipala* Quinteros-Muñoz, Gómez-Murillo, Camacho-Badani, Aguayo, Carpio-Real, Pérez, Marca, Gonzales & Torres-Carvajal, 2024**
Fig. 105 - Map. 154

Type: MHNC-R 3099 (Holotype).

Type locality: Chaquisacha, Carrasco National Park, Cochabamba Department, Bolivia.

Distribution: Bolivia.

Remarks: **Endemic species.** Recorded in the departments of Cochabamba and Santa Cruz. Categorized as NE (MMAYA, 2009).

Selected references: Quinteros-Muñoz *et al.*, 2024a; Uetz *et al.*, 2025.

Genus *Dendrophidion* Fitzinger, 1843
***Dendrophidion dendrophis* (Schlegel, 1837)**

Fig. 106 - Map. 155

Type: BMNH 1946.1.12.98 (Type).

Type locality: Cayenne, French Guiana.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Schlegel, 1837; Fitzinger, 1843; Schmidt & Walker, 1943; Peters & Orejas-Miranda, 1970; Gasc & Rodrigues, 1980; Lieb, 1988; Fugler *et al.*, 1995a; Kornacker, 1999; Natera-Mumaw, 2008; Whithworth & Beirne, 2011; Montaña, 2013; Wallach *et al.*, 2014; Hladki *et al.*, 2019i; Nogueira *et al.*, 2019a; Gómez-Murillo & Arellano-Martín, 2020; Uetz *et al.*, 2025.

Genus *Drymarchon* Fitzinger, 1843
***Drymarchon corais* (Boie, 1827)**


Fig. 107 - Map. 156

Type: not designated (Holotype).


Type locality: "America."

Distribution: Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Trinidad and Tobago, and Venezuela.


Remarks: Recorded in the departments of Beni, Oruro, Pando, Santa Cruz and Tarija. Categorized




Map 151. Distribution map of *Chironius multiventris* Schmidt & Walker, 1943 in Bolivia.




Map 154. Distribution map of *Chironius whipala* Quinteros-Muñoz *et al.*, 2024 in Bolivia.




Map 152. Distribution map of *Chironius quadricarinatus* (Boie, 1827) in Bolivia.



Map 155. Distribution map of *Dendrophidion dendrophis* (Schlegel, 1837) in Bolivia.



Map 153. Distribution map of *Chironius scurrula* (Wagler, 1824) in Bolivia.



Map 156. Distribution map of *Drymarchon corais* (Boie, 1827) in Bolivia.

as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boie, 1827; Garman, 1884; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Montañó, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Hladki *et al.*, 2019j; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Drymobius* Fitzinger, 1843

***Drymobius rhombifer* (Günther, 1860)**

Fig. 108 - Map. 157

Type: ZMB 9525 (Holotype).

Type locality: Esmeraldas, Ecuador.

Distribution: Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guyana, Nicaragua, Panama, Peru, Suriname and Venezuela.

Remarks: Recorded in the department of Beni, La Paz and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Günther, 1860; Peters, 1879; Vanzolini, 1977; Vaeth & Rossman, 1984; Bauer *et al.*, 1995; Fugler *et al.*, 1995a; Lehr, 2002; Savage, 2002; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Nogueira *et al.*, 2019a; Vargas *et al.*, 2019; Uetz *et al.*, 2025.

Genus *Drymoluber* Amaral, 1929

***Drymoluber dichrous* (Peters, 1863)**

Map. 158

Type: ZMB 1661 (Lectotype).

Type locality: “Amazonia” Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Amaral, 1930; Duellman, 1978; Gasc & Rodrigues, 1980; Fugler, 1983; Bauer *et al.*, 1995; Fugler *et al.*, 1995a; Kornacker, 1999; Lehr *et al.*, 2004; Whithworth & Beirne, 2011; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Nogueira *et al.*, 2019a; Rivas *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Leptophis* Bell, 1825

***Leptophis bolivianus* Oliver, 1942**

Fig. 109

Type: UMMZ 67973 (Holotype).

Type locality: Santa Cruz, Buena Vista, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Beni, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009).

Selected references: Linnaeus, 1758; Shaw & Nodder, 1795; Griffin, 1916; Fugler, 1983; Fugler, 1986a; Fugler *et al.*, 1995a; Albuquerque, 2008; Pontes *et al.*, 2008; Cole *et al.*, 2013; Montañó, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Gutiérrez-Cárdenas *et al.*, 2019; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Albuquerque & Fernandes 2022; Uetz *et al.*, 2025.

***Leptophis marginatus* (Cope, 1862)**

Type: ANSP 5514 (Holotype).

Type locality: Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as NE (MMAYA, 2009).

Selected references: Albuquerque, 2008; Cacciali *et al.*, 2016a; Nogueira *et al.*, 2019a; Torres-Carvajal & Terán, 2021; Albuquerque & Fernandes, 2022; Uetz *et al.*, 2025.

***Leptophis nigromarginatus* (Günther, 1866)**

Type: BMNH 1946.1.5.7 (Holotype).

Type locality: “Upper Amazons”.

Distribution: Bolivia, Brazil, Colombia, Ecuador, Guyana and Peru.

Remarks: Recorded in the departments of Beni and Pando. Categorized as NE (MMAYA, 2009).

Selected references: Albuquerque & Fernandes, 2022; Uetz *et al.*, 2025.

Genus *Mastigodryas* Amaral, 1935

***Mastigodryas boddaerti* (Sentzen, 1796)**

Fig. 110 - Map. 159


Type: ANSP 5651 (Type).

Type locality: Suriname.

Distribution: Bolivia, Brazil, Colombia, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Sentzen, 1796; Garman, 1887; Boettger, 1891; Griffin, 1916; Stuart, 1939; Roze, 1958; Fugler, 1983; Fugler *et al.*, 1995a; Gorzula & Señaris, 1999; Montingelli, 2009; Siqueira *et al.*, 2012;



Montaño, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Pinto-Viveros *et al.*, 2017; Nogueira *et al.*, 2019a; Rivas *et al.*, 2019b; Gómez-Murillo & Arellano-Martín, 2020; Uetz *et al.*, 2025.

Genus *Oxybelis* Wagler, 1830
***Oxybelis aeneus* (Wagler, 1824)**

Fig. 111 - Map. 160

Type: ZSM 2645/0 (Lectotype).

Type locality: Solimões, Tefé, Amazonas, Brazil.

Distribution: Restricted to the Amazon Basin.

Remarks: Recorded in the departments of Beni, Cochabamba, Pando and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril & Bibron, 1854; Gasc & Rodrigues, 1980; Fugler, 1983; Stebbins, 1985; Fugler *et al.*, 1995a; Gorzula & Señaris, 1999; Lehr, 2002; Stebbins, 2003; Crother *et al.*, 2012; Montaño, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Hammerson *et al.*, 2019b; Nogueira *et al.*, 2019a; Jadin *et al.*, 2020; Eversole *et al.*, 2021; Jadin *et al.*, 2021; Uetz *et al.*, 2025.

***Oxybelis inkaterra* Jadin, Jowers, Orlofske, Duellman, Blair & Murphy, 2021**

Map. 161

Type: KU 220196 (Holotype).

Type locality: Cusco Amazónico (now Reserva Amazónica), Río Madre de Dios, c. 15 km E Puerto Maldonado, 200 m., Madre de Dios, Peru.

Distribution: Bolivia and Peru.

Remarks: Recorded in the departments of Cochabamba and La Paz. Categorized as NE (MMAYA, 2009).

Selected references: Jadin *et al.*, 2021; Rivas *et al.*, 2024a; Uetz *et al.*, 2025.

Genus *Palusophis* Montingelli, Grazziotin, Battilana, Murphy, Zhang & Zaher, 2019
***Palusophis bifossatus* (Raddi, 1820)**

Fig. 112 - Map. 162

Type: MZUF (Holotype).

Type locality: Rio de Janeiro, Brazil.

Distribution: Argentina, Bolivia, Brazil, Colombia, Paraguay and Venezuela.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Raddi, 1911; Raddi, 1820; Wiest, 1978; Fugler, 1986a; Fugler *et al.*, 1995a;

Leynaud & Bucher, 1999; Gorzula & Señaris, 1999; Padial *et al.*, 2003; Montaño, 2013; Wallach *et al.*, 2014; Caicedo *et al.*, 2019h; Montingelli *et al.*, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Phrynonax* Cope, 1862
***Phrynonax sexcarinatus* (Wagler, 1824)**

Map. 163

Type: MNRJ 20302 (Neotype).

Type locality: “Amazon River”.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Peters, 1867; Amaral, 1929; Brongersma, 1937; Beebe, 1946; Peters & Orejas-Miranda, 1970; Gasc & Rodrigues, 1980; Fugler, 1983; Fugler *et al.*, 1995a; Gorzula & Señaris, 1999; Whithworth & Beirne, 2011; Jadin *et al.*, 2013; Feldman *et al.*, 2015; Nogueira *et al.*, 2019a; Murphy, 2021; Lopes & Passos, 2023; Quinteros-Muñoz *et al.*, 2024c.

Genus *Rhinobothryum* Wagler, 1830
***Rhinobothryum lentiginosum* (Scopoli, 1785)**

Map. 164

Type: Not designated (Holotype).

Type locality: Not known.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz and Pando. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Scopoli, 1785; Wagler, 1830; Duméril *et al.*, 1854; Gasc & Rodrigues, 1980; Fugler *et al.*, 1995a; Kornacker, 1999; Rojas-Morales, 2012; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Nogueira *et al.*, 2019a; Cisneros-Heredia *et al.*, 2020; Powell *et al.*, 2021; Uetz *et al.*, 2025.

Genus *Spilotes* Wagler, 1830
***Spilotes pullatus* (Linnaeus, 1758)**

Fig. 113 - Map. 165

Type: NRM (Holotype).

Type locality: “Asia” in error.

Distribution: Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana,



Figure 112. *Palusophis bifossatus* between San Javier and Concepción, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 113. *Spilotes pullatus* from Santiago de Chiquitos, department of Santa Cruz. Photo: Steffen Reichle.



Figure 114. *Tantilla melanocephala* from Cuzco Amazónico, Madre de Dios / Peru. Photo: Ignacio De la Riva.



Figure 115. *Dipsas bucephala* from Incahuasi, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 116. *Dipsas catesbyi* from Puerto Aroma, department of Cochabamba. Photo: Raúl León.




Figure 117. *Dipsas chaparensis* from K'arahuasi, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 118. *Dipsas cisticeps* from Puerto Aroma, department of Cochabamba. Photo: Raúl León.



Figure 119. *Dipsas indica* from Manuripi, department of Pando. Photo: Lucindo Gonzales.



Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Fugler, 1986a; Cei, 1993; Fugler *et al.*, 1995a; Moravec & Aparicio, 2004; Köhler, 2008; Wallach *et al.*, 2014; Arzamendia *et al.*, 2019e; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Spilotes sulphureus* (Wagler, 1824)**

Map. 166

Type: ZSM 1681/0 (Lectotype).

Type locality: Uncertain locality in Rio Japurá, state of Amazonas, Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Cochabamba, La Paz, Pando and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wagler, 1824; Gasc & Rodrigues, 1980; Fugler *et al.*, 1995a; Kornacker, 1999; Padial *et al.*, 2003; Mattison, 2007; Catenazzi *et al.*, 2013; Jadin *et al.*, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Gutiérrez-Cárdenas *et al.*, 2019; Nogueira *et al.*, 2019a; Quinteros-Muñoz *et al.*, 2024b; Uetz *et al.*, 2025.

Genus *Tantilla* Baird & Girard, 1853

***Tantilla melanocephala* (Linnaeus, 1758)**

Fig. 114 - **Map.** 167

Type: Not designated (Holotype).

Type locality: "America".

Distribution: Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Grenada, Guyana, Panama, Paraguay, Peru, Suriname, Uruguay and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando, Santa Cruz and Tarija. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Duméril *et al.*, 1854; Beebe, 1946; Peters & Orejas-Miranda, 1970; Wilson & Mena, 1980; Fugler, 1983; Fugler *et al.*, 1995a; Kornacker, 1999; Rivas *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Nogueira *et al.*, 2019a; Passos & Powell, 2019; Uetz *et al.*, 2025.

Tribe Dipsadini Bonaparte, 1838

Genus *Dipsas* Laurenti, 1768

***Dipsas bucephala* (Shaw, 1802)**

Fig. 115 - **Map.** 168

Type: Iconotype from Seba (1734, pl. 42, Fig. 4, Holotype).

Type locality: Brazil.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Cochabamba and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Shaw, 1802; Oppel, 1810; Peters, 1960; Peters & Orejas-Miranda, 1970; Cei, 1993; Harvey & Embert, 2009; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Nogueira *et al.*, 2019a; Cacciali & Scott, 2021; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Dipsas catesbyi* (Sentzen, 1796)**

Fig. 116 - **Map.** 169

Type: Lost (Syntypes).

Type locality: "America".

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).


Selected references: Sentzen, 1796; Boie, 1827; Schlegel, 1837; Duméril *et al.*, 1854; Günther, 1858; Boulenger, 1886; Boettger, 1888; Boettger, 1891; Boulenger, 1896; Griffin, 1916; Beebe, 1946; Peters, 1956; Peters, 1960; Peters & Orejas-Miranda, 1970; Zug *et al.*, 1979; Gasc & Rodrigues, 1980; Fugler, 1983; Fugler *et al.*, 1995a; Starace, 1998; Kornacker, 1999; Lehr, 2001; Quintana & Padial, 2003; MacCulloch & Lathrop, 2004; Harvey, 2008; Harvey & Embert, 2009; Lima & Prudente, 2009; Whithworth & Beirne, 2011; Bernarde *et al.*, 2012; Montaña, 2013; Starace, 2013; Wallach *et al.*, 2014; Nogueira *et al.*, 2019a; Pazmiño-Otamendi & Rodríguez-Guerra, 2019; Schargel *et al.*, 2019; Uetz *et al.*, 2025.

***Dipsas chaparensis* Reynolds & Foster, 1992**


Fig. 117 - **Map.** 170

Type: USNM 257869 (Holotype).


Type locality: Paracti, 83.2 km from Cochabamba




Map 169. Distribution map of *Dipsas catesbyi* (Sentzen, 1796) in Bolivia.




Map 172. Distribution map of *Dipsas indica* Laurenti, 1768 in Bolivia.




Map 170. Distribution map of *Dipsas chaparensis* Reynolds & Foster, 1992 in Bolivia.



Map 173. Distribution map of *Dipsas lavillai* (Scrocchi *et al.*, 1993) in Bolivia.



Map 171. Distribution map of *Dipsas cisticeps* (Boettger, 1885) in Bolivia.



Map 174. Distribution map of *Dipsas pavonina* Schlegel, 1837 in Bolivia.

on road to Villa Tunari.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Cochabamba and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Reynolds & Foster, 1992; Fugler *et al.*, 1995a; Harvey, 2008; Cortez & Aguayo, 2009b; Harvey & Embert, 2009; Harvey *et al.*, 2009; Montaña, 2013; Wallach *et al.*, 2014; Muñoz *et al.*, 2016b; Uetz *et al.*, 2025.

***Dipsas cisticeps* (Boettger, 1885)**

Fig. 118 - **Map.** 171

Type: Lost (Holotype).

Type locality: Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Cochabamba and Santa Cruz. Categorized as NE (MMAYA, 2009).

Selected references: Bertoni, 1914; Peters, 1960; Peters *et al.*, 1970; Álvarez *et al.*, 1996; Cacciali, 2006; Harvey & Embert, 2009; Wallach, 2014; Cacciali *et al.*, 2016a; Atkinson *et al.*, 2017; Uetz *et al.*, 2025.

***Dipsas indica* Laurenti, 1768**

Fig. 119 - **Map.** 172

Type: Iconotype from Seba (1734, pl. 42, Fig. 5, Holotype).

Type locality: Amazon region, South America.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the department of Pando. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Laurenti, 1768; Beebe, 1946; Gasc & Rodrigues, 1980; Fugler *et al.*, 1995a; Starace, 1998; Kornacker, 1999; Frota *et al.*, 2005; Harvey, 2008; Natera-Mumaw & Battiston, 2008; Harvey *et al.*, 2009; Bernarde *et al.*, 2012; Fraga *et al.*, 2014; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Moraes *et al.*, 2017; Torres-Carvajal, 2019; Arredondo *et al.*, 2019b; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Dipsas lavillai* (Scrocchi, Porto & Rey, 1993)**

Fig. 120 - **Map.** 173

Type: FML 02053 (Holotype).

Type locality: 10 kilometers north of Joaquín V.

González and 14.7 kilometers east of the intersection between National Route 16 and Provincial Route 30. Anta Department. Salta. Argentina.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Scrocchi *et al.*, 1993; Montero *et al.*, 1995; Lions & Alvarez, 1996; Leynaud & Bucher, 1999; Cacciali, 2006; Kacoliris *et al.*, 2006; Bérnils *et al.*, 2007; Harvey, 2008; Harvey & Embert, 2009; Ferreira & Ávila, 2009; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Arteaga *et al.*, 2018; Arzamendia *et al.*, 2019b; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Dipsas pavonina* Schlegel, 1837**

Map. 174

Type: MNHN-RA 0435 (Syntypes).

Type locality: "Guyanas".

Distribution: Bolivia, Brazil, Colombia, French Guiana, Ecuador, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of La Paz and Pando. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Schlegel, 1837; Duméril *et al.*, 1854; Boulenger, 1896; Peters, 1960; Roze, 1966; Peters & Orejas-Miranda, 1970; Gasc & Rodrigues, 1980; Lancini, 1986; Vanzolini, 1986; Jorge-da-Silva, 1993; Fugler *et al.*, 1995a; Starace, 1998; Kornacker, 1999; Bernarde & Abe, 2006; Harvey & Embert, 2009; Harvey, 2008; Lima & Prudente, 2009; Navarrete *et al.*, 2009; Bernarde *et al.*, 2012; Cole *et al.*, 2013; Pedroza-Banda *et al.*, 2014; Wallach *et al.*, 2014; Natera-Mumaw, 2015; Nogueira *et al.*, 2019e; Torres-Carvajal *et al.*, 2019; Uetz *et al.*, 2025.

***Dipsas peruana* (Boettger, 1898)**

Type: SMF 20801 (Holotype).

Type locality: Santa Ana, Cuzco Province, Peru.

Distribution: Bolivia, Colombia, Ecuador and Peru.

Remarks: Recorded in the department of Beni. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Peters, 1960; Peters & Orejas-Miranda, 1970; Harvey & Embert, 2009; Natera-Mumaw *et al.*, 2015; Caicedo *et al.*, 2016; Uetz *et al.*, 2025.



Figure 120. *Dipsas lavillai* from Santa Cruz de la Sierra, department of Santa Cruz. Photo: Steffen Reichle.



Figure 121. *Dipsas turgida* from Trinidad, department of Beni. Photo: Luis Rolando Rivas.



Figure 122. *Imantodes cenchoa* from Tahuamanu, department of Pando. Photo: Steffen Reichle.



Figure 123. *Imantodes lentiferus* from 12 de julio, department of Cochabamba. Photo: Raúl León.



Figure 124. *Leptodeira annulata* from Espíritu, department of Beni. Photo: Octavio Jiménez-Robles.



Figure 125. *Atractus bocki* from Pojo, department of Cochabamba. Photo: Luis Rolando Rivas.



Figure 126. *Atractus emmeli* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 127. *Atractus major* from Cuzco Amazónico, Madre de Dios / Peru. Photo: Ignacio De la Riva.

***Dipsas turgida* (Cope, 1868)**

Fig. 121 - **Map.** 175

Type: USNM 5815 and USNM 5815b (Syntypes).

Type locality: Northern part of Paraguay River.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the departments of Cochabamba, La Paz, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cope, 1868; Cope, 1887; Lonnberg, 1902; Werner, 1910; Griffin, 1916; Donoso-Barros, 1967; Peters & Orejas-Miranda, 1970; Ceí, 1993; Fugler *et al.*, 1995a; Álvarez *et al.*, 1996; Leynaud & Bucher, 1999; Giraudo, 2001; Giraudo & Scrocchi, 2002; Carreira *et al.*, 2005; Cacciali 2006; Scrocchi *et al.*, 2006; Harvey & Embert, 2009; Mendoza, 2010; Giraudo *et al.*, 2012b; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Arteaga *et al.*, 2018; Cacciali, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Dipsas variegata* (Duméril, Bibron & Duméril, 1854)**

Map. 176

Type: MNHN-RA 7299 and RMNH 995 (Syntypes).

Type locality: Suriname.

Distribution: Bolivia, Brazil, Ecuador, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba and La Paz. Categorized as VU (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril *et al.*, 1854; Stejneger, 1902; Gomes, 1918; Beebe, 1946; Peters & Orejas-Miranda, 1970; Gasc & Rodrigues, 1980; Fugler, 1984; Fugler, 1986b; Fugler *et al.*, 1995a; Kornacker, 1999; Middendorf & Reynolds, 2000; Doan & Arizábal, 2002; Cadle *et al.*, 2003; Calcaño & Barrio-Amorós, 2003; Passos *et al.*, 2004; MacCulloch & Lathrop, 2004; Ávila Pires, 2005; Harvey, 2008; Harvey & Embert, 2009; Kornacker & Natera-Mumaw, 2008; Lotzkat *et al.*, 2008; Muñoz, 2009a; Bernarde *et al.*, 2012; Catenazzi *et al.*, 2013; Cole *et al.*, 2013; Freitas, 2014; Murphy & Rutherford, 2014; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Arteaga *et al.*, 2018; Señaris *et al.*, 2018; Catenazzi *et al.*, 2019b; Hedges *et al.*, 2019; Nogueira *et al.*, 2019; Torres-Carvajal *et al.*, 2019; Uetz *et al.*, 2025.

Genus *Imantodes* Duméril, 1853

***Imantodes cenchoa* (Linnaeus, 1758)**

Fig. 122 - **Map.** 177

Type: MCZ R-27800 (Holotype).

Type locality: “America”.

Distribution: Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Duméril, 1853; Cope, 1879; Garman, 1884; Boettger, 1891; Beebe, 1946; Gans, 1960; Peters & Orejas-Miranda, 1970; Ceí, 1993; Liner, 1994; Murphy, 1997; Kornacker, 1999; Campbell, 1998; Giraudo & Scrocchi, 2002; Lehr, 2002; Savage, 2002; Köhler, 2003; Moravec & Aparicio, 2004; Cortez, 2005; Tipton, 2005; Cisneros-Heredia, 2006b; Barrio-Amorós & Brewer-Carias, 2008; Wilson *et al.*, 2010; Bernarde *et al.*, 2012; Guerra Centeno *et al.*, 2012; Cole *et al.*, 2013; Catenazzi *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Acosta-Chaves *et al.*, 2015; Mata-Silva *et al.*, 2015; Missassi & Prudente, 2015; McCranie, 2015; Mason *et al.*, 2015; Heimes, 2016; Cacciali *et al.*, 2016a; González-Sánchez *et al.*, 2017; Restrepo *et al.*, 2017; Woolrich-Piña *et al.*, 2017; Ávila-Pires *et al.*, 2018; Eversole *et al.*, 2018; Señaris *et al.*, 2018; Arzamendia *et al.*, 2019d; Auguste, 2019; Fonseca *et al.*, 2019; Freitas *et al.*, 2019; Hedges *et al.*, 2019; Llanqui *et al.*, 2019; Nogueira *et al.*, 2019a; Torres-Carvajal *et al.*, 2019; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Imantodes lentiferus* (Cope, 1894)**

Fig. 123 - **Map.** 178


Type: ANSP 11459 (Lectotype).

Type locality: Pebas, Ecuador.

Distribution: Brazil, Bolivia, Colombia, Ecuador, French Guiana, Guyana, Suriname, Peru and Venezuela.

Remarks: Recorded in the departments of Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cope, 1894; Peters & Orejas-Miranda, 1970; Duellman, 1978; Gasc & Rodrigues, 1980; Myers, 1982; Donnelly & Myers, 1991; Jorge-da-Silva, 1993; Fugler *et al.*, 1995a; Kornacker,



1999; Whithworth & Beirne, 2011; Bernarde *et al.*, 2012; Sampaio & Lima-Maciel, 2012; Catenazzi *et al.*, 2013; Cole *et al.*, 2013; Wallach *et al.*, 2014; Ascenso & Missassi, 2015; Missassi & Prudente, 2015; Natera-Mumaw *et al.*, 2015; Avila-Pires *et al.*, 2018; Almendáriz *et al.*, 2019b; Nogueira *et al.*, 2019a; Torres-Carvajal *et al.*, 2019; Uetz *et al.*, 2025.

Genus *Leptodeira* Fitzinger, 1843

***Leptodeira annulata* (Linnaeus, 1758)**

Fig. 124 - Map. 179

Type: UUZM 9 (Holotype).

Type locality: “lower Rio Amazon” Pará, Brazil.

Distribution: Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Suriname, Trinidad and Tobago and Venezuela.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MAYA, 2009) and LC (IUCN, 2022). A new taxonomic revision for this species is presented by Costa *et al.* (2022), for which a new species is described, one is revalidated, and five subspecies are elevated to species level. However, these authors did not examine material from Bolivia, and their diagnoses are largely based upon molecular data and hemipenial characters. Since tissue samples and prepared hemipenis are largely unavailable, we suggest that a taxonomic revision of this species in Bolivia is currently needed.

Selected references: Linnaeus, 1758; Fitzinger, 1843; Günther, 1895; Taylor, 1954; Duellman, 1958; Fugler, 1983; Fugler, 1984; Boettger, 1891; Peraeca, 1897; Gans, 1960; Peters & Orejas-Miranda, 1970; Liner, 1994; Fugler *et al.*, 1995a; Middendorf & Reynolds, 2000; Cortez, 2005; Moravec & Aparicio, 2005; Rivas & Barrio-Amorós, 2005; Kacoliris *et al.*, 2006; Castro-Herrera & Vargas-Salinas, 2008; Harvey *et al.*, 2008b; Pontes *et al.*, 2008; Mendoza, 2010; Bernarde *et al.*, 2012; Rivas *et al.*, 2012; Blanco-Torres *et al.*, 2013; Catenazzi *et al.*, 2013; Cole *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Pedroza-Banda *et al.*, 2014; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Adena-Ortiz *et al.*, 2017; Pinto-Viveros *et al.*, 2017; Ávila-Pires *et al.*, 2018; Señaris *et al.*, 2018; Arzamendia *et al.*, 2019c; Auguste, 2019; Barrio-Amorós, 2019; Hedges *et al.*, 2019; Nogueira *et al.*, 2019a; Torres-Carvajal *et al.*, 2019; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

Dipsadinae-Unnamed Tribe

Genus *Atractus* Wagler, 1828

***Atractus albuquerquei* Da Cunha & Do Nascimento, 1983**

Map. 180

Type: MPEG 12946 (Holotype).

Type locality: near the river Timboteua, in the locality called Vila Nova, on road PA-256, between Tomé-Açu and Paragominas, Pará, Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the department of Pando. Categorized as NE (MAYA, 2009) and LC (IUCN, 2022).

Selected references: Da Cunha & Do Nascimento, 1983; Zaher *et al.*, 2005; Wallach *et al.*, 2014; Silveira *et al.*, 2019c; Powell *et al.*, 2020; Uetz *et al.*, 2025.

***Atractus bocki* Werner, 1909**

Fig. 125 - Map. 181

Type: ZMH (Holotype).

Type locality: Cochabamba, Departamento de Cochabamba, Bolivia.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Cochabamba and Santa Cruz. Categorized as VU (MAYA, 2009) and DD (IUCN, 2022).

Selected references: Fugler *et al.*, 1995a; Hallermann, 1998; Aguayo & Passos, 2009; Passos *et al.*, 2009; Mendoza, 2010; Montaña, 2013; Wallach *et al.*, 2014; Aguayo *et al.*, 2017f; Uetz *et al.*, 2025.

***Atractus elaps* (Günther, 1858)**

Map. 182

Type: BMNH 1946.1.6.45 (Holotype).

Type locality: Guayaquil, Ecuador.

Distribution: Bolivia, Brazil, Colombia, Ecuador, Peru and Venezuela.

Remarks: Recorded in the departments of Beni, Pando and Santa Cruz. Categorized as NE (MAYA, 2009) and LC (IUCN, 2022).

Selected references: Günther, 1858; Savage, 1960; Dixon, 1976; Duellman, 1978; Fugler, 1983; Fugler *et al.*, 1995a; Kornacker, 1999; Passos *et al.*, 2007; Wallach *et al.*, 2014; Ortega *et al.*, 2019; Uetz *et al.*, 2025.

***Atractus emmeli* (Boettger, 1888)**


Fig. 126 - Map. 183

Type: SMF 19364 (Lectotype).


Type locality: Río Mapiri, Dep. de La Paz, Bolivia.

Distribution: Bolivia, Brazil and Peru.


Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Cat-




Map 181. Distribution map of *Atractus bocki* Werner, 1909 in Bolivia.




Map 184. Distribution map of *Atractus latifrons* (Günther, 1868) in Bolivia.




Map 182. Distribution map of *Atractus elaps* (Günther, 1858) in Bolivia.



Map 185. Distribution map of *Atractus major* Boulenger, 1894 in Bolivia.



Map 183. Distribution map of *Atractus emmeli* (Boettger, 1888) in Bolivia.



Map 186. Distribution map of *Atractus snethlageae* Da Cunha & Do Nascimento, 1983 in Bolivia.

egorized as CR (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boettger, 1888; Schmidt & Walker, 1943; McCoy, 1971; Fugler, 1983; Fugler *et al.*, 1995a; Passos & Fernandes, 2008b; Embert, 2009b; Montaña, 2013; Quinteros-Muñoz, 2013; Wallach *et al.*, 2014; Aguayo *et al.*, 2016b; Nogueira *et al.*, 2019a; Passos *et al.*, 2019; Gómez-Murillo & Arellano-Martín, 2020; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Atractus latifrons* (Günther, 1868)**

Map. 184

Type: BMNH 1946.1.6.52 (Type).

Type locality: Pebas, Loreto, Peru.

Distribution: Bolivia, Brazil, Colombia, French Guiana, Peru and Suriname.

Remarks: Recorded in the departments of Beni, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Günther, 1868; Hoogmoed, 1980; Gasc & Rodrigues, 1980; Da Cunha & Do Nascimento, 1983; Starace, 1998; Passos *et al.*, 2007; Passos & Prudente, 2012; Wallach *et al.*, 2014; Arredondo *et al.*, 2019c; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Atractus major* Boulenger, 1894**

Fig. 127 - **Map.** 185

Type: BMNH 1946.9.7.27 (Holotype), BMNH 1946.9.7.27 (Lectotype).

Type locality: Canelos, Provincia Pastaza, Ecuador.

Distribution: Bolivia, Brazil, Colombia, Ecuador, Peru, and Venezuela.

Remarks: Recorded in the departments of Beni and La Paz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Savage, 1960; Peters & Orejas-Miranda, 1970; Duellman, 1978; Kornacker, 1999; Passos *et al.*, 2007; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Nogueira *et al.*, 2016b; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Atractus snethlageae* Da Cunha & Do Nascimento, 1983**

Map. 186

Type: MPEG 10.131 (Holotype).

Type locality: Colônia Nova, Rio Gurupi, Pará, Rodovia, Brazil.

Distribution: Argentina, Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of Beni and Pando. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Da Cunha & Do Nascimento, 1983; Martins & Oliveira, 1993; Silva-Haad 2004; Passos *et al.*, 2007; Wallach *et al.*, 2014; Nogueira *et al.*, 2019a; Scrocchi *et al.*, 2019; Melo-Sampaio *et al.*, 2021b; Uetz *et al.*, 2025.

***Atractus torquatus* (Duméril, Bibron & Duméril, 1854)**

Map. 187

Type: MNHN-RA 0437 (Lectotype).

Type locality: Santa Cruz de la Sierra, Dep. de Santa Cruz, Bolivia.

Distribution: Bolivia, Brazil, Colombia, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as EN (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril *et al.*, 1854; Hoogmoed, 1980; Fugler *et al.*, 1995a; Kornacker, 1999; Passos *et al.*, 2007; Embert, 2009c; Wallach *et al.*, 2014; Arredondo *et al.*, 2019a; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

Tribe Dipsadidae Bonaparte, 1838 -*Incertae sedis*

Genus *Xenopholis* Peters, 1869

***Xenopholis scalaris* (Wucherer, 1861)**

Map. 188

Type: BMNH 1946.1.8.60 (Syntype).

Type locality: Canavieras, Matta de Sao Joao, Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wucherer, 1861; Strauch, 1884; Peters, 1960; Peters & Orejas-Miranda, 1970; Bauer *et al.*, 1995; Harvey *et al.*, 1998; Lehr, 2002; Cadle *et al.*, 2003; Lehr, 2002; Jansen *et al.*, 2009; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Doan *et al.*, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.


***Xenopholis werdingorum* Jansen, Gonzales & Köhler, 2009**

Map. 189

Type: MNK R 4700 (Holotype).

Type locality: Hacienda San Sebastián, Province of Ñuflo de Chávez, Department of Santa Cruz, Bolivia.

Distribution: Bolivia and Brazil.



Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Jansen *et al.*, 2009; Wallach *et al.*, 2014; Marques *et al.*, 2015; Powell *et al.*, 2016; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Gonzales & Nogueira, 2021; Uetz *et al.*, 2025.

Tribe Echinantherini Zaher, Grazziotin, Cadle, Murphy, Moura-Leite & Bonatto, 2009

Genus *Adelphostigma* Abegg, Santos-Jr, Costa, Battilana, Graboski,

Vianna, Azevedo, Fagundes, Castille, Prado, Bonatto, Zaher and

Grazziotin, 2022

***Adelphostigma occipitalis* (Jan, 1863)**

Fig. 128 - Map. 190

Type: ZMH R04423 (Syntype).

Type locality: Bahia, Brazil.

Distribution: Argentina, Bolivia, Brazil, Paraguay, Peru and Uruguay.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boettger, 1891; Lönnberg, 1902; Myers, 1974; Duellman, 1991; Di Bernardo, 1992; Cei, 1993; Myers & Cadle, 1994; Fugler *et al.*, 1995a; Di Bernardo, 1996; Leynaud & Bucher, 1999; Campos, 2001; Mendoza, 2010; Myers & Mcdowell, 2014; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Hladki *et al.*, 2019a; Nogueira *et al.*, 2019a; Abegg *et al.*, 2022; Uetz *et al.*, 2025.

Tribe Elapomorphini Jan, 1862

Genus *Apostolepis* Cope, 1861

***Apostolepis breviceps* Harvey, Gonzales & Scrocchi, 2001**

Map. 191

Type: MNK 1839 (Holotype).

Type locality: vicinity of Cerro Cortado, Cordillera Province, Santa Cruz Department, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the department of Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Harvey *et al.*, 2001; Cortez, 2009b; Wallach *et al.*, 2014; Gonzales, 2019; Uetz *et al.*, 2025.

***Apostolepis christineae* De Lema, 2002**

Map. 192

Type: MCP 12515 (Holotype).

Type locality: Estação Ecologia da Sierra das Araras, Barra dos Bugres, Município de Cáceres, Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the department of Santa Cruz. Categorized as NE (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Harvey, 1999; Wallach *et al.*, 2014; Entiauspe-Neto & Lema, 2015; Martins & De Lema, 2015; França *et al.*, 2018; Silveira *et al.*, 2019b; Uetz *et al.*, 2025.

***Apostolepis dorbignyi* (Schlegel, 1837)**

Map. 193

Type: MNHN-RA 3664 (Holotype).

Type locality: Not known.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the department of Tarija. Categorized as DD (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Schlegel, 1837; Boulenger, 1896; Harvey, 1999; Lema, 2001; Wallach *et al.*, 2014; Gonzales, 2016; Uetz *et al.*, 2025.

***Apostolepis multicincta* Harvey, 1999**

Fig. 129 - Map. 194

Type: MNK (Holotype).

Type locality: vicinity of Pampa Grande, Provincia Florida, Departamento Santa Cruz, Bolivia.

Distribution: Argentina and Bolivia

Remarks: Recorded in the departments of Cochabamba, Chuquisaca and Santa Cruz. Categorized as VU (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Harvey, 1999; Lema, 2001; Embert & Reichle, 2004; Gonzales & Montaña, 2009d; Mendoza, 2010; Montaña, 2013; Wallach *et al.*, 2014; Burgos-Gallardo *et al.*, 2015; Muñoz *et al.*, 2016d; Mendoza-Miranda, *et al.*, 2017; França *et al.*, 2018; Uetz *et al.*, 2025.

***Apostolepis nigroterminata* Boulenger, 1896**

Fig. 130 - Map. 195

Type: BMNH 1946.1.9.77 (Holotype).

Type locality: Callaria, Ucayali, NE Peru.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boulenger, 1896; Fugler *et al.*, 1995a; Harvey, 1999; Wallach *et al.*, 2014; Catenazzi



Figure 128. *Adelphostigma occipitalis* from Cuevas, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 132. *Phalotris sansebastiani* from La Chonta, department of Santa Cruz. Photo: Steffen Reichle.



Figure 129. *Apostolepis multicincta* from Cachuela Brava, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 133. *Hydrodynastes gigas* from Otuquis, department of Santa Cruz. Photo: Steffen Reichle.



Figure 130. *Apostolepis nigroterminata* from Santiago de Chiquitos, department of Santa Cruz. Photo: Steffen Reichle.




Figure 134. *Helicops angulatus* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 131. *Apostolepis underwoodi* from Puerto Almacén, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 135. *Helicops leopardinus* from Trinidad, department of Beni. Photo: Luis Rolando Rivas.



et al., 2019a; Nogueira *et al.*, 2019; Uetz *et al.*, 2025.

***Apostolepis phillipsae* Harvey, 1999**

Map. 196

Type: UTA 43940 (Holotype).

Type locality: Estancia El Refugio, Provincia Velasco, Santa Cruz, Bolivia.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the department of Santa Cruz. Categorized as NT (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Harvey, 1999; Harvey *et al.*, 2001; De Lema, 2004; Michels & Bauer, 2004; Cortez, 2009c; Wallach *et al.*, 2014; Nogueira *et al.*, 2019c; Uetz *et al.*, 2025.

***Apostolepis tenuis* Ruthven, 1927**

Map. 197

Type: UMMZ 64436 (Holotype).

Type locality: Buena Vista, Santa Cruz, Bolivia.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as NT (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Ruthven, 1927; Fugler *et al.*, 1995a; Harvey, 1999; Cortez, 2009d; Wallach *et al.*, 2014; Aguayo *et al.*, 2016a; Uetz *et al.*, 2025.

***Apostolepis underwoodi* Lema & Campbell, 2017**

Fig. 131

Type: BMNH 1927.8.1.180 (Holotype).

Type locality: Buena Vista, Santa Cruz Department, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the department of Santa Cruz. This species likely constitutes a synonym of *A. nigroterminata* (O.M. Entiauspe-Neto, pers. obs.). Categorized as NE (MMAYA, 2009).

Selected references: Lema & Campbell, 2017; Uetz *et al.*, 2025.

***Apostolepis vittata* (Cope, 1887)**

Map. 198

Type: ANSP 11293 (Holotype).

Type locality: Mato Grosso, Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the department of Santa Cruz. Categorized as DD (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Cope, 1887; Harvey, 1999;

Harvey *et al.*, 2001; Wallach *et al.*, 2014; Martins & De Lema, 2015; França *et al.*, 2018; Nogueira 2021; Uetz *et al.*, 2025.

Genus *Phalotris* Cope, 1862

***Phalotris sansebastiani* Jansen & Köhler, 2008**

Fig. 132 - **Map.** 199

Type: MNK R 4345 (Holotype).

Type locality: Hacienda San Sebastián, Provincia Ñullo de Chávez, Departament of Santa Cruz, Bolivia.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the department of Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Jansen & Köhler, 2008; Scrocchi & Giraudo, 2012; Wallach *et al.*, 2014; Aguayo *et al.*, 2016f; Uetz *et al.*, 2025.

***Phalotris tricolor* (Duméril, Bibron & Duméril, 1854)**

Map. 200

Type: MNHN-RA 0520 (Lectotype).

Type locality: "Santa-Cruz" Bolivia.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Santa Cruz and Tarija. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril *et al.*, 1854; Jan, 1865; Strauch, 1884; Gans, 1960; Abalos *et al.*, 1964; de Lema, 1979; Freiberg, 1982; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; De Lema, 2002; Lema *et al.*, 2005; Jansen & Köhler, 2008; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Cruz *et al.*, 2016; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Tribe Hydrodynastini Zaher, Grazziotin, Cadle, Murphy, Moura-Leite & Bonatto, 2009

Genus *Hydrodynastes* Fitzinger, 1843

***Hydrodynastes gigas* (Duméril, Bibron & Duméril, 1854)**

Fig. 133 - **Map.** 201


Type: MNHN-RA 3623 (Syntype).

Type locality: Corrientes, Argentina.


Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Cochabamba, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).


Selected references: Duméril *et al.*, 1854; Peters & Orejas-Miranda, 1970; Hoogmoed, 1982; Fugler, 1983; Cei, 1993; Fugler *et al.*, 1995a; Leynaud &




Map 199. Distribution map of *Phalotris sansebastiani* Jansen & Köhler, 2008 in Bolivia.




Map 202. Distribution map of *Helicops angulatus* (Linnaeus, 1758) in Bolivia.




Map 200. Distribution map of *Phalotris tricolor* (Duméril *et al.*, 1854) in Bolivia.



Map 203. Distribution map of *Helicops leopardinus* (Schlegel, 1837) in Bolivia.



Map 201. Distribution map of *Hydrodynastes gigas* (Duméril *et al.*, 1854) in Bolivia.



Map 204. Distribution map of *Helicops polylepis* Günther, 1861 in Bolivia.

Bucher, 1999; Padial *et al.*, 2003; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Nogueira *et al.*, 2019a; Aguilar-Kirigin, 2020; Williams *et al.*, 2021; Uetz *et al.*, 2025.

Tribe Hydropsini Dowling, 1975

Genus *Helicops* Wagler, 1830

***Helicops angulatus* (Linnaeus, 1758)**

Fig. 134 - Map. 202

Type: NRM (Holotype).

Type locality: “Asia” in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Wagler, 1830; Günther, 1861; Sclater, 1891; Boulenger, 1893; Peters & Orejas-Miranda, 1970; Gasc & Rodrigues, 1980; Fugler, 1984; Fugler, 1986a; Fugler *et al.*, 1995a; Gorzula & Señaris, 1999; Moravec & Aparicio, 2004; Cisneros-Heredia, 2006a; Kawashita-Ribeiro *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Nogueira *et al.*, 2019a; Nogueira *et al.*, 2019d; Gómez-Murillo & Arellano-Martín, 2020; Uetz *et al.*, 2025.

***Helicops leopardinus* (Schlegel, 1837)**

Fig. 135 - Map. 203

Type: RMNH RENA.1159 (Lectotype).

Type locality: Not known.

Distribution: Argentina; Bolivia, Brazil, Ecuador, French Guiana, Guyana, Paraguay, Peru and Suriname.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Schlegel, 1837; Boulenger, 1893; Griffin, 1916; Gasc & Rodrigues, 1980; Fugler, 1984; Fugler, 1988a; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Padial *et al.*, 2003; Cisneros-Heredia, 2006a; Kawashita-Ribeiro *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Catenazzi *et al.*, 2019c; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Schöneberg & Köhler, 2022; Uetz *et al.*, 2025.

***Helicops polylepis* Günther, 1861**

Fig. 136 - Map. 204

Type: BMNH 1946.1.13.25 (Type).

Type locality: State of Amazonas, Brazil.

Distribution: Brazil, Colombia, Ecuador, Bolivia and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Peters *et al.*, 1970; Fugler, 1984; Fugler *et al.*, 1995a; Duellman & Salas, 1991; Cortez, 2005; Da Frota, 2005; Silva *et al.*, 2011; Montaña, 2013; Wallach *et al.*, 2014; Calderón *et al.*, 2019d; Nogueira *et al.*, 2019a; Schöneberg & Köhler, 2022; Uetz *et al.*, 2025.

Genus *Hydrops* Wagler, 1830

***Hydrops triangularis* (Wagler, 1824)**

Map. 205

Type: ZSM 1846/0 (Holotype).

Type locality: Lago Tefé, at confluence with Rio Amazon, Brazil.

Distribution: Bolivia, Brazil, Colombia, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wagler, 1824; Wagler, 1830; Beebe, 1946; Roze, 1957; Fugler, 1986a; Lancini & Kornacker, 1989; Fugler *et al.*, 1995a; Albuquerque & de Lema, 2008; Cole *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Nogueira *et al.*, 2019a; Nogueira *et al.*, 2019f; Uetz *et al.*, 2025.

Genus *Pseudoeryx* Fitzinger, 1826

***Pseudoeryx plicatilis* (Linnaeus, 1758)**

Fig. 137 - Map. 206

Type: NRM 57 (Holotype).

Type locality: “Ternataeis” [= Ternate, Indonesia] in error.

Distribution: Argentina, Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando, and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Boie, 1827; Koslowsky, 1898; Peters & Orejas-Miranda, 1970;



Figure 136. *Helicops polylepis* from Hondo - Madidi, department of La Paz. Photo: Mauricio Ocampo.



Figure 140. *Philodryas baroni* from Kaa-Iya, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 137. *Pseudoeryx plicatilis* from Leticia / Colombia. Photo: Ignacio De la Riva.



Figure 141. *Philodryas boliviana* from Cochabamba, department of Cochabamba. Photo: Gabriel Callapa.



Figure 138. *Chlorosoma viridissimum* from Chalalan, department of La Paz. Photo: Steffen Reichle.




Figure 142. *Philodryas nattereri* from Santiago de Chiquitos, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 139. *Philodryas aestiva* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 143. *Philodryas olfersii* from Lomas de Arena, department of Santa Cruz. Photo: Ignacio De la Riva.



Fugler, 1983; Fugler *et al.*, 1995a; Starace, 1998; Kornacker, 1999; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Gagliardi *et al.*, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Tribe Philodryadini Cope, 1886

Genus *Chlorosoma* Wagler, 1830

***Chlorosoma laticeps* Werner, 1900**

Map. 207

Type: ZMB 15704 (Holotype).

Type locality: Santa Catharina, Brazil (Likely in error).

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of Cochabamba and Santa Cruz. Categorized as NE (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Werner, 1900; Williams & Francini, 1991; Zaher *et al.*, 2008b; Navarro-Cornejo & Gonzales, 2013; Wallach *et al.*, 2014; Nogueira & Silveira, 2019; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

***Chlorosoma viridissimum* (Linnaeus, 1758)**

Fig. 138 - **Map.** 208

Type: Lost (Holotype).

Type locality: Suriname.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Boulenger, 1896; Müller, 1928; Beebe, 1946; Peters & Orejas-Miranda, 1970; Thomas, 1976; Gasc & Rodrigues, 1980; Fugler *et al.*, 1995a; Starace, 1998; Gorzula & Señaris, 1999; Lehr, 2002; Bernarde *et al.*, 2012; Hamdan *et al.*, 2012; Rivas *et al.*, 2012; Grazziotin *et al.*, 2012; Catenazzi *et al.*, 2013; Cole *et al.*, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Entiauspe-Neto *et al.*, 2018; Gutiérrez-Cárdenas *et al.*, 2019; Nogueira *et al.*, 2019a; Torres-Carvajal *et al.*, 2019; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

Genus *Philodryas* Wagler, 1830

***Philodryas aestiva* (Duméril, Bibron & Duméril, 1854)**

Fig. 139 - **Map.** 209

Type: MNHN-RA 3842 (Lectotype).

Type locality: Santa Catarina, Brazil.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the departments of Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril *et al.*, 1854; Günther, 1858; Boulenger, 1886; Boulenger, 1896; Peters & Orejas-Miranda, 1970; Thomas, 1976; Thomas *et al.*, 1977; Cei, 1993; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Carreira *et al.*, 2005; Scrocchi *et al.*, 2006; Celsi *et al.*, 2008; Motte *et al.*, 2009; Mendoza, 2010; Giraudo *et al.*, 2012b; Grazziotin *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Carreira & Maneyro, 2015; Entiauspe-Neto *et al.*, 2016; Cacciali, 2016; Menezes *et al.*, 2018; Cacciali *et al.*, 2019i; Quintela *et al.*, 2019; Arredondo *et al.*, 2020; Gómez-Murillo & Arellano-Martín, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

***Philodryas baroni* Berg, 1895**

Fig. 140 - **Map.** 210

Type: MACN (Syntypes).

Type locality: Tucumán and Riacho de Oro (Chaco).

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Berg, 1895; Peters & Orejas-Miranda, 1970; Freiberg, 1982; Cei, 1993; Leynaud & Bucher, 1999; Arzamendia, 1999; Scrocchi *et al.*, 2006; Wallach *et al.*, 2004; Grazziotin *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2017b; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

***Philodryas boliviana* Boulenger, 1896**

Fig. 141 - **Map.** 211


Type: BMNH 1946.1.2.86 (Lectotype).

Type locality: Charobamba, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of La Paz, Chuquisaca, Cochabamba, Potosí and Santa Cruz. Categorized as VU (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Boulenger, 1896; Thomas, 1976; Fugler *et al.*, 1995a; Aparicio, 1999; Muñoz & Rivas, 2009a; Mendoza, 2010; Wallach *et al.*, 2014; Aparicio *et al.*, 2015; Martínez, 2017; Rivas *et al.*, 2018; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Muñoz, 2021; Uetz *et al.*, 2025.



***Philodryas erlandi* Lönnberd, 1902**

Map. 212

Type: NRM 5097 and BMNH 1946.1.8.43 (Syntypes).

Type locality: Tarija, Bolivia.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Chuquisaca, Santa Cruz and Tarija. Categorized as NE (MMAYA, 2009).

Selected references: Lönnberg, 1902; Peters & Orejas-Miranda, 1970; Thomas, 1976; Fugler *et al.*, 1995a; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Kwet, 2017; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

***Philodryas nattereri* Steindachner, 1870**

Fig. 142 - **Map.** 213

Type: NMW 23400 (Holotype).

Type locality: Matto Grosso, Brazil.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Steindachner, 1870; Boulenger, 1896; Peters & Orejas-Miranda, 1970; Franca *et al.*, 2008; Grazziotin *et al.*, 2012; Wallach *et al.*, 2014; Cacciali *et al.*, 2016f; Nogueira, 2019b; Navarro-Cornejo & Gonzales, 2020; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

***Philodryas olfersii* (Lichtenstein, 1823)**

Fig. 143 - **Map.** 214

Type: Lost (Holotype).

Type locality: Brazil.

Distribution: Argentina, Bolivia, Brazil, Colombia, French Guiana, Guyana, Paraguay, Peru, Suriname, Uruguay and Venezuela.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Lichtenstein, 1823; Reinhardt, 1862; Boulenger, 1886; Boettger, 1891; Thomas, 1976; Gasc & Rodrigues, 1980; Fugler *et al.*, 1995a; Kornacker, 1999; Leynaud & Bucher, 1999; Ziegler *et al.*, 2002b; Padial *et al.*, 2003; Cortez, 2005; Kacoliris *et al.*, 2006; Arredondo, 2011; Bernarde, 2012; Grazziotin *et al.*, 2012; Carreira & Estrades, 2013; Cole *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Zaracho *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Ramalho *et al.*, 2018; Castro *et al.*, 2019; Freitas *et al.*, 2019; Nogueira *et al.*, 2019i; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

***Philodryas psammophidea* Günther, 1872**

Map. 215

Type: BMNH 1946.1.2.79 (Holotype).

Type locality: Tucumán, Argentina.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Chuquisaca, Cochabamba, Potosí, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Günther, 1872; Boulenger, 1896; Gans, 1970; Peters & Orejas-Miranda, 1970; Thomas, 1976; Freiberg, 1982; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; França & Araújo, 2006; Gonzales *et al.*, 2006; Kacoliris *et al.*, 2006; Scrocchi *et al.*, 2006; Mendoza, 2010; Quinteros-Muñoz *et al.*, 2010; Grazziotin *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Minoli *et al.*, 2015; Cacciali *et al.*, 2016a; Ramalho *et al.*, 2018; Rivas *et al.*, 2018; Arzamendia *et al.*, 2019g; Nogueira *et al.*, 2019a; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

***Philodryas varia* (Jan, 1863)**

Fig. 144 - **Map.** 216

Type: MNHN-RA 7502 (Holotype).

Type locality: Veracruz, Bolivia.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Cochabamba, Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Thomas *et al.*, 1977; Thomas & Johnson, 1984; Ceí, 1993; Fugler *et al.*, 1995a; Giraudo & Scrocchi, 2002; Zaher *et al.*, 2008b; Mendoza, 2010; Grazziotin *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Arzamendia *et al.*, 2016; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

Genus *Pseudablades* Boulenger, 1896

***Pseudablades patagoniensis* (Girard, 1858)**

Map. 217

Type: USNM 5536 and ANSP 3806 (Syntypes).

Type locality: Mouth of the Negro River, Patagonia, Argentina.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.



Figure 144. *Philodryas varia* from Hornos, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 148. *Clelia langeri* from Río Grande, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 145. *Xenoxybelis argenteus* from Manuripi, department of Pando. Photo: Lucindo Gonzales.



Figure 149. *Drepanoides anomalus* from Los Bufalos, department of Cochabamba. Photo: Raúl León.



Figure 146. *Xenoxybelis boulengeri* from Cuzco Amazónico, Madre de Dios / Peru. Photo: Ignacio De la Riva.




Figure 150. *Oxyrhopus emberti* from Florida Province, department of Santa Cruz. Photo: Steffen Reichle.



Figure 147. *Clelia clelia* from Sehuencas, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 151. *Oxyrhopus guibei* from El Prado, department of Santa Cruz. Photo: Lucindo Gonzales.



Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Girard, 1858; Peters & Orejas-Miranda, 1970; Laurent, 1973; Thomas, 1976; Thomas *et al.*, 1977; Cei, 1993; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Scrocchi *et al.*, 2006; Carreira *et al.*, 2012; Grazziotin *et al.*, 2012; Wallach *et al.*, 2014; Cano *et al.*, 2015; Cacciali *et al.*, 2016a; Freitas *et al.*, 2016; Arzamendia *et al.*, 2019f; Brizio & Avila, 2019; Neves *et al.*, 2019; Nogueira *et al.*, 2019a; Oliveira *et al.*, 2020; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

Genus *Xenoxylis* Machado, 1993

***Xenoxylis argenteus* (Daudin, 1803)**

Fig. 145 - Map. 218

Type: BMNH 1946.1.9.86 (Type).

Type locality: Not known.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba and Pando. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Daudin, 1803; Duméril, 1853; Duméril & Bibron, 1854; Procter, 1923; Donoso-Barros, 1967; Peters & Orejas-Miranda, 1970; Gasc & Rodrigues, 1980; Nascimiento *et al.*, 1987; Hoogmoed & Ávila-Pires, 1991; Machado, 1993; Fugler *et al.*, 1995a; Starace, 1998; Kornacker, 1999; Vidal *et al.*, 2000; Lehr, 2002; Claessen, 2005; Moravec & Aparicio, 2005; Cisneros-Heredia & Touzet, 2007; Zaher *et al.*, 2009; Whithworth & Beirne, 2011; Bernarde *et al.*, 2012; Grazziotin *et al.*, 2012; Hamdan *et al.*, 2012; Rivas *et al.*, 2012; Starace, 2013; Catenazzi *et al.*, 2013; Wallach *et al.*, 2014; Santos-Costa *et al.*, 2015; Natera-Mumaw *et al.*, 2015; Caicedo *et al.*, 2019c; Torres-Carvajal, 2019; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

***Xenoxylis boulengeri* (Procter, 1923)**

Fig. 146 - Map. 219

Type: BMNH 1946.1.9.86 (Holotype).

Type locality: Trinidad, River Mamore, Bolivia.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the department of Beni. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Procter, 1923; Keiser, 1989; Fugler *et al.*, 1995b; Prudente *et al.*, 2008; Grazziotin *et al.*, 2012; Wallach *et al.*, 2014; Nogueira *et al.*, 2016a; Nogueira *et al.*, 2019a; Arredondo *et al.*, 2020; Melo-Sampaio *et al.*, 2021a; Uetz *et al.*, 2025.

Tribe Pseudoboini Bailey, 1967

Genus *Boiruna* Zaher, 1996

***Boiruna maculata* (Boulenger, 1896)**

Map. 220

Type: BMNH 1946.1.9.33 (Holotype).

Type locality: Uruguay.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the departments of Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boulenger, 1896; Zaher, 1996; Leynaud & Bucher, 1999; Dos Santos-Costa *et al.*, 2000; Campos, 2001; Pizzatto, 2005; Scott *et al.*, 2006; Wallach *et al.*, 2014; Quinteros-Muñoz, 2015; Cacciali *et al.*, 2016a; Arzamendia *et al.*, 2019h; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Clelia* Fitzinger, 1826

***Clelia clelia* (Daudin, 1803)**

Fig. 147 - Map. 221

Type: Lost (Holotype).

Type locality: Suriname.

Distribution: Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, French Guiana, Guatemala, Guyana, Honduras, Nicaragua, Panama, Paraguay, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Daudin, 1803; Griffin, 1916; Fugler, 1983; Fugler, 1984; Schwartz & Henderson, 1991; Cei, 1993; Fugler *et al.*, 1995a; Murphy, 1997; Savage, 2002; Padial *et al.*, 2003; Cortez, 2005; Moravec & Aparicio, 2005; Scott *et al.*, 2006; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Gutiérrez-Cárdenas *et al.*, 2019; Nogueira *et al.*, 2019a; Aguilar-Kirigin, 2020; Eversole *et al.*, 2021; Quinteros-Muñoz & Aguayo, 2021; Uetz *et al.*, 2025.

***Clelia langeri* Reichle & Embert, 2005**

Fig. 148 - Map. 222

Type: MNK R 867 (Holotype).

Type locality: Area of Villa Merced, Province Florida, Department of Santa Cruz, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Cochabamba, Chuquisaca and Santa Cruz. Categorized as VU (MAYA, 2009) and LC (IUCN, 2022).

Selected references: Reichle & Embert, 2005; Embert, 2009d; Mendoza, 2010; Montaña, 2013; Wallach *et al.*, 2014; Aguayo *et al.*, 2016j; Uetz *et al.*, 2025.

Genus *Drepanoides* Dunn, 1928

***Drepanoides anomalus* (Jan, 1863)**

Fig. 149 - Map. 223

Type: MHNN (Holotype).

Type locality: Peru.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana and Peru.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MAYA, 2009) and LC (IUCN, 2022).

Selected references: Boettger, 1891; Peracca, 1896; Duellman, 1978; Fugler, 1983; Fugler *et al.*, 1995a; Mattison, 1995; Lehr, 2002; Vacher *et al.*, 2002; Cortez, 2005; Montaña, 2013; Wallach *et al.*, 2014; Bolívar *et al.*, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Mussurana* Zaher, Graziotin, Cadle, Murphy, de Moura-Leite & Bonatto, 2009

***Mussurana bicolor* (Peracca, 1904)**

Map. 224

Type: MHNG 677.47 (Holotype).

Type locality: Santa Fé, province of Buenos Aires, Argentina.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as LC (MAYA, 2009) and LC (IUCN, 2022).

Selected references: Peracca, 1904; Peters & Orejas-Miranda, 1970; Leynaud & Bucher, 1999; Scrocchi *et al.*, 2006; Wallach *et al.*, 2014; Cano *et al.*, 2015; Nogueira *et al.*, 2019a; Nogueira *et al.*, 2019b; Rivas *et al.*, 2023; Uetz *et al.*, 2025.

Genus *Oxyrhopus* Wagler, 1830

***Oxyrhopus emberti* Gonzales, Reichle & Entiausp-Neto, 2020**

Fig. 150 - Map. 225

Type: MNK R 2551 (Holotype).

Type locality: Santa Rosa de Lima, Provincia Florida, Departamento Santa Cruz, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Cochabamba, Chuquisaca, La Paz and Santa Cruz. Categorized as NE (MAYA, 2009).

Selected references: Gonzales *et al.*, 2020.

***Oxyrhopus guibei* Hoge & Romano, 1977**

Fig. 151 - Map. 226

Type: CNAR 27382 (Holotype).

Type locality: Londrina, Paraná State, Brazil.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni, Cochabamba, and Santa Cruz. Categorized as LC (MAYA, 2009) and LC (IUCN, 2022).

Selected references: Donoso-Barros, 1967; Hoge & Romano, 1977; Zaher & Caramaschi, 1992; Ceí, 1993; Fugler *et al.*, 1995a; Giraudo & Scrocchi, 2002; Mendoza, 2010; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Scrocchi *et al.*, 2017; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Oxyrhopus melanogenys* (Tschudi, 1845)**

Fig. 152 - Map. 227

Type: MHNN (Lectotype).

Type locality: Peru.

Distribution: Bolivia, Brazil, Ecuador, Guyana and Peru.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MAYA, 2009) and LC (IUCN, 2022).

Selected references: Tschudi, 1845; Boulenger, 1896; Peters & Orejas-Miranda, 1970; Fugler, 1983; Fugler, 1984; Do Nascimento *et al.*, 1987; Fugler *et al.*, 1995a; Lehr, 2002; Lynch, 2009; Wallach *et al.*, 2014; Nogueira *et al.*, 2019j; Uetz *et al.*, 2025.

***Oxyrhopus petolarius* (Linnaeus, 1758)**

Fig. 153 - Map. 228

Type: UUZM (Holotype).

Type locality: "Africa" in error.

Distribution: Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Suriname, Trinidad and Tobago, and Venezuela.






Figure 152. *Oxyrhopus melanogenys* from Chalalan, department of La Paz. Photo: Steffen Reichle.



Figure 156. *Pseudoboa coronata* from Alto Madidi, department of La Paz. Photo: Mauricio Ocampo.



Figure 153. *Oxyrhopus petolarius* from Sehuencas, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 157. *Siphlophis compressus* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 154. *Oxyrhopus rhombifer* from Samaipata, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 158. *Psomophis genimaculatus* from Palmar de las Islas, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 155. *Phimophis vittatus* from TCO Parapetiguasu, department of Santa Cruz. Photo: Luis Rolando Rivas.



Figure 159. *Galvarinus attenuatus* from Sehuencas, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Duméril & Bibron, 1854; Boettger, 1891; Griffin, 1916; Bailey, 1970a; Smith *et al.*, 1986; Ceí, 1993; Fugler *et al.*, 1995a; Giraudo, 2002; Savage, 2002; Savage, 2011; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Chaves *et al.*, 2019; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Quinteros-Muñoz, O. & Aguayo, 2021a; Uetz *et al.*, 2025.

***Oxyrhopus rhombifer* Duméril, Bibron & Duméril, 1854**

Fig. 154 - Map. 229

Type: MNHN-RA 1706 (Holotype).

Type locality: Province of Corrientes, Argentina.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay

Remarks: Recorded in the departments of Cochabamba, Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril *et al.*, 1854; Griffin, 1916; Gans, 1960; Bailey, 1970a; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Mendoza, 2010; Gaiarsa *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Arzamendia *et al.*, 2019i; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Phimophis* Cope, 1860

***Phimophis vittatus* (Boulenger, 1896)**

Fig. 155

Type: BMNH 1946.1.9.29 (Holotype).

Type locality: Buenos Aires, Argentina.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boulenger, 1896; Bailey, 1970b; Ceí, 1993; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Giraudo & Scrocchi, 2002; Montaña, 2013; Wallach *et al.*, 2014; Arzamendia *et al.*, 2016f; Cacciali *et al.*, 2016a; Uetz *et al.*, 2025.

Genus *Pseudoboa* Schneider, 1801

***Pseudoboa coronata* Schneider, 1801**

Fig. 156 - Map. 230

Type: Lost (Holotype).

Type locality: "America".

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Schneider, 1801; Wied-Neuwied, 1824; Griffin, 1916; Beebe, 1946; Duellman, 1978; Gasc & Rodrigues, 1980; Fugler, 1983; Fugler, 1984; Fugler *et al.*, 1995a; Martins & Oliveira, 1998; Starace, 1998; Gorzula & Señaris, 1999; Rivas & La Marca, 2001; Zaher *et al.*, 2008a; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Caicedo *et al.*, 2019f; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Pseudoboa nigra* (Duméril, Bibron & Duméril, 1854)**

Map. 231

Type: MNHN-RA 3781 (Holotype).

Type locality: "Bahia" Brazil.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril *et al.*, 1854; Bailey, 1962; Bailey, 1970c; Peters & Orejas-Miranda, 1970; Ceí, 1993; Fugler *et al.*, 1995a; Zaher *et al.*, 2008a; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Nogueira, 2019a; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Siphlophis* Fitzinger, 1843

***Siphlophis cervinus* (Laurenti, 1768)**

Map. 232


Type: Iconotype, based on specimen described and illustrated by Seba, 1735: 84, pl. 79, fig. 3 (Holotype).

Type locality: "America".

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Panama, Peru, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Cochabamba, Pando and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Seba, 1735; Laurenti, 1768; Griffin, 1916; Peters & Orejas-Miranda, 1970; Gasc & Rodrigues, 1980; Fugler *et al.*, 1995a; Kornacker, 1999; Zaher & Prudente, 1999; Boos, 2001; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Ibáñez *et al.*, 2019c; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.



***Siphlophis compressus* (Daudin, 1803)**

Fig. 157 - Map. 233

Type: MNHN-RA 3730 (Holotype).

Type locality: Suriname.

Distribution: Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Panama, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Daudin, 1803; Beebe, 1946; Peters & Orejas-Miranda, 1970; Duellman, 1978; Gasc & Rodrigues, 1980; Fugler *et al.*, 1995a; Zaher & Prudente, 1999; Zaher & Prudente, 2003; Cortez, 2005; Köhler, 2013; Montaña, 2013; Sheehy *et al.*, 2014; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Embert *et al.*, 2019b; Nogueira *et al.*, 2019a; Gómez-Murillo & Arellano-Martín, 2020; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Siphlophis worontzowi* (Prado, 1940)**

Map. 234

Type: IBSP 10062 (Holotype).

Type locality: Rio Amaña, Estado do Amazonas, Brazil.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the department of Pando. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Prado, 1940; Peters & Orejas-Miranda, 1970; Zaher & Prudente, 1999; Moravec *et al.*, 2009; Costa *et al.*, 2010; Wallach *et al.*, 2014; Gonzales *et al.*, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Tribe Psomophiini Zaher, Grazziotin, Cadle, Murphy, Moura-Leite & Bonatto, 2009

Genus *Psomophis* Myers & Cadle, 1994

***Psomophis genimaculatus* (Boettger, 1885)**

Fig. 158 - Map. 235

Type: BMNH 1946.1.5.83 (Lectotype).

Type locality: Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Werner, 1913; Amaral, 1936; Myers & Cadle, 1994; Leynaud & Bucher, 1999; Giraudo & Scrocchi, 2002; Myers & Cadle, 2003;

Giraudo *et al.*, 2012b; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Arzamendia *et al.*, 2019j; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Tribe Tachymenini Bailey, 1967

Genus *Galvarinus* Trevine *et al.*, 2022

***Galvarinus attenuatus* (Walker, 1945)**

Fig. 159 - Map. 236

Type: FMNH 40071 (Holotype).

Type locality: Dep. Madre de Dios, Peru.

Distribution: Bolivia and Peru.

Remarks: Recorded in the department of Cochabamba. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Walker, 1945; Fugler *et al.*, 1995a; Wallach *et al.*, 2014; Aguayo *et al.*, 2017c; Quinteros-Muñoz & Aguayo 2022; Trevine *et al.*, 2022; Uetz *et al.*, 2025.

Genus *Tachymenis* Wiegmann, 1835

***Tachymenis peruviana* Wiegmann, 1834**

Fig. 160 - Map. 237

Type: ZMB (Holotype).

Type locality: Not known.

Distribution: Argentina, Bolivia, Chile and Peru.

Remarks: Recorded in the departments of Cochabamba, La Paz, Oruro, Potosí, Santa Cruz and Tarija. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cope, 1878; Rendahl, 1937; Hellmich, 1938; Walker, 1945; Ortiz, 1973; Cei, 1993; Fugler *et al.*, 1995a; Lehr, 2002; Padial *et al.*, 2003; Giraudo *et al.*, 2012a; Montaña, 2013; Wallach *et al.*, 2014; Aguayo *et al.*, 2015b; Trevine *et al.*, 2022; Uetz *et al.*, 2025.

Genus *Dryophylax* Wagler, 1830

***Dryophylax chaquensis* (Bergna & Alvarez, 1993)**

Map. 238

Type: UNNE 00339 (Holotype).

Type locality: Colonia Las Mercedes, San Fernando Department, Chaco, Argentina.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Cochabamba, Tarija and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Bergna & Alvarez, 1993; Leynaud & Bucher, 1999; Dorado-Rodrigues *et al.*, 2012; Wallach *et al.*, 2014; Arzamendia *et al.*, 2019k; Nogueira *et al.*, 2019a; Trevine *et al.*, 2022; Rivas *et al.*, 2024b; Uetz *et al.*, 2025.






Figure 160. *Tachymenis peruviana* from Sama, department of Tarija. Photo: Octavio Jiménez-Robles.



Figure 161. *Thamnodynastes pallidus* from Valle de Sajta, department of Cochabamba. Photo: Ignacio De la Riva.



Figure 162. *Apographon orestes* from Tunari, department of Cochabamba. Photo: Mauricio Ocampo.



Figure 163. *Erythrolamprus aesculapii* from Ivirizu, department of Cochabamba. Photo: Raúl León.



Figure 164. *Erythrolamprus almadensis* from Santiago de Chiquitos, department of Santa Cruz. Photo: Steffen Reichle.



Figure 165. *Erythrolamprus andinus* from Incachaca, department of Cochabamba. Photo: Alejandro Ochoa.



Figure 166. *Erythrolamprus ceii* from Rosillas, department of Tarija. Photo: Luis Rolando Rivas.

***Dryophylax hypoconia* (Cope, 1860)**

Type: ANSP 3747 (Holotype).

Type locality: Buenos Aires, Argentina.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the department of Beni. Categorized as LC (IUCN, 2022).

Selected references: Arzamendia *et al.*, 2019o; Eversole *et al.*, 2025; Uetz *et al.*, 2025.

Genus *Zonateres* Trevine *et al.*, 2022

***Zonateres lanei* (Bailey, Thomas & Da Silva, 2005)**
Map. 239

Type: UMMZ 109081 (Holotype).

Type locality: Salobra, Mato Grosso do Sul, Brazil.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Bailey *et al.*, 2005; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Eversole *et al.*, 2016b; Nogueira *et al.*, 2019a; Aparicio *et al.*, 2021a; Eversole *et al.*, 2021; Trevine *et al.*, 2022; Uetz *et al.*, 2025.

Genus *Thamnodynastes* Wagler, 1830

***Thamnodynastes pallidus* (Linnaeus, 1758)**

Fig. 161 - Map. 240

Type: UUZM 292 (Neotype).

Type locality: “Indiis” in error.

Distribution: Bolivia, Brazil, Colombia, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Andersson, 1899; Gans, 1960; Donoso-Barros, 1967; Peters & Orejas-Miranda, 1970; Fugler, 1983; Fugler *et al.*, 1995a; Myers & Donnelly, 1996; Gorzula & Señaris, 1999; Bailey *et al.*, 2005; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Pinto-Viveros *et al.*, 2017; Hladki *et al.*, 2019g; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Trevine *et al.*, 2022; Uetz *et al.*, 2025.

Genus *Apograpton* Trevine *et al.*, 2022

***Apograpton orestes* (Harvey & Muñoz, 2004)**

Fig. 162 - Map. 241

Type: CBF 2316 (Holotype).

Type locality: close to the Río Erquis, Reserva de

Sama, Méndez province, Tarija, Bolivia.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Cochabamba, Chuquisaca, Santa Cruz and Tarija. Categorized as VU (MMAYA, 2009) and NT (IUCN, 2022).

Selected references: Harvey & Muñoz, 2004; Muñoz *et al.*, 2009a; Mendoza, 2010; Wallach *et al.*, 2014; Giraudo *et al.*, 2019; Trevine *et al.*, 2022; Uetz *et al.*, 2025.

Tribe Xenodontini Bonaparte, 1845

Genus *Baliodryas* Zaher & Prudente, 2019

***Baliodryas steinbachi* (Boulenger, 1905)**

Map. 242

Type: BMNH 1946.1.21.62 (Lectotype), BMNH 1946.1.21.63 (Paralectotype).

Type locality: Provincia Sara, Dep. Santa Cruz de la Sierra, Bolivia.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of La Paz and Santa Cruz. Categorized as DD (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Boulenger, 1905; Grazziotin *et al.*, 2012; Wallach *et al.*, 2014; Myers & McDowell, 2014; Aguayo *et al.*, 2016l; Zaher & Prudente, 2019; Uetz *et al.*, 2025.

Genus *Erythrolamprus* Boie, 1926

***Erythrolamprus aesculapii* (Linnaeus, 1758)**

Fig. 163 - Map. 243

Type: NRM (Holotype).

Type locality: “Indiis” in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, Paraguay, Peru, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).


Selected references: Linnaeus, 1758; Linnaeus, 1766; Boettger, 1891; Beebe, 1946; Gans, 1960; Peters & Orejas-Miranda, 1970; Fugler, 1984; Fugler *et al.*, 1995a; Tipton, 2005; Grazziotin *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Hladki *et al.*, 2019f; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Erythrolamprus albertguentheri* (Peracca, 1897)**

Map. 244

Type: MRSN R1510.1-4 (Syntype).

Type locality: Caiza, Bolivia.



Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the department of Tarija. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cei, 1993; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Scrocchi *et al.*, 2006; Grazziotin *et al.*, 2012; Wallach *et al.*, 2014; Arzamendia *et al.*, 2019l; Uetz *et al.*, 2025.

***Erythrolamprus almadensis* (Wagler, 1824)**

Fig. 164 - Map. 245

Type: ZSM 2688/0 (Lectotype).

Type locality: Almada, Bahia, Brazil.

Distribution: Bolivia, Brazil, Colombia, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wagler, 1824; Boulenger, 1886; Donoso-Barros, 1967; Dixon, 1991; Cei, 1993; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Giraudo & Scrocchi, 2002; Canavero *et al.*, 2010; Giraudo *et al.*, 2012b; Grazziotin *et al.*, 2012; Bernarde *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Nogueira & Gonzales, 2019; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Erythrolamprus andinus* (Dixon, 1983)**

Fig. 165 - Map. 246

Type: CM R2808 (Holotype).

Type locality: Incachaca, Cochabamba, Bolivia.

Distribution: Bolivia and Peru.

Remarks: Recorded in the department of Cochabamba. Categorized as EN (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Dixon, 1989; Fugler *et al.*, 1995a; Alonso *et al.*, 2001; Cortez, 2009f; Grazziotin *et al.*, 2012; Wallach *et al.*, 2014; Aguayo *et al.*, 2016n; Quinteros-Muñoz *et al.*, 2022b; Uetz *et al.*, 2025.

***Erythrolamprus ceii* (Dixon, 1991)**

Fig. 166 - Map. 247

Type: TCWC 53409 (Holotype).

Type locality: Near Tucumán, provincia de Tucumán, Argentina.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Cochabamba, Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Dixon, 1991; Fugler *et al.*, 1995a; Giraudo & Scrocchi, 2002; Scrocchi *et al.*, 2006; Mendoza, 2010; Giraudo *et al.*, 2012b;

Grazziotin *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Arzamendia *et al.*, 2017; Uetz *et al.*, 2025.

***Erythrolamprus dorsocorallinus* (Esqueda, Natera, La Marca & Ilija-Fistar, 2007)**

Fig. 167 - Map. 248

Type: ULABG 6691 (Holotype).

Type locality: 40 km de la población de El Cantón, Municipio Andrés Eloy Blanco, Estado Barinas, Venezuela.

Distribution: Bolivia, Brazil, Colombia, Peru and Venezuela.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Esqueda *et al.*, 2007; Bernarde *et al.*, 2011; Grazziotin *et al.*, 2012; Eversole *et al.*, 2016a; Souto *et al.*, 2017; Ascenso *et al.*, 2019; Nogueira *et al.*, 2019a; Schargel & Rivas, 2019; Gómez-Murillo & Arellano-Martín, 2020; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Erythrolamprus jaegeri* (Günther, 1858)**

Fig. 168 - Map. 249

Type: BMNH 1946.1.9.12 and BMNH 1946.1.5.78 (Syntypes).

Type locality: Brazil.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Günther, 1858; Boulenger, 1886; Leynaud & Bucher, 1999; Forlani *et al.*, 2010; Grazziotin *et al.*, 2012; Kwet, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Nogueira *et al.*, 2019a; Williams *et al.*, 2019b; Uetz *et al.*, 2025.

***Erythrolamprus macrosomus* (Amaral, 1936)**

Map. 250

Type: Lost (Holotype).

Type locality: Cana Brava, Minaçu, Goiás, Brazil.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Cochabamba. Categorized as NE (MMAYA, 2009).

Selected references: Amaral, 1936; Peters & Orejas-Miranda, 1970; Leynaud & Bucher, 1999; Ascenso *et al.*, 2019; Quinteros-Muñoz *et al.*, 2022c; Uetz *et al.*, 2025.






Figure 167. *Erythrolamprus dorsocorallinus* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 171. *Erythrolamprus taeniurus* from Zongo, department of La Paz. Photo: Steffen Reichle.



Figure 168. *Erythrolamprus jaegeri* from Pelotas, Rio Grande do Sul / Brazil. Photo: Omar M. Entiauspe-Neto.



Figure 172. *Erythrolamprus typhlus* from Espíritu, department of Beni. Photo: Octavio Jiménez-Robles.



Figure 169. *Erythrolamprus poecilogyrus* from Kaa-Iya, department of Santa Cruz. Photo: Steffen Reichle.



Figure 173. *Lygophis meridionalis* from Reserva Barba Azul, department of Beni. Photo: Steffen Reichle.



Figure 170. *Erythrolamprus sagittifer* from Palmar de las Islas, Kaa Iya, department of Santa Cruz. Photo: Steffen Reichle.



Figure 174. *Xenodon merremii* from Sauce Rancho, Sipe Sipe, department of Cochabamba. Photo: Luis Rolando Rivas.

***Erythrolamprus miliaris* (Linnaeus, 1758)**

Map. 251

Type: MCZ 2820 (Holotype).

Type locality: “Indiis” in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Paraguay, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Gans, 1964c; Freiberg, 1982; Fugler *et al.*, 1995a; Starace, 1998; Forlani *et al.*, 2010; Grazziotin *et al.*, 2012; Bernarde *et al.*, 2012; Cole *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Nogueira *et al.*, 2019h; Uetz *et al.*, 2025.

***Erythrolamprus poecilogyrus* (Wied-Neuwied, 1825)**

Fig. 169 - **Map.** 252

Type: AMNH 3593-94, ZMH R04429, ZMH R04430 (Syntypes).

Type locality: Barra de Jucú, Rio Espirito Santo, Brazil.

Distribution: Argentina, Bolivia, Brazil, Guyana, Paraguay, Peru, Uruguay and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wied-Neuwied, 1825; Boulenger, 1886; Griffin, 1916; Procter, 1921; Peters & Orejas-Miranda, 1970; Scott & Lovett, 1975; Freiberg, 1982; Fugler, 1984; Dixon & Markezich, 1992; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Cortez, 2005; Scrocchi *et al.*, 2006; Forlani *et al.*, 2010; Grazziotin *et al.*, 2012; Bernarde *et al.*, 2012; Cole *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Nogueira *et al.*, 2019a; Nogueira *et al.*, 2020; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Erythrolamprus reginae* (Linnaeus, 1758)**

Map. 253

Type: NRM 44 (Lectotype), NRM 45 (Paralectotype).

Type locality: Suriname.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz, Pando and Santa

Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Beebe, 1946; Duellman, 1978; Gasc & Rodrigues, 1980; Bernarde *et al.*, 2012; Catenazzi *et al.*, 2013; Cole *et al.*, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Arzamendia *et al.*, 2019m; Ascenso *et al.*, 2019; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Erythrolamprus sagittifer* (Jan, 1863)**

Fig. 170 - **Map.** 254

Type: MLUH IV 102 (Holotype).

Type locality: Mendoza, Argentina.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Cochabamba, Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Dixon & Thomas, 1982; Freiberg, 1982; Strathemann, 1983; Peters & Orejas-Miranda, 1970; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Scrocchi *et al.*, 2006; Grazziotin *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Arzamendia *et al.*, 2016e; Cacciali *et al.*, 2016a; Uetz *et al.*, 2025.

***Erythrolamprus taeniogaster* (Jan, 1863)**

Map. 255

Type: ZSM, MHNN, MHNG (Syntypes).

Type locality: Brazil.

Distribution: Bolivia, Brazil, French Guiana and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Fugler, 1983; Fugler *et al.*, 1995a; Fernandes *et al.*, 2002; Frota & Dos Santos, 2003; França & Bezerra, 2010; Grazziotin *et al.*, 2012; Bernarde *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Hladki *et al.*, 2019h; Uetz *et al.*, 2025.

***Erythrolamprus taeniurus* (Tschudi, 1845)**


Fig. 171 - **Map.** 256

Type: MHNN (Holotype).


Type locality: “the hot forested region of Peru”.

Distribution: Bolivia and Peru.


Remarks: Recorded in the departments of Cochabamba, La Paz and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).




Map 253. Distribution map of *Erythrolamprus reginae* (Linnaeus, 1758) in Bolivia.




Map 256. Distribution map of *Erythrolamprus taeniurus* (Tschudi, 1845) in Bolivia.




Map 254. Distribution map of *Erythrolamprus sagittifer* (Jan, 1863) in Bolivia.



Map 257. Distribution map of *Erythrolamprus typhlus* (Linnaeus, 1758) in Bolivia.



Map 255. Distribution map of *Erythrolamprus taeniogaster* (Jan, 1863) in Bolivia.



Map 258. Distribution map of *Lygophis dilepis* (Cope, 1862) in Bolivia.

Selected references: Tschudi, 1845; Dixon & Markezich, 1979; Reynolds & Foster, 1992; Fugler *et al.*, 1995a; Dixon, 2000; Jansen, 2009; Grazziotin *et al.*, 2012; Wallach *et al.*, 2014; Venegas *et al.*, 2016; Uetz *et al.*, 2025.

***Erythrolamprus typhlus* (Linnaeus, 1758)**

Fig. 172 - Map. 257

Type: NRM (Holotype).

Type locality: “Asia” in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guayana, Paraguay, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Boulenger, 1886; Griffin, 1916; Procter, 1921; Beebe, 1946; Donoso-Barros, 1967; Peters & Orejas-Miranda, 1970; Gasc & Rodrigues, 1980; Freiberg, 1982; Dixon, 1987; Dixon, 1989; Fugler *et al.*, 1995a; Starace, 1998; Leynaud & Bucher, 1999; Gorzula & Señaris, 1999; Fernández, 2008; Grazziotin *et al.*, 2012; Bernarde *et al.*, 2012; Cole *et al.*, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Caicedo *et al.*, 2019e; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Lygophis* Fitzinger, 1843

***Lygophis dilepis* (Cope, 1862)**

Map. 258

Type: USNM 5861 (Holotype).

Type locality: Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Michaud & Dixon, 1987; Dixon, 1989; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Rodrigues, 2003; Zaher *et al.*, 2009; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Williams *et al.*, 2019c; Uetz *et al.*, 2025.

***Lygophis flavifrenatus* Cope, 1862**

Type: USNM 5397 (Syntype).

Type locality: Paraguay.

Distribution: Argentina, Bolivia, Brazil, Paraguay and Uruguay.

Remarks: Recorded in the departments of Beni and

Santa Cruz. Categorized as LC (IUCN, 2022).

Selected references: Arzamendia *et al.*, 2019n; Ceron *et al.*, 2021; Uetz *et al.*, 2025.

***Lygophis meridionalis* (Schenkel, 1901)**

Fig. 173 - Map. 259

Type: NMBA 1454 (Lectotype).

Type locality: Sociedad Mount, Balmaque, Paraguay.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Beni and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Schenkel, 1901; Peters *et al.*, 1986; Michaud & Dixon, 1987; Dixon, 1989; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Giraudo & Scrocchi, 2002; Zaher *et al.*, 2009; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Arzamendia & Avila, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Xenodon* Boie, 1826

***Xenodon merremii* (Wagler, 1824)**

Fig. 174 - Map. 260

Type: Lost (Holotype).

Type locality: Salvador, state of Bahia, Brazil.

Distribution: Argentina, Bolivia, Brazil, Ecuador, French Guiana, Guyana, Paraguay, Uruguay and Venezuela.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009).

Selected references: Wagler, 1824; Griffin, 1916; Peters & Orejas-Miranda, 1970; Romano & Hoge, 1972; Scott & Lovett, 1975; Gasc & Rodrigues, 1980; Freiberg, 1982; Hoogmoed, 1985; Cei, 1993; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; Bérnills *et al.*, 2001; Scrocchi *et al.*, 2006; Montaña, 2013; Wallach *et al.*, 2014; Costa & Bérnills, 2015; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Xenodon pulcher* (Jan, 1863)**

Fig. 175 - Map. 261

Type: Lost (Holotype).

Type locality: Bolivia.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Chuquisaca, Cochabamba, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).






Figure 175. *Xenodon pulcher* from Lomas de Arena, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 176. *Xenodon semicinctus* from Pampa Grande, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 177. *Xenodon severus* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.



Figure 178. *Micrurus bolivianus* from Sehuencas, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 179. *Micrurus diana* from Santiago de Chiquitos, department of Santa Cruz. Photo: Steffen Reichle.



Figure 180. *Micrurus frontifasciatus* from Predios de la UMSS Valle del Sajta, department of Cochabamba. Photo: Raúl León.



Figure 181. *Micrurus narduccii* from Cusco region, Peru. Photo: Oscar Carrillo.



Figure 182. *Micrurus obscurus* from Amboro, department of Santa Cruz. Photo: Steffen Reichle.

Selected references: Scrocchi & Cruz, 1993; Leynaud & Bucher, 1999; Giraudo & Scrocchi, 2002; Scrocchi *et al.*, 2006; Zaher *et al.*, 2009; Giraudo *et al.*, 2012b; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Scrocchi 2017; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Xenodon rabdocephalus* (Wied-Neuwied, 1824)**

Map. 262

Type: AMNH 3609 (Lectotype).

Type locality: “Sertão of Bahia,” Brazil.

Distribution: Belize, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, French Guiana, Guatemala, Guyana, Honduras, Mexico, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wied, 1824; Fitzinger, 1826; Boulenger, 1886; Peters & Orejas-Miranda, 1970; Fugler, 1983; Villa *et al.*, 1988; Fugler *et al.*, 1995a; Kornacker, 1999; Solórzano, 2004; Hamdan *et al.*, 2012; Montaña, 2013; Myers & McDowell, 2014; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Lamar *et al.*, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Xenodon semicinctus* (Duméril, Bibron & Duméril, 1854)**

Fig. 176 - **Map.** 263

Type: MNHN-RA 0860 and MNHN-RA 1209 (Syntypes).

Type locality: Buenos-Ayres et à Santa-Cruz.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Chuquisaca and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Duméril *et al.*, 1854; Freiberg, 1982; Cei, 1993; Giraudo & Scrocchi, 2002; Scrocchi *et al.*, 2006; Zaher *et al.*, 2009; Mendoza, 2010; Giraudo *et al.*, 2012b; Montaña, 2013; Wallach *et al.*, 2014; Giraudo, 2017; Uetz *et al.*, 2025.

***Xenodon severus* (Linnaeus, 1758)**

Fig. 177 - **Map.** 264

Type: NRM (Holotype).

Type locality: “Asia” in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni,

Cochabamba, La Paz, Pando and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Fitzinger, 1826; Beebe, 1946; Gans, 1960; Peters & Orejas-Miranda, 1970; Duellman, 1978; Gasc & Rodrigues, 1980; Fugler *et al.*, 1995a; Gorzula & Señaris, 1999; Lehr, 2001; Cortez, 2005; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Nogueira *et al.*, 2019a; Rivas *et al.*, 2019c; Gómez-Murillo & Arellano-Martín, 2020; Uetz *et al.*, 2025.

Family Elapidae Boie, 1827

Genus *Micrurus* Wagler, 1824

***Micrurus bolivianus* Roze, 1967**

Fig. 178 - **Map.** 265

Type: ZMH R03025 (Holotype).

Type locality: Charobamba River, about 50 km NE Zudañez, Chuquisaca, Bolivia.

Distribution: Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni, Chuquisaca, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009).

Selected references: Peters, 1871; Rozé, 1983; Fugler *et al.*, 1995a; Lehr, 2002; Harvey *et al.*, 2003; Wallach *et al.*, 2014; Nogueira *et al.*, 2019a; Silva-Jr., 2021; Uetz *et al.*, 2025.

***Micrurus diana* Roze, 1983**

Fig. 179 - **Map.** 266

Type: FMNH 195889 (Holotype).

Type locality: vicinity of Santiago, Provincia Chiquiticos, Departamento Santa Cruz, Bolivia.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of La Paz and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Roze, 1983; Roze, 1994; Roze, 1996; Harvey *et al.*, 1998; Da Silva & Sites, 1999; Harvey *et al.*, 2003; Campbell & Lamar, 2004; Cortez, 2009e; Pires *et al.*, 2013; Wallach *et al.*, 2014; Aguayo *et al.*, 2016h; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Micrurus frontifasciatus* (Werner, 1927)**


Fig. 180

Type: NMW 18298 (Holotype).

Type locality: Bolivia.

Distribution: Bolivia and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, and Santa Cruz. Categorized



as NE (MMAYA, 2009).

Selected references: Pires *et al.*, 2021.

***Micrurus lemniscatus* (Linnaeus, 1758)**

Type: NRS L-93 (Lectotype).

Type locality: "Asia" in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru and Suriname.

Remarks: Recorded in the departments of Beni, La Paz and Pando. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Duméril & Bibron, 1854; Boulenger, 1886; Garman, 1887; Beebe, 1919; Beebe, 1946; Kornacker, 1999; Harvey *et al.*, 2003; Campbell & Lamar, 2004; Cortez, 2005; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Hladki *et al.*, 2019e; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Pires *et al.*, 2021; Uetz *et al.*, 2025.

***Micrurus narduccii* (Jan, 1863)**

Fig. 181 - Map. 267

Type: Lost (Holotype), MSNM (Neotype).

Type locality: Buenavista, Provincia de Santa Cruz, Bolivia.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Griffin, 1916; Peters & Orejas-Miranda, 1970; Duellman, 1978; Fugler *et al.*, 1995a; Slowinski, 1995; Harvey *et al.*, 2003; Campbell & Lamar, 2004; Montaña, 2013; Wallach *et al.*, 2014; Aguayo *et al.*, 2016i; Nogueira *et al.*, 2019a; Rios & Miranda-Calle, 2020; Uetz *et al.*, 2025.

***Micrurus obscurus* (Jan, 1872)**

Fig. 182 - Map. 268

Type: Lost (Holotype).

Type locality: "Lima" in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, Peru and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Jan & Sordelli, 1872; Schmidt & Walker, 1943; Schmidt, 1955; Peters & Orejas-Miranda, 1970; Duellman, 1978; Harvey *et al.*, 2003; Campbell & Lamar, 2004; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015;

Hladki *et al.*, 2019d; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Micrurus ortonii* Schmidt, 1953**

Map. 269

Type: MCZ 12423 (Holotype).

Type locality: Pebas, Peru.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of Beni, La Paz and Pando. Categorized as NE (MMAYA, 2009).

Selected references: Schmidt, 1953; Peters & Orejas-Miranda, 1970; Feitosa *et al.*, 2007; Valencia *et al.*, 2016; Bernarde *et al.*, 2018; Nogueira *et al.*, 2019a.

***Micrurus pyrrhocryptus* (Cope, 1862)**

Map. 270

Type: ANSP 5395 (Holotype).

Type locality: Río Bermejo, Argentina.

Distribution: Argentina, Bolivia, Brazil and Paraguay

Remarks: Recorded in the departments of Chuquisaca, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Schmidt, 1936; Cei, 1993; Leynaud & Bucher, 1999; Harvey *et al.*, 2003; Padial *et al.*, 2003; Campbell & Lamar, 2004; Schmidt & Kunz, 2005; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Scott *et al.*, 2017; Nogueira *et al.*, 2019a; Giraudo *et al.*, 2021; Uetz *et al.*, 2025.

***Micrurus serranus* Harvey, Aparicio & Gonzalez, 2003**

Fig. 183 - Map. 271

Type: UTA 34561 (Holotype).

Type locality: 3 km N of Samaipata on the road to Mairana, Florida Province, Santa Cruz, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Chuquisaca, Cochabamba, Potosí and Santa Cruz. Categorized as VU (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Harvey *et al.*, 2003; Muñoz *et al.*, 2009b; Muñoz-Saravia *et al.*, 2009; Mendoza, 2010; Montaña, 2013; Wallach *et al.*, 2014; Aguayo *et al.*, 2016g; Uetz *et al.*, 2025.

***Micrurus spixii* Wagler, 1824**

Map. 272

Type: ZSM 209/0 (Holotype).

Type locality: Rio Solimões, state of Amazonas,



Figure 183. *Micrurus serranus* from Florida Province, department of Santa Cruz. Photo: Steffen Reichle.



Figure 184. *Micrurus surinamensis* from P. N. Noel Kempff Mercado, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 185. *Bothrocophias andianus* from Sehuencas, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 186. *Bothrocophias hyoprora* from Sagusa, department of Pando. Photo: Steffen Reichle.



Figure 187. *Bothrops atrox* from Tumupasa, department of La Paz. Photo: Steffen Reichle.




Figure 188. *Bothrops bilineatus* from Ivirizu, department of Cochabamba. Photo: Raúl León.



Figure 189. *Bothrops diporus* from Tres Gigantes / Paraguay. Photo: Octavio Jiménez-Robles.



Figure 190. *Bothrops jonathani* from Vallegrande, department of Santa Cruz. Photo: Lucindo Gonzales.



Brazil.

Distribution: Bolivia, Brazil and Colombia.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wagler, 1824; Harvey *et al.*, 2003; Campbell & Lamar, 2004; Gower *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Hladki *et al.*, 2019b; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Micrurus surinamensis* (Cuvier, 1817)**

Fig. 184 - Map. 273

Type: MNHN-RA 3926 (Lectotype).

Type locality: Suriname.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cuvier, 1817; Beebe, 1919; Peters & Orejas-Miranda, 1970; Fugler *et al.*, 1995a; Starace, 1998; Harvey *et al.*, 2003; Moravec & Aparicio, 2005; Passos & Fernandes, 2005; Moraes *et al.*, 2011; Whithworth & Beirne, 2011; Montaña, 2013; Wallach *et al.*, 2014; Hladki *et al.*, 2019c; Nogueira *et al.*, 2019a; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

Family Viperidae Oppel, 1811

Genus *Bothrocophias* Gutberlet & Campbell, 2001

***Bothrocophias andianus* (Amaral, 1923)**

Fig. 185 - Map. 274

Type: MCZ R8832 (Holotype).

Type locality: Machu Picchu, Departamento Cuzco, Peru.

Distribution: Bolivia and Peru.

Remarks: Recorded in the departments of Cochabamba, La Paz and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Amaral, 1923; Peters & Orejas-Miranda, 1970; McDiarmid *et al.*, 1999; Campbell & Lamar, 2004; Harvey *et al.*, 2005; Carrasco *et al.*, 2009; Fenwick *et al.*, 2009; Muñoz & Jansen, 2009; Carrasco *et al.*, 2012; Wallach *et al.*, 2014; Aguayo *et al.*, 2019b; Carrasco *et al.*, 2019; Timms *et al.*, 2019; Quinteros-Muñoz *et al.*, 2022d; Uetz *et al.*, 2025.

***Bothrocophias hyoprora* (Amaral, 1935)**

Fig. 186 - Map. 275

Type: IBSP 9199 (Holotype).

Type locality: La Padrera, Colombia.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of La Paz and Pando. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Amaral, 1935; Campbell & Lamar, 1989; Campbell & Lamar, 2004; Carrasco *et al.*, 2012; Wallach *et al.*, 2014; Nogueira *et al.*, 2019a; Reichle, 2019; Catenazzi *et al.*, 2021a; Uetz *et al.*, 2025.

***Bothrocophias microphthalmus* (Cope, 1875)**

Map. 276

Type: ANSP 11515 (Holotype).

Type locality: Between Balso Puerto and Moyabamba, Peru.

Distribution: Bolivia, Brazil, Colombia, Ecuador and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Cope, 1875; Cope, 1879; Pérez-Santos & Moreno, 1988; Schätti & Kramer, 1993; McDiarmid *et al.*, 1999; Gutberlet & Campbell, 2001; Lehr *et al.*, 2002; Campbell & Lamar, 2004; Harvey *et al.*, 2005; Rivera, 2009b; Carrasco *et al.*, 2012; Wallach *et al.*, 2014; Caicedo *et al.*, 2019d; Carrasco *et al.*, 2019; Nogueira *et al.*, 2019a; Timms *et al.*, 2019; Uetz *et al.*, 2025.

Genus *Bothrops* Wagler, 1824

***Bothrops atrox* (Linnaeus, 1758)**

Fig. 187 - Map. 277


Type: NRM 100-101 (Syntypes).

Type locality: “Asia” in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Duméril & Bibron, 1854; Peters & Orejas-Miranda, 1970; Gasc & Rodrigues, 1980; Fugler, 1984; Fugler *et al.*, 1995a; McDiarmid *et al.*, 1999; Campbell & Lamar, 2004; Cortez, 2005; Harvey *et al.*, 2005; Monzel & Wüster, 2008; Fenwick *et al.*, 2009; Carrasco *et al.*, 2012; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Carrasco *et al.*, 2019; Nogueira *et al.*, 2019a; Timms



et al., 2019; Gutiérrez-Cárdenas *et al.*, 2021a; Uetz *et al.*, 2025.

***Bothrops bilineatus* (Wied-Neuwied, 1821)**

Fig. 188 - Map. 278

Type: Lost (Holotype).

Type locality: Marobá, Nova Viçosa, state of Bahia, Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Surinam and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wied-Neuwied, 1821; Wied-Neuwied, 1825; Duméril *et al.*, 1854; Hoge, 1966; Peters & Orejas-Miranda, 1970; Fugler *et al.*, 1995a; Salomão *et al.*, 1997; Starace, 1998; Parkinson, 1999; McDiarmid *et al.*, 1999; Lehr, 2002; Feio & Caramaschi, 2003; Harvey *et al.*, 2005; Claessen 2006; Fenwick *et al.*, 2009; Carrasco *et al.*, 2012; Montaña 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Carrasco *et al.*, 2019; Nogueira *et al.*, 2019a; Catenazzi, 2021b; Quinteros-Muñoz *et al.*, 2024d; Uetz *et al.*, 2025.

***Bothrops diporus* Cope, 1862**

Fig. 189 - Map. 279

Type: USNM 12380 (Holotype).

Type locality: Río Bermejo region, on the boundary between Paraguay and Argentina.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the departments of Chuquisaca, Tarija and Santa Cruz. In the IUCN Red List, this species is listed as Least Concern (LC). Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Boulenger, 1886; Trutnau, 2008; Da Silva & Rodrigues, 2008; Fenwick *et al.*, 2009; Carrasco *et al.*, 2012; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2019h; Carrasco *et al.*, 2019; Uetz *et al.*, 2025.

***Bothrops jonathani* Harvey, 1994**

Fig. 190 - Map. 280

Type: MNK R 1000 (Holotype).

Type locality: on Highway 4 approximately 35 km N (by road) of El Empalme, Provincia Carrasco, Departamento de Cochabamba, Bolivia.

Distribution: Argentina and Bolivia.

Remarks: Recorded in the departments of Cochabamba, Chuquisaca, Santa Cruz and Tarija. Categorized as VU (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Harvey, 1994; McDiarmid *et al.*, 1999; Harvey *et al.*, 2005; Fenwick *et al.*, 2009; Carrasco *et al.*, 2009; Muñoz *et al.*, 2009c; Mendoza, 2010; Carrasco *et al.*, 2012; Montaña 2013; Wallach *et al.*, 2014; Aguayo *et al.*, 2019c; Carrasco *et al.*, 2019; Uetz *et al.*, 2025.

***Bothrops mattogrossensis* Amaral, 1925**

Fig. 191 - Map. 281

Type: IBSP 3011 (Holotype).

Type locality: “Miranda, Matto-Grosso”, Brazil.

Distribution: Argentina, Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022). It should be noted that genetic populations of *Bothrops mattogrossensis* from Bolivia sampled by Carrasco *et al.* (2019) are identified as *Bothrops* aff. *diporus* and *Bothrops sonene*. However, these authors indicate *B. mattogrossensis* as present in Bolivia for their geographic distribution map (Carrasco *et al.*, 2019: 308, Fig. 2), although no specimens were examined or sequenced for these areas of probable occurrence in Santa Cruz, close to the border with Brazil. Until the taxonomic status of these specimens is resolved, we tentatively assign them to *B. mattogrossensis*.

Selected references: Amaral, 1925; Peters & Orejas-Miranda, 1970; Franca *et al.*, 2006; Jansen, 2008; Fenwick *et al.*, 2009; Carrasco *et al.*, 2012; Montaña, 2013; Wallach *et al.*, 2014; Nogueira *et al.*, 2019a; Carrasco *et al.*, 2019; Timms *et al.*, 2019; Cacciali *et al.*, 2021; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

***Bothrops monsignifer* Timms, Chaparro, Venegas, Salazar-Valenzuela, Scrocchi, Cuevas, Leynaud & Carrasco, 2019**

Fig. 192 - Map. 282

Type: MNK 5556 (Holotype).

Type locality: 13 km southwest to Refugio Los Volcanes, Cuevas Ecological Center, province of Florida, department of Santa Cruz, Bolivia.

Distribution: Bolivia and Peru.

Remarks: Recorded in the departments of Cochabamba, La Paz and Santa Cruz. Categorized as NE (MMAYA, 2009).

Selected references: Timms *et al.*, 2019; Quinteros-Muñoz *et al.*, 2022d; Uetz *et al.*, 2025.

***Bothrops moojeni* Hoge, 1966**

Fig. 193 - Map. 283



Figure 191. *Bothrops mattogrossensis* from Pasorapa, department of Cochabamba. Photo: Luis Rolando Rivas.



Figure 195. *Bothrops sonene* from Espiritu, department of Beni. Photo: Octavio Jiménez-Robles.



Figure 192. *Bothrops monsignifer* from Sehuencas, department of Cochabamba. Photo: Oliver Quinteros-Muñoz.



Figure 196. *Bothrops taeniatus* from P. N. Madidi, department of La Paz. Photo: Radamir Sevillanos.



Figure 193. *Bothrops moojeni* in captivity (Zoologico Santa Cruz). Photo: Daniel Alarcon.



Figure 197. *Crotalus durissus* from Santiago de Chiquitos, department of Santa Cruz. Photo: Steffen Reichle.



Figure 194. *Bothrops sanctaecrucis* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.




Figure 198. *Lachesis muta* from Villa Tunari, department of Cochabamba. Photo: Pedro Gómez-Murillo.

Type: IBSP 23397 (Holotype).

Type locality: Brasília, Distrito Federal, Brazil.

Distribution: Argentina, Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Hoge, 1966; McDiarmid *et al.*, 1999; Harvey *et al.*, 2005; Monzel & Wüster, 2008; Fenwick *et al.*, 2009; Carrasco *et al.*, 2012; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Carrasco *et al.*, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Bothrops oligolepis* (Werner, 1901)**

Map. 284

Type: MTD 1714 (Holotype).

Type locality: Bolivia.

Distribution: Bolivia and Peru.

Remarks: Recorded in the department of La Paz. In the IUCN Red List, this species is listed as Least Concern (LC). Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Campbell & Lamar, 2004; Harvey *et al.*, 2005; Carrasco *et al.*, 2012; Wallach *et al.*, 2014; Venegas *et al.*, 2019; Uetz *et al.*, 2025.

***Bothrops pauloensis* Amaral, 1925**

Map. 285

Type: IBSP 3013 (Holotype).

Type locality: Leme, state of São Paulo, Brazil.

Distribution: Bolivia, Brazil and Paraguay.

Remarks: Recorded in the department of Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Amaral, 1925; Campbell & Lamar, 2004; Silva, 2004; Jansen, 2006; Jansen *et al.*, 2007; Silva & Rodrigues, 2008; Fenwick *et al.*, 2009; Carrasco *et al.*, 2012; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Cacciali & Scott 2019d; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Bothrops sanctaecrucis* Hoge, 1966**

Fig. 194 - **Map.** 286

Type: IBSP 24575 (Holotype).

Type locality: Rio Sécure, Oromono, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Beni, Cochabamba and Santa Cruz. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Hoge, 1966; Campbell & Lamar,

1989; McDiarmid *et al.*, 1999; Fenwick *et al.*, 2009; Miranda-Calle & Aguilar-Kirigin, 2011; Carrasco *et al.*, 2012; Wallach *et al.*, 2014; Carrasco *et al.*, 2019; Timms *et al.*, 2019; Gómez-Murillo *et al.*, 2020; Aguayo *et al.*, 2021; Uetz *et al.*, 2025.

***Bothrops sonene* Carrasco, Grazziotin, Cruz-Farfán, Koch, Ochoa, Scrocchi, Leynaud & Chaparro, 2019**

Fig. 195 - **Map.** 287

Type: MHNC 12319 (Holotype).

Type locality: Pampa Juliaca, Pampas del Heath, Peru.

Distribution: Bolivia and Peru.

Remarks: Recorded in the department of Beni. Categorized as NE (MMAYA, 2009).

Selected references: Carrasco *et al.*, 2019; Uetz *et al.*, 2025.

***Bothrops taeniatus* Wagler, 1824**

Fig. 196 - **Map.** 288

Type: Lost (Holotype), MNHN-RA 1582 (Neotype).

Type locality: Amazonas, Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru and Venezuela.

Remarks: Recorded in the departments of La Paz and Pando. Categorized as NT (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Wagler, 1824; Campbell & Lamar, 1989; Schätti & Kramer, 1991; Starace, 1998; Parkinson, 1999; McDiarmid *et al.*, 1999; Campbell & Lamar, 2004; Harvey *et al.*, 2005; Claessen, 2006; Monzel & Wüster, 2008; Fenwick *et al.*, 2009; Rivera 2009a; Carrasco *et al.*, 2012; Cole *et al.*, 2013; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Hoogmoed *et al.*, 2019a; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Genus *Crotalus* Linnaeus, 1758

***Crotalus durissus* Linnaeus, 1758**

Fig. 197 - **Map.** 289


Type: RMNH 12857 (Neotype).

Type locality: “America”.


Distribution: Argentina, Bolivia, Brazil, Colombia, French Guiana, Guyana, Paraguay, Peru, Suriname, Uruguay and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz, Pando, Santa Cruz and Tarija. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).


Selected references: Linnaeus, 1758; Baird & Girard, 1853; Duméril & Bibron, 1854; Griffin, 1916; Fugler




Map 283. Distribution map of *Bothrops moojeni* Hoge, 1966 in Bolivia.




Map 286. Distribution map of *Bothrops sanctaerucis* Hoge, 1966 in Bolivia.




Map 284. Distribution map of *Bothrops oligolepis* (Werner, 1901) in Bolivia.



Map 287. Distribution map of *Bothrops sonene* Carrasco *et al.*, 2019 in Bolivia.



Map 285. Distribution map of *Bothrops pauloensis* Amaral, 1925 in Bolivia.



Map 288. Distribution map of *Bothrops taeniatus* Wagler, 1824 in Bolivia.

et al., 1995a; McDiarmid *et al.*, 1999; Campbell & Lamar, 2004; Harvey *et al.*, 2005; Carrasco *et al.*, 2009; Martins & Lamar, 2010; Mendoza, 2010; Wüster & Bernils, 2011; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Pinto-Viveros *et al.*, 2017; Carrasco *et al.*, 2019; Nogueira *et al.*, 2019a; Aguilar-Kirigin, 2020; Eversole *et al.*, 2021; Uetz *et al.*, 2025.

Genus *Lachesis* Daudin, 1803

***Lachesis muta* (Linnaeus, 1766)**

Fig. 198 - Map. 290

Type: NRM (Holotype).

Type locality: Vitória, state of Espírito Santo, Brazil.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1766; Schinz, 1822; Duméril & Bibron, 1854; Griffin, 1916; Beebe, 1946; Peters & Orejas-Miranda, 1970; Fugler *et al.*, 1995a; Visinoni, 1995; Gorzula & Señaris, 1999; McDiarmid *et al.*, 1999; Cortez, 2005; Harvey *et al.*, 2005; Carrasco *et al.*, 2009; Montaña, 2013; Wallach *et al.*, 2014; Pinto-Viveros *et al.*, 2017; Carrasco *et al.*, 2019; Nogueira *et al.*, 2019a; Gómez-Murillo & Arellano-Martín, 2020; Gutiérrez-Cárdenas *et al.*, 2021; Uetz *et al.*, 2025.

Henophidia Nopcsa, 1928

Family Aniliidae Stejneger, 1907

Genus *Anilius* Oken, 1816

***Anilius scytale* (Linnaeus, 1758)**

Fig. 199 - Map. 291

Type: AMNH 61047 (Holotype).

Type locality: “Indiis” in error.

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, and Trinidad and Tobago.

Remarks: Recorded in the departments of Cochabamba, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Shaw & Nodder, 1789; Oken, 1816; De Filippi, 1840; Duméril & Bibron, 1844; Jan, 1862; Boulenger, 1893; Beebe, 1946; Duellman, 1978; Fugler *et al.*, 1995a; Starace, 1998; McDiarmid *et al.*, 1999; Cole *et al.*, 2013; Montaña, 2013; Wallach *et al.*, 2014; Natera-Mumaw

et al., 2015; Arredondo *et al.*, 2019d; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Scolecophidia Cope, 1864

Family Leptotyphlopidae Stejneger, 1892

Genus *Epictia* Gray, 1845

***Epictia albifrons* (Wagler, 1824)**

Map. 292

Type: Lost (Holotype), MCZ R-2885 (Neotype).

Type locality: Vicinities of Belém, state of Pará, Brazil.

Distribution: Bolivia and Brazil.

Remarks: Recorded in the departments of Beni and La Paz. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022). Wallach (2016) and Nogueira *et al.* (2019a) state that *E. albifrons* would be endemic to Brazil, occurring only in the north (Pará). Although in Bolivia there are records under the name of *E. albifrons* (Embert, 2007; Wallach *et al.*, 2014), the presence of this species is debatable for our country, since there are no studies that refute this information. Wallach (2016) mentions the need for the designation of a neotype, which could resolve the taxonomic uncertainty that *E. albifrons* and its various combinations have, since the distribution of this species could cover the entire Amazon.

Selected references: Wagler, 1824; Boulenger, 1893; Boulenger, 1896; Barbour & Cole, 1906; Beebe, 1946; Fugler *et al.*, 1995a; McDiarmid *et al.*, 1999; Boos 2001; Adalsteinsson *et al.*, 2009; Wallach *et al.*, 2014; Natera-Mumaw *et al.*, 2015; Wallach, 2016; Pinto *et al.*, 2018; Hoogmoed *et al.*, 2019b; Uetz *et al.*, 2025.

***Epictia albipuncta* (Burmeister, 1861)**

Fig. 200 - Map. 293


Type: MLUH IZH-R 461 (Holotype).

Type locality: Tucumán, Argentina.


Distribution: Argentina, Brazil, Bolivia, Paraguay and Uruguay.

Remarks: Recorded in the departments of Beni, Cochabamba, Chuquisaca, La Paz and Tarija. Categorized as NE (MMAYA, 2009) and LC (IUCN, 2022).


Selected references: Burmeister, 1861; Peters & Orejas-Miranda, 1970; Fugler *et al.*, 1995a; McDiarmid *et al.*, 1999; Kretzschmar, 2006; Adalsteinsson *et al.*, 2009; Wallach *et al.*, 2014; Koch *et al.*, 2015; Natera-Mumaw *et al.*, 2015; Cacciali *et al.*, 2016a; Aparicio & Miranda-Calle, 2017; Cacciali *et al.*, 2017c; Uetz *et al.*, 2025.




Map 289. Distribution map of *Crotalus durissus* Linnaeus, 1758 in Bolivia.




Map 292. Distribution map of *Epictia albifrons* (Wagler, 1824) in Bolivia.




Map 290. Distribution map of *Lachesis muta* (Linnaeus, 1766) in Bolivia.



Map 293. Distribution map of *Epictia albipuncta* (Burmeister, 1861) in Bolivia.



Map 291. Distribution map of *Anilius scytale* (Linnaeus, 1758) in Bolivia.



Map 294. Distribution map of *Epictia striatula* (Smith & Laufe, 1945) in Bolivia.



Figure 199. *Anilius scytale* from Predios de la UMSS Valle del Sajta, department of Cochabamba. Photo: Raúl León.



Figure 203. *Amerotyphlops reticulatus* from Ñembiguasu, department of Santa Cruz. Photo: Lucindo Gonzales.



Figure 200. *Epictia albipuncta* from Cristal Mayu, department of Cochabamba. Photo: Gabriel Callapa.



Figure 201. *Epictia striatula* from P.N. Amboró, department of Santa Cruz. Photo: Ignacio De la Riva.



Figure 202. *Amerotyphlops brongersmianus* from Chalalán, department of La Paz. Photo: Ignacio De la Riva.

***Epictia striatula* (Smith & Lafe, 1945)**

Fig. 201 - **Map.** 294

Type: USNM 98889 (Holotype).

Type locality: Yanacachi, Sur de Yungas, Bolivia.

Distribution: Argentina, Bolivia, Brazil and Peru.

Remarks: Recorded in the departments of Beni, La Paz and Santa Cruz. Categorized as LC (MMAYA, 2009) and VU (IUCN, 2022).

Selected references: Smith & Lafe, 1945; Fugler *et al.*, 1995a; McDiarmid *et al.*, 1999; Adalsteinsson *et al.*, 2009; Mendoza, 2010; Montaña, 2013; Wallach *et al.*, 2014; Francisco *et al.*, 2018; Arzamendia *et al.*, 2019a; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Epictia undecimstriata* (Schlegel, 1839)**

Map. 295

Type: Lost (Holotype).

Type locality: Santa Cruz de la Sierra, Bolivia.

Distribution: Bolivia.

Remarks: Endemic species. Recorded in the departments of Santa Cruz. Categorized as DD (MMAYA, 2009) and DD (IUCN, 2022).

Selected references: Schlegel, 1839; Gray, 1845; Peters & Orejas-Miranda, 1970; McDiarmid *et al.*, 1999; Adalsteinsson *et al.*, 2009; Wallach *et al.*, 2014; Aguayo *et al.*, 2016k; Uetz *et al.*, 2025.

Genus *Rena* Baird & Girard, 1853

***Rena unguistrostris* (Boulenger, 1902)**

Map. 296

Type: BMNH 1946.1.11.52 (Holotype).

Type locality: Cruz del Eje, Cordoba, Argentina.

Distribution: Argentina, Bolivia and Paraguay.

Remarks: Recorded in the departments of Chuquisaca and Santa Cruz. Categorized as DD (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Orejas-Miranda, 1970; Leynaud & Bucher, 1999; McDiarmid *et al.*, 1999; Adalsteinsson *et al.*, 2009; Montaña, 2013; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Cacciali *et al.*, 2017d; Uetz *et al.*, 2025.

Family Typhlopidae Merrem, 1820

Genus *Amerotyphlops* Hedges, Marion, Lipp, Marin & Vidal, 2014

***Amerotyphlops brongersmianus* (Vanzolini, 1976)**

Fig. 202 - **Map.** 297

Type: MZUSP 5218 (Holotype).

Type locality: Barra de Itaípe, Ilhéus, state of Bahia, Brazil.

Distribution: Argentina, Bolivia, Brazil, Colombia,

Guyana, Paraguay, Peru, Suriname, Trinidad and Tobago, and Venezuela.

Remarks: Recorded in the departments of Beni, Cochabamba, La Paz, Potosí and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Vanzolini, 1972; Vanzolini, 1976; Dixon & Hendricks, 1979; Fugler, 1983; Fugler, 1984; Fugler *et al.*, 1995a; Leynaud & Bucher, 1999; McDiarmid *et al.*, 1999; Rocha *et al.*, 2004; Cole *et al.*, 2013; Montaña, 2013; Hedges *et al.*, 2014; Wallach *et al.*, 2014; Cacciali *et al.*, 2016a; Graboski *et al.*, 2018; Gutiérrez-Cárdenas *et al.*, 2019; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

***Amerotyphlops reticulatus* (Linnaeus, 1758)**

Fig. 203 - **Map.** 298

Type: RMNH 7660 (Neotype).

Type locality: "America".

Distribution: Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname and Venezuela.

Remarks: Recorded in the departments of Beni, Chuquisaca, La Paz, Pando and Santa Cruz. Categorized as LC (MMAYA, 2009) and LC (IUCN, 2022).

Selected references: Linnaeus, 1758; Duméril & Bibron, 1844; Griffin, 1916; Dixon & Hendricks, 1979; Gasc & Rodrigues, 1980; Fugler, 1983; Fugler *et al.*, 1995a; Starace, 1998; McDiarmid *et al.*, 1999; Moravec & Aparicio, 2005; Mendoza, 2010; Cole *et al.*, 2013; Kornilios *et al.*, 2013; Hedges *et al.*, 2014; Wallach *et al.*, 2014; Graboski *et al.*, 2018; Caicedo *et al.*, 2019a; Nogueira *et al.*, 2019a; Uetz *et al.*, 2025.

Reptile species that may occur in Bolivia

These species have been Recorded very close to the Bolivian frontier in Argentina, Brazil, Chile, Paraguay and Peru. However, as far as we know, there are no records for Bolivia.

***Alopoglossus atriventris* Duellman, 1973**


Remarks: Records are known near the border with Brazil next to the department of Pando, according to a map in Ribeiro-Júnior & Amaral (2016b).

***Anolis dissimilis* Williams, 1965**

Remarks: Records are known near the border with Brazil next to the department of Pando, according to a map in Ribeiro-Júnior (2015a).

***Colobosaura modesta* (Reinhardt & Lütken, 1862)**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Ribeiro-Júnior & Amaral (2016b).



***Dipsas mikanii* Schlegel, 1837**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Dipsas ventrimaculata* (Boulenger, 1885)**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Epictia vellardi* (Laurent, 1984)**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Erythrolamprus frenatus* (Werner, 1909)**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Hydrops caesurus* Scrocchi, Ferreira, Giraudo, Avila & Motte, 2005**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Hydrops martii* (Wagler in Spix, 1824)**

Remarks: Records are known near the border with Brazil next to the department of Pando, according to a map in Nogueira *et al.* (2019a).

***Liolaemus hajeki* Núñez, Pincheira-Donoso & Garín, 2004**

Remarks: Records are known near the border with Chile next to the department of Potosí, according to Langstroth (2021).

***Liolaemus multicolor* Koslowsky, 1898**

Remarks: Records are known near the border with Argentina next to the departments of Potosí and Tarija, according to Langstroth (2021).

***Liotyphlops beui* (Amaral, 1924)**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Loxopholis osvaldoi* (Ávila-Pires, 1995)**

Remarks: Records are known near the border with Brazil next to the departments of Beni, Pando and Santa Cruz, according to a map in Ribeiro-Júnior & Amaral (2016b).

***Micrurus albicinctus* Amaral, 1925**

Remarks: Records are known near the border with Brazil next to the departments of Beni and Pando, according to a map in Nogueira *et al.* (2019a).

***Micrurus tricolor* Hoge, 1957**

Remarks: Records are known near the border with Brazil and Paraguay next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Ninia hudsoni* Parker, 1940**

Remarks: Records are known near the border with Brazil next to the departments of Pando, according to a map in Catenazzi *et al.* (2019d).

***Paraphimophis rusticus* (Cope, 1878)**

Remarks: Records are known near the border with Argentina next to the department of Tarija, according to a map in Nogueira *et al.* (2019a).

***Phalotris matogrossensis* Lema, D'Agostini & Cappelari, 2005**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Phimophis guerini* (Duméril, Bibron & Duméril, 1854)**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Rondonops biscutatus* Colli, Hoogmoed, Cannatella, Cassimiro, Gomes, Ghellere, Nunes, Pellegrino, Salerno, Souza & Rodrigues, 2015**

Remarks: Records are known near the border with Brazil next to the departments of Beni and Santa Cruz, according to a map in Ribeiro-Júnior & Amaral (2016b).

***Thamnodynastes hypoconia* (Cope, 1860)**

Remarks: Records are known near the border with Brazil and Paraguay next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Trilepida brasiliensis* (Laurent, 1949)**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

***Tropidurus oreadicus* Rodrigues, 1987**

Remarks: Records are known near the border with Brazil next to the department of Beni, according to a map in Ribeiro-Júnior (2015a).

***Xenodon matogrossensis* (Scrocchi & Cruz, 1993)**

Remarks: Records are known near the border with Brazil next to the department of Santa Cruz, according to a map in Nogueira *et al.* (2019a).

Species mistakenly Recorded from Bolivia

***Alopoglossus angulatus* (Linnaeus, 1758)**

Remarks: Not in Bolivia, specimens from Pando are actually *Alopoglossus avilapiresae* and specimens from La Paz are actually *Alopoglossus andeanus*, according to Ribeiro-Junior *et al.* (2020).

***Ameivula ocellifera* (Spix, 1825)**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Ameivula abalosi*, according to Cabrera

(2012); Arzamendia *et al.* (2016).

***Amphisbaena darwinii* Duméril & Bibron, 1839**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Amphisbaena heterozonata*, according to Teixeira *et al.* (2014).

***Amphisbaena fuliginosa* Linnaeus, 1758**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Amphisbaena bassleri*, according to Gans (2005).

***Anolis scapularis* Boulenger, 1908**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Anolis fuscoauratus*, following Uetz *et al.* (2022).

***Apostolepis ambiniger* (Peters, 1869)**

Remarks: Not in Bolivia, according to Entiauspene Neto *et al.* (2021).

***Arthrosaura reticulata* (O'Shaughnessy, 1881)**

Remarks: Not in Bolivia, according to Uetz *et al.*, (2020); GBIF (2020).

***Atractus occipitoalbus* (Jan, 1862)**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Atractus emmeli*, according to Passos *et al.* (2019).

***Bothrops brazili* Hoge, 1954**

Remarks: Not in Bolivia (no confirmed records), according to Harvey *et al.* (2005).

***Bothrops jararacussu* Lacerda, 1884**

Remarks: Not in Bolivia (no confirmed records), according to Harvey *et al.* (2005).

***Cercosaura ocellata* Wagler, 1830**

Remarks: Not in Bolivia, according to Cacciali (2016); Sturaro *et al.* (2018).

***Erythrolamprus breviceps* (Cope, 1860)**

Remarks: Not Recorded in Bolivia, according to Fernandes *et al.*, (2002); Nogueira *et al.* (2019).

***Leptophis ahaetulla* (Linnaeus, 1758)**

Remarks: Not in Bolivia, according to Albuquerque & Fernandes (2022).

***Mesoclemmys nasuta* (Schweigger, 1812)**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Mesoclemmys wermuthi*, according to TTWG (2021).

***Micrurus annellatus* (Peters, 1871)**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Micrurus bolivianus*, according to Silva-Jr. (2021); Uetz *et al.* (2022).

***Micrurus hemprichii* (Jan, 1858)**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Micrurus ortonii*, according to Bernarde (2018).

***Oxyrhopus trigeminus* Duméril, Bibron & Duméril, 1854**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Oxyrhopus guibei*, according to Zaher & Caramaschi (1992).

***Phalotris lemniscatus* (Duméril, Bibron & Duméril, 1854)**

Remarks: Not in Bolivia, according to Nogueira *et al.* (2019).

***Phrynops tuberosus* (Peters, 1870)**

Remarks: Not in Bolivia, according to TTWG (2017).

***Phyllopezus goyazensis* (Peters, 1887)**

Remarks: Not in Bolivia, according to Cacciali *et al.* (2018). Specimens from Bolivia are actually *Phyllopezus przewalskii*.

***Stenocercus aculeatus* (O'Shaughnessy, 1879)**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Stenocercus fimbriatus*, according to Torres-Carvajal (2007); Torres-Carvajal & Carvajal-Campos (2009).

***Stenocercus variabilis* Boulenger, 1901**

Remarks: Not in Bolivia, according to Torres-Carvajal (2007).

***Taeniophallus brevirostris* (Peters, 1863)**

Remarks: Not in Bolivia (no confirmed record), according to Caicedo *et al.* (2019b).


***Thecadactylus rapicauda* (Houttuyn, 1782)**

Remarks: Not in Bolivia, specimens from Bolivia are actually *Thecadactylus solimoensis*, according to Bergmann & Russell (2007).

***Tropidurus torquatus* (Wied-Neuwied, 1820)**

Remarks: Not in Bolivia, according to Kunz & Borges-Martins (2013) and Abdala *et al.* (2019c).

Dedication



In this project we tragically lost our friend and colleague, co-author Dennis E. Lizarro (02 May 1985 - 11 December 2021).

He was a big figure in the field of biology and conservation, and we owe him an enormous debt of gratitude for all he has done to help us in this work on reptiles of Bolivia, and for helping to inspire all of us to work passionately for the conservation and protection of nature.

James Aparicio E. (1967-2023). Bolivian bio-



logist born in La Paz, where he obtained his professional degree and dedicated his entire life to the study of herpetology. He served as CEO of the Red de Investigadores en Herpetología-Bolivia (RIHB), vice president of the Asociación Boliviana de Herpetología (ABH), belonged to the IUCN Crocodile Specialist Group, and the IUCN World Commission on Protected Areas. For 25 years, he was the Curator of the Herpetology Area at the Colección Boliviana de Fauna (CBF), where he made significant contributions to the knowledge of diversity in this group. He expanded the collection with over 11,000 specimens, encompassing about 230 amphibian species and 258 reptile species, representing approximately 75% of Bolivia's herpetological diversity. He mentored numerous students not only in biology but also in veterinary medicine, computer science, and even law, helping them see the connection between herpetology and their respective fields. In addition to supervising internships, he guided undergraduate, master's, and even doctoral theses. He shared his knowledge through numerous scientific publications, books, book chapters, guides, notes, and many others. We consider him one of the finest herpetologists ever to emerge from Bolivia, and his loss was not only deeply felt emotionally but also represented a loss of an outstanding professional.

We dedicate this work to Dennis E. Lizarro and James Aparicio E.

Acknowledgements

Our sincere thanks to all those who have contributed with photographs and data: Daniel Alarcón; Gabriel Callapa; Oscar Carrillo; Dirk Embert; Raúl León; Beatriz Nieto Ariza; Alejandro Ochoa; Anders Rhodin; Andrés L. Rodríguez-Cordero; Radamir Sevillanos and Huber Villca. We would also like to thank all those who responded to our questions, as well as the museums and collections that allowed us to examine their data and specimens: Museo

de Historia Natural "Alcide d'Orbigny" - MHNC; Museo Historia Natural Noel Kempff Mercado - MNKR; Centro de Investigación de Recursos Acuáticos - CIRA; Universidad Autónoma del Beni "José Ballivián"; Luis F. Pacheco and Gustavo Rey Ortíz (Colección Boliviana de Fauna - CBF); Alberto Sánchez-Vialas and Marta Calvo Revuelta (Museo Nacional de Ciencias Naturales - Madrid - MNCN); Estación Biológica de Doñana (EBD-CSIC); Sven Kullander; Bo Delling (Swedish Museum of Natural History - NRM); Greg Schneider (Museum of Zoology - University of Michigan - UMMZ); Steve Rogers and Stevie Kennedy-Gold (Carnegie Museum of Natural History - CM); James Hanken and José Rosado (Museum of Comparative Zoology - Harvard University - MCZ); Alan Resetar and Joshua Mata (Field Museum - Chicago - FMNH); David Kizirian and David Dickey (American Museum of Natural History - AMNH); Kevin de Queiroz and Kenneth A. Tighe (Smithsonian Institution - National Museum of Natural History - NMNH); Carol L. Spencer (University of California - MVZ); Jacques Gauthier and Gregory J. Watkins-Colwell (Yale Peabody Museum of Natural History - YPM); Julian Faivovich (Museo Argentino de Ciencias Naturales - CONICET); Patrick Campbell (Natural History Museum - London - NMH). OME-N thanks Fundação de Amparo à Pesquisa do Estado de São Paulo for his research grant (FAPESP, 2021/13671-7). We would also like to thank Felipe G. Grazziotin (IBSP), Inácio L. J. Azevedo (IBSP), and the Scales of Biodiversity Project (Escalas da Biodiversidade, FAPESP, 2016/13469-5, 2016/50127-5) for logistical support.

Literatura citada

- Abalos, J.W.; Baez, E.C. & Nader, R. 1964. Serpientes de Santiago del Estero. *Acta Zoologica Lilloana* 20: 211-283.
- Abdala, C.S. 2007. Phylogeny of the *boulengeri* group (Iguania: Liolaemidae, *Liolaemus*, based on morphological and molecular characters. *Zootaxa* 1538: 1-84.
- Abdala, C.S. 2021. *Liolaemus forsteri*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 126-127.
- Abdala, C.S. & Juárez-Heredia, V.I. 2013. Taxonomía y filogenia de un grupo de lagartos amenazados: el grupo de *Liolaemus anomalus* (Iguania: Liolaemidae). *Cuadernos de Herpetología* 27: 109-153.
- Abdala, C.S. & Aguilar-Kirigin, A. 2021. *Liolaemus pachecoi*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.;

- Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. p. 158.
- Abdala, C.S.; Quinteros, S. & Espinoza, R.E. 2008. Two new species of *Liolaemus* (Iguania: Liolaemidae) from the Puna of Northwestern Argentina. *Herpetologica* 64: 458-471.
- Abdala, C.S.; Paz, M.M. & Semhan, R.V. 2013. Nuevo *Liolaemus* (Iguania: Liolaemidae) con novedoso carácter morfológico, de la frontera entre Argentina y Chile. *Revista de Biología Tropical* 61: 1563-1584.
- Abdala, C.S. & Juárez Heredia, V.I. 2013. Taxonomía y filogenia de un grupo de lagartos amenazados: el grupo de *Liolaemus anomalus* (Iguania: Liolaemidae). *Cuadernos de Herpetología* 27: 109-153.
- Abdala, C.S.; Avila, L.; Aguayo, R.; Aparicio, J.; Gonzales, L.; Nunez, H.; Marambio, Y.; Ruiz de Gamboa, M.; Mella, J. & Valladares, P. 2016a. *Liolaemus ornatus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/56077929/56078702> (accessed 8 July 2020).
- Abdala, C.S.; Valladares, P.; Mella, J.; Ruiz de Gamboa, M.; Nunez, H. & Lobos, G. 2016b. *Liolaemus puritamensis*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/56091871/56091879> (accessed 8 July 2020).
- Abdala, C.S.; Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G.; Williams, J. & Langstroth, R. 2017. *Tropidurus melanopleurus*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/49845618/4984562256091879> (accessed 12 July 2020).
- Abdala, C.S.; Aguilar-Kirigin, A.J.; Semhan, R.V.; Bulacios Arroyo, A.L.; Valdes, J. & Paz, M.M. 2019a. Description and phylogeny of a new species of *Liolaemus* (Iguania: Liolaemidae) endemic to the south of the Plurinational State of Bolivia. *Plos One* 14 (12), e0225815.
- Abdala, C.S.; Aparicio, J.; Arzamendia, V.; Avila-Pires, T.C.S.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Moravec, J.; Pelegrin, N.; Pérez, P.; Scrocchi, G. & Williams, J. 2019b. *Stenocercus roseiventris*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50950814/50950816> (accessed 8 July 2020).
- Abdala, C.S.; Arzamendia, V.; Embert, D.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G.; Williams, J.; Nogueira, C.C.; Aparicio, J. & Avila-Pires, T.C.S. 2019c. *Tropidurus torquatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/137788491/44955931> (accessed 12 July 2020).
- Abdala, C.S.; Quinteros, A.S.; Semhan, R.V.; Bulacios Arroyo, A.L.; Schulte, J.; Paz, M.M.; Ruiz-Monachesi, M.R.; Laspiur, A.; Aguilar-Kirigin, A.J.; Gutiérrez-Poblete, R.; Valladares Faundez, P.; Valdés, J.; Portelli, S.; Santa Cruz, R.; Aparicio, J.; García, N. & Langstroth, R. 2020. Unravelling interspecific relationships among highland lizards: first phylogenetic hypothesis using total evidence of the *Liolaemus montanus* group (Iguania: Liolaemidae). *Zoological Journal of the Linnean Society* 189: 349-377.
- Abdala, C.S.; Aguilar-Kirigin, A. & Valladares, P. 2021a. *Liolaemus pleopholis*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. p. 178-179.
- Abdala, C.S.; Paz, M.M.; Semhan, R.V.; García, N.; Aguilar-Kirigin, A.J.; Farías, M.E.; Valladares, P.; Gutiérrez-Poblete, R.; Quipildor, M.A.; Valdes, J. & Langstroth, R. 2021b. Increasing knowledge of the denizens of saline environments through integrative taxonomy: new Argentinian endemic taxa of *Liolaemus* (Iguania: Liolaemidae) and their evolutionary relationships. *Systematics and Biodiversity* 19: 135-167.
- Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. (Eds). 2021c. *Las Lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados mas diversas del cono sur de Sudamérica*. RIL editores, Universidad de Tarapacá, Chile. ISBN: 978-84-18982-20-0 (Vol. 1), 352 pp.
- Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. (Eds). 2021d. *Las Lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados mas diversas del cono sur de Sudamérica*. RIL editores, Universidad de Tarapacá, Chile. ISBN: 978-84-18982-21-7 (Vol. 2), 496 pp.
- Abegg, A.D.; Santos, A.P. Jr.; Costa, H.C.; Battilana, J.; Graboski, R.; Vianna, F.S.L.; Azevedo, W.S.; Fagundes, N.J.R.; Castille, C.M.; Prado, P.C.; Bonatto, S.L.; Zaher, H. & Graziotin, E.G. 2022. Increasing taxon sampling suggests a complete taxonomic rearrangement in Echinantherini (Serpentes: Dipsadidae). *Front. Ecol. Evol.* 10:969263
- Acebey, S.; Castellón, C.; Rey-Ortiz, G. & Méndez, D. 2009a. *Podocnemis expansa*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 249-250.
- Acebey, S.; Rey-Ortiz, G.; Castellón, C.; Méndez, D. & Ávila, P. 2009b. *Podocnemis unifilis*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 263-264.
- Acosta-Chaves, V.J.; Chaves, G.; Abarca, J.G.; García-Rodríguez, A. & Bolaños, F. 2015. A checklist of the amphibians and reptiles of Río Macho Biological Station, Provincia de Cartago, Costa Rica. *Check List* 11: 1784.
- Acosta-Chaves, V.J.; Arzamendia, V.; Ballesteros, E.; Batista, A.; Bolívar, W.; Fitzgerald, L.; García-Rodríguez, A.; Giraudo, A.; Gutiérrez-Cárdenas, P.; Kacolis, F.; Montero, R.; Pelegrin, N.; Saborío, G.; Scrocchi, G.; Vargas Álvarez, J.; Velasco, J.; Williams, J.; Nogueira, C.C.; Cisneros-Heredia, D.F.; Hoogmoed, M.S.; Schargel, W. & Rivas, G. 2019. *Chironius exoletus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203279/2762756> (accessed 20 July 2020).
- Adalsteinsson, S.A.; Branch, W.R.; Trapé, S.; Vitt, L.J. & Hedges, S.B. 2009. Molecular phylogeny, classification, and biogeography of snakes of the Family Leptotyphlopidae (Reptilia, Squamata). *Zootaxa* 2244: 1-50.
- Aguayo, R. & Quinteros-Muñoz, O. 2008. *Leposoma percarinatum*

- (Müller 1923. (Sauria: Gymnophthalmidae). *Cuadernos de herpetología* 22: 53.
- Aguayo, R. 2009. Reptiles de Bolivia. Centro de Ecología y Difusión Simon I. Patiño. *Revista Bolivia Ecológica* 53: 32.
- Aguayo, R. & Passos, P. 2009. *Atractus bocki*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 283-284.
- Aguayo, R. & Harvey, M. 2009. *Mabuya cochabambae*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 275-276.
- Aguayo, R.; Valdivia, F. & Rivera, D.S. 2009a. *Liolaemus puna* Lobo y Espinoza, 2004 (Squamata: Liolaemidae). *Cuadernos de Herpetología* 23: 61.
- Aguayo, R.; Valdivia, F. & Rey-Ortiz, G. 2009b. *Liolaemus variegatus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 273-274.
- Aguayo, R.; Quinteros-Muñoz, O. & Quinteros, S. 2009c. *Liolaemus fitzkaui*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 269-270.
- Aguayo, R.; Aparicio, J.; Abdala, S.; Nunez, H.; Valladares, P.; Ruiz de Gamboa, M. & Espejo, P. 2015a. *Liolaemus puna*. The IUCN Red List of Threatened Species 2015. Available from: <https://www.iucnredlist.org/es/species/56091642/56091647> (accessed 8 July 2020).
- Aguayo, R.; Aguilar, C.; Aparicio, J.; Arzamendia, V.; Embert, D.; Fitzgerald, L.; Giraudo, A.; Gonzales, L.; Kacolis, F.; Montero, R.; Muñoz, A.; Pelegrin, N.; Scrocchi, G.; Williams, J.; Moravec, J. & Sallabery, N. 2015b. *Tachymenis peruviana*. The IUCN Red List of Threatened Species 2015. Available from: <https://www.iucnredlist.org/es/species/48617848/48617853> (accessed 9 August 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L. & Muñoz, A. 2016a. *Apostolepis tenuis*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/15157546/15157548> (accessed 30 July 2020).
- Aguayo, R.; Aparicio, J.; Gonzales, L. & Cortez, C. 2016b. *Atractus emmeli*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50951705/50951714> (accessed 27 July 2020).
- Aguayo, R.; Aparicio, J.; Arzamendia, V.; Embert, D.; Fitzgerald, L.; Giraudo, A.; Gonzales, L.; Kacolis, F.; Montero, R.; Muñoz, A.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2016c. *Amphisbaena borelli*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/56039152/56039155> (accessed 3 July 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L.; Muñoz, A.; Venegas, P. & Aguilar, C. 2016d. *Proctoporus bolivianus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/48283526/48283530> (accessed 20 July 2020).
- Aguayo, R.; Aparicio, J.; Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Gonzales, L.; Kacolis, F.; Montero, R.; Muñoz, A.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2016e. *Stenocercus marmoratus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/178379/56372087> (accessed 7 July 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L.; Muñoz, A.; Williams, J.; Pelegrin, N.; Kacolis, F.; Fitzgerald, L.; Arzamendia, V.; Giraudo, A.; Montero, R. & Scrocchi, G. 2016f. *Phalotris sansebastiani*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/15181524/15181526> (accessed 1 August 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L. & Muñoz, A. 2016g. *Micrurus serranus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50952011/50952034> (accessed 16 August 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L. & Muñoz, A. 2016h. *Micrurus diana*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50951770/50951801> (accessed 14 August 2020).
- Aguayo, R.; Cisneros-Heredia, D.F.; Embert, D.; Aparicio, J.; Muñoz, A.; Valencia, J.; Gonzales, L. & Gagliardi, G. 2016i. *Micrurus narduccii*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/44581885/44581894> (accessed 15 August 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L. & Muñoz, A. 2016j. *Clelia langeri*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/203442/2765495> (accessed 8 August 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L. & Muñoz, A. 2016k. *Epictia undecimstriata*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50956425/50956436> (accessed 23 August 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L. & Muñoz, A. 2016l. *Eutrachelophis steinbachi*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50951630/50951646> (accessed 9 August 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L.; Muñoz, A.; Torres, C. & Suárez, J. 2016m. *Erythrolamprus andinus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50951560/50951579> (accessed 9 August 2020).
- Aguayo, R.; Embert, D. & Aparicio, J. 2017a. *Stenocercus prionotus*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/178615/51283412> (accessed 7 July 2020).
- Aguayo, R.; Muñoz, A.; Aparicio, J. & Langstroth, R. 2017b. *Liolaemus variegatus*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/50956576/50956581> (accessed 8 July 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L. & Muñoz, A. 2017c. *Tachymenis attenuata*. La Lista Roja de Especies Amenazadas de la UICN 2017. Available from: <https://www.iucnredlist.org/es/species/48617826/48617831> (accessed 9 August 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L. & Muñoz, A. 2017d. *Tropidurus xanthochilus*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/49845682/49845684> (accessed 12 July 2020).
- Aguayo, R.; Muñoz, A. & Gonzales, L. 2017e. *Aspronema cochabambae*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/>

- species/47102577/47102586 (accessed 14 July 2020).
- Aguayo, R.; Aparicio, J.; Arzamendia, V.; Embert, D.; Fitzgerald, L.; Giraudo, A.; Gonzales, L.; Kacoliris, F.; Montero, R.; Muñoz, A.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2017f. *Atractus bocki*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/56039334/56039339> (accessed 27 July 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L.; Muñoz, A. & Colli, G.R. 2019a. *Tropidurus callathelys*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/49845520/49845522> (accessed 11 July 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L.; Muñoz, A. & Venegas, P. 2019b. *Bothrocophias andianus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50956587/50956596> (accessed 16 August 2020).
- Aguayo, R.; Aparicio, J.; Arzamendia, V.; Embert, D.; Fitzgerald, L.; Giraudo, A.; Gonzales, L.; Kacoliris, F.; Montero, R.; Muñoz, A.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2019c. *Bothrops jonathani*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15203950/15203958> (accessed 16 August 2020).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L.; Muñoz, A.; Venegas, P. & Torres, C. 2020a. *Amphisbaena slateri*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/50956354/50956359> (accessed 29 November 2022).
- Aguayo, R.; Aparicio, J.; Muñoz, A.; Jiménez, O. & Langstroth, R. 2020b. *Liolaemus fittkaui*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/50956556/50956559> (accessed 1 December 2022).
- Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L. & Muñoz, A. 2021. *Bothrops sanctaecrucis*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/50952274/50952279> (accessed 4 December 2022).
- Aguilar, C.; Aguayo, R.; Aparicio, J.; Embert, D.; Gonzales, L.; Muñoz, A.; Ruiz de Gamboa, M. & Valladares, P. 2017. *Liolaemus signifer*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/178395/56381484> (accessed 44 July 2020).
- Aguilar-Kirigin, A.J. 2011a. *Iguana iguana* (Linnaeus 1758. (Squamata: Iguanidae). *Cuadernos de Herpetología*, 25: 25-26.
- Aguilar-Kirigin, A.J. 2011b. Revisión taxonómica y sistemática del género *Liolaemus* (Iguania: Liolaemidae. en el Altiplano y Valles Secos Interandinos del departamento de La Paz, Bolivia. Tesis de Licenciatura. Universidad Mayor de San Andrés. La Paz, Bolivia.
- Aguilar-Kirigin, A.J. 2012. Primer registro de *Plica plica* (Linnaeus, 1758. para el departamento de La Paz, Bolivia. Comentarios sobre la extensión de la distribución geográfica para *Plica umbra* (Linnaeus 1758., (Squamata: Tropiduridae). *Cuadernos de Herpetología*, 26: 61-62.
- Aguilar-Kirigin, A.J. 2020. Análisis para la Implementación del Vallado de Protección y Conducción para Minimizar el Atropellamiento en la Fauna Silvestre. Informe técnico para la Administradora Boliviana de Carreteras. China Harbour Engineering Company, Ltd. San Borja, Beni, Bolivia.
- Aguilar-Kirigin, A.J. 2021a. *Liolaemus forsteri*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 126-127.
- Aguilar-Kirigin, A.J. 2021b. *Liolaemus fittkaui*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 136-137.
- Aguilar-Kirigin, A.J. 2021c. *Liolaemus schmidtii*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds).. *Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2*. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 162-163.
- Aguilar-Kirigin, A.J. & Domic E. 2009. *Liolaemus forsteri*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 271-272.
- Aguilar-Kirigin, A.J. & Ocampo, M. 2011. Ampliación de la distribución de *Liolaemus chacoensis* (Shreve, 1948. (Iguania: Liolaemidae. en el Chaco Boliviano. *Kempffiana* 7: 38-40.
- Aguilar-Kirigin, A.J. & Abdala, C.S. 2016. Primer registro de *Liolaemus puritimensis* Núñez & Fox, 1989 para el sur de Bolivia (Reptilia, Squamata, Liolaemidae). *Cuadernos de Herpetología* 30: 45-47.
- Aguilar-Kirigin, A. & Abdala, C.S. 2021. *Liolaemus tajzara*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 148-149.
- Aguilar-Kirigin, A.J. & Langstroth, R. 2021a. *Liolaemus pantherinus*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 104-105.
- Aguilar-Kirigin, A.J. & Langstroth, R. 2021b. *Liolaemus lenzi*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. p. 216.
- Aguilar-Kirigin, A.J. & Quinteros, A.S. 2021a. *Liolaemus aparicioi*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 1. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 74-75.
- Aguilar-Kirigin, A.J. & Quinteros, A.S. 2021b. *Liolaemus variegatus*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.;

- Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 1. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 90-91.
- Aguilar-Kirigin, A.J.; Aparicio, J. & Ríos, J.N. 2013. Ampliación de la distribución geográfica de *Liolaemus variegatus* Laurent 1984 (Iguania: Liolaemidae. en Bolivia. *Cuadernos de Herpetología* 27: 77-79.
- Aguilar-Kirigin, A.J.; Abdala, C.S.; Aparicio, J. & Langstroth R. 2016. Primer registro de *Liolaemus pleopholis* Laurent, 1998 para Bolivia (Reptilia, Squamata, Liolaemidae). *Cuadernos de Herpetología* 30: 89-92.
- Aguilar-Kirigin, A.J.; Abdala, C.S. & Valladares, P. 2021a. *Liolaemus puritamensis*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 110-111.
- Aguilar-Kirigin, A.J.; Aparicio, J.; Langstroth, R.; Valladares, P. & Abdala, C.S. 2021b. Actualización taxonómica y avance en el conocimiento de *Liolaemus* Wiegmann 1834 (Iguania: Liolaemidae. en el Estado Plurinacional de Bolivia. *Cuadernos de Herpetología* 35: (Supl. 1., 101-110.
- Aguilar-Kirigin, A.J.; Quinteros, A.S. & Gutiérrez, R.C. 2021c. *Liolaemus alticolor*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 1. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 46-47.
- Aguilar-Puntriano, C.; Avila, L.J.; De la Riva, I.; Johnson, L.; Morando, M.; Troncoso-Palacios, J.; Wood, Jr P.L. & Sites, Jr J.W. 2018. The shadow of the past: convergence of young and old South American desert lizards as measured by head shape traits. *Ecology and Evolution* 8: 11399-11409.
- Albuquerque, N.R.D. 2008. Revisão taxonômica das subespécies de *Leptophis ahaetulla* (Linnaeus, 1758. (Serpentes, Colubridae). Tese de doutorado. Pontificia Universidade Católica do Rio Grande do Sul. Porto Alegre, Brasil.
- Albuquerque, N.R.D. & Lema, T. 2008. Taxonomic revision of the Neotropical water snake *Hydrops triangularis* (Serpentes, Colubridae). *Zootaxa* 1685: 55-66.
- Albuquerque, N.R.D. & Fernandes, D.S. 2022. Taxonomic revision of the parrot snake *Leptophis ahaetulla* (Serpentes, Colubridae). *Zootaxa* 5153: 001-069.
- Alderton, D. 1988. Turtles and tortoises of the world. Facts on File, New York.
- Almendáriz, A.; Aparicio, J.; Avila-Pires, T.C.S. & Pérez, P. 2019a. *Plica umbra*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44579859/44579870> (accessed 12 July 2020).
- Almendáriz, A.; Catenazzi, A.; Cisneros-Heredia, D.F.; Gagliardi, G.; Gonzales, L.; Nogueira, C.C.; Schargel, W. & Rivas, G. 2019b. *Imantodes lentiferus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15179176/15179185> (accessed 1 August 2020).
- Alonso, L.E.; Alonso, A.; Schulenberg, T.S. & Dallmeier, F. 2001. Biological and social assessments of the Cordillera de Vilcabamba, Peru. Conservation International, Washington, DC.
- Álvarez, B.B.; Céspedes, J.A.; Lions, M.L.; Hernando, A. & Aguirre, R. 1996. Herpetofauna de las provincias de Corrientes, Chaco y Formosa (Argentina). *Facena*, 12: 119-134.
- Amaral, A. 1923. New genera and species of snakes. *Proceedings of the New England Zoological Club* 8: 85-105.
- Amaral, A. 1925. A general consideration of snake poisoning and observations on neotropical pitvipers. *Contributions from the Harvard Institute for Tropical Biology & Medicine* 2: 1-64.
- Amaral, A. 1929. Estudo sobre ophidios neotropicos XX. Revisao do genero *Phrynonax* Cope, 1862. *Memórias do Instituto Butantan*, 4: 301-320.
- Amaral, A. 1930. Estudos sobre ophidios neotropicos XXII. Sobre a especie *Coluber dichrous* (Peters. Boulenger, 1894. *Memórias do Instituto Butantan*, 4: 333-337.
- Amaral, A. 1935. Estudos sobre ophidios neotropicos XXXIII. Novas especies de ophidios do Colombia. *Memórias do Instituto Butantan*, 9: 219-223.
- Amaral, A. 1936. Collecta herpetologica no centro do Brasil. *Memórias do Instituto Butantan* 9: 235-246.
- Amaral, A. 1950. Two new South American lizards. *Copeia* 4: 281-284.
- Andersson, L.G. 1899. Catalogue of Linnean type-specimens of snakes in the Royal Museum in Stockholm. [type catalogue] *Bihang till Konglika Svenska Vetenskaps-Akademiens. Handlingar*, 24: 1-34.
- Andersson, L.G. 1914. A new *Telmatobius* and new teiid lizards from South America. *Arkiv för Zoologi* 9: 1-12.
- Andersson, L.G. 1918. New lizards from South America. *Arkiv för Zoologi* 11: 1-10.
- Aparicio, J. 1992. Herpetofauna. In: Salm, H. & Marconi, M. Eds, Reserva Nacional Amazonica Manuripi-Heath. Programa de reestructuración (Fase II., PL-480, LIDEMA, CORDEPANDO. La Paz, pp. 113-119.
- Aparicio, J. 1999. Herpetofauna de la Reserva de Fauna Altoandina Ulla Ulla, Departamento de La Paz, Bolivia. *Revista Boliviana de Ecología en Bolivia y Conservación Ambiental* 5: 13-24.
- Aparicio, J. 2003. Reptiles y Anfibios Amenazados de Bolivia. 55-76pp. In: Flores, E. & Miranda, C. Eds., Fauna Amenazada de Bolivia ¿Animales sin futuro?. Ministerio de Desarrollo Sostenible. La Paz.
- Aparicio, J. 2012. Ecología de la Reproducción de *Liolaemus ornatus* en el Altiplano Central de Bolivia. Tesis de Licenciatura. Universidad Mayor de San Andrés. La Paz, Bolivia.
- Aparicio, J. 2014. Historia de la Herpetología en Bolivia, Parte I: Desde las Misiones Jesuíticas hasta 1982. Available from: http://www.mnhn.gob.bo/zoologia_mas3.php
- Aparicio, J. 2016a. *Liolaemus aparicioi*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50956547/50956550> (accessed 7 July 2020).
- Aparicio, J. 2016b. Historia de la Herpetología en Bolivia, Parte II: El Impulso Nacional y el rol de las instituciones científicas y académicas nacionales. Available from: http://www.mnhn.gob.bo/zoologia_mas3.php
- Aparicio, J. 2017. *Liolaemus forsteri*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/50956565/50956570> (accessed

- 8 July 2020).
- Aparicio, J. & Miranda-Calle, B. 2017. El reptil más extraño que vive en el Valle de La Paz (*Epictia albipuncta*). Available from: http://www.mnhn.gob.bo/econoticias_proc.php?Seleccion=323 (accessed 23 August 2020).
- Aparicio, J.; Ríos, J.N.; Pacheco, L. & Llobet, A. 2009. *Caiman latirostris*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 247-248.
- Aparicio, J.; Ocampo, M.; Aguilar-Kirigin, A.J.; Pacheco, L.F.; Miranda-Calle, A. & Villarreal, S. 2015. Reptiles del Valle de La Paz. In: Moya, M.I.; Meneses, R.I. & Sarmiento, J. Eds, Historia Natural de un Valle en los Andes: La Paz. Segunda edición. Museo Nacional de Historia Natural, La Paz, pp. 522-538.
- Aparicio, J.; Gonzales, L.; Aguayo, R.; Embert, D.; Muñoz, A. & Pelegrin, N. 2016. *Liolaemus chacoensis*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/56051966/56051972> (accessed 7 July 2020).
- Aparicio, J.; Embert, D. & Gonzales, L. 2017. *Potamites ocellatus*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/44578718/44578724> (accessed 19 July 2020).
- Aparicio, J.; Avila-Pires, T.C.S.; Gonzales, L.; Pérez, P.; Montero, R. & Nogueira, C.C. 2019a. *Amphisbaena steindachneri*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50956365/50956368> (accessed 4 July 2020).
- Aparicio, J.; Gonzales, L.; Avila-Pires, T.C.S.; Pérez, P.; Catenazzi, A. & Hoogmoed, M.S. 2019b. *Diploglossus fasciatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50956385/50956394> (accessed 4 July 2020).
- Aparicio, J.; Avila-Pires, T.C.S.; Moravec, J. & Pérez, P. 2019c. *Cercosaura eigenmanni*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44578488/44578496> (accessed 15 July 2020).
- Aparicio, J.; Cacciali, P.; Carreira, S.; Gonzales, L.; Kacoliris, F.; Montero, R.; Moravec, J.; Nogueira, C.C.; Pelegrin, N. & Scott, N. 2019d. *Tropidurus etheridgei*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/49845544/49845548> (accessed 11 July 2020).
- Aparicio, J.; Arzamendia, V.; Avila-Pires, T.C.S.; Fitzgerald, L.; Giraudo, A.; Kacoliris, F.; Montero, R.; Moravec, J.; Pelegrin, N.; Pérez, P.; Scrocchi, G. & Williams, J. 2019e. *Cercosaura parkeri*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44578545/44578553> (accessed 16 July 2020).
- Aparicio, J.; Avila-Pires, T.C.S.; Moravec, J.; Nogueira, C.C. & Pérez, P. 2019f. *Bachia dorbignyi*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/48279951/63715666> (accessed 12 July 2020).
- Aparicio, J.; Avila-Pires, T.C.S.; Moravec, J. & Pérez, P. 2019g. *Bachia trisanale*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/178683/44956726> (accessed 13 July 2020).
- Aparicio, J.; Arzamendia, V.; Avila-Pires, T.C.S.; Fitzgerald, L.; Giraudo, A.; Kacoliris, F.; Montero, R.; Moravec, J.; Nogueira, C.C.; Pelegrin, N.; Pérez, P.; Scrocchi, G. & Williams, J. 2019h. *Stenocercus caducus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50950758/50950764> (accessed 7 July 2020).
- Aparicio, J.; Avila-Pires, T.C.S. & Perez, P. 2020. *Anolis tandai*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/48279813/48279862> (accessed 29 November 2022).
- Aparicio, J.; Avila-Pires, T.C.S.; Nogueira, C. de C. & Moravec, J. 2021a. *Thamnodynastes lanei*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/species/15183119/15183122> (accessed 29 November 2022).
- Aparicio, J.; Ocampo, M.; Aguilar-Kirigin, A.J.; Miranda-Calle, A.B.; Ríos-Ríos, J.N. & Paredes-Rodríguez, M.A. 2021b. Reptiles y Anfibios de Sara Ana. In: Ripa Landajo, M.R. & Naoki, K. Eds). Historia Natural de Sara Ana: Estación Experimental Agroecológica de Alto Beni, Bolivia. Plural Editores. La Paz, Bolivia. pp. 249-269.
- Apaza Coca, K.S. 2011. Distribución potencial de una lagartija endémica *Liolaemus* sp. nov. Frente al cambio de cobertura uso del suelo en el valle de La Paz, Bolivia. Tesis de Maestría. Universidad Mayor de San Simón. Cochabamba, Bolivia.
- Arredondo, J.C. 2011. Revisão taxonômica do complexo *Philodryas olfersii* (Lichtenstein 1823. (Serpentes: Dipsadidae). Unpublished Masters Thesis. Instituto de Biociências, São Paulo.
- Arredondo, J.C.; Bolívar, W.; Gagliardi, G.; Nogueira, C.C.; Schargel, W. & Rivas, G. 2019a. *Atractus torquatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44581342/44581351> (accessed 27 July 2020).
- Arredondo, J.C.; Castañeda, M.R.; Cisneros-Heredia, D.F.; Velasco, J.; Gagliardi, G.; Nogueira, C.C.; Schargel, W. & Rivas, G. 2019b. *Dipsas indica*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15177300/15177305> (accessed 27 July 2020).
- Arredondo, J.C.; Castañeda, M.R.; Bolívar, W.; Gonzales, L.; Catenazzi, A.; Silveira, A.L.; Prudente, A.L.C.; Abrahão, C.R.; Argôlo, A.J.S.; Nogueira, C.C.; Barbo, F.E.; Costa, G.C.; Pontes, G.M.F.; Colli, G.R.; Zaher, H.; Borges-Martins, M.; Martins, M.R.C.; Oliveira, M.E.; Passos, P.; Bérnills, R.S.; Sawaya, R.J.; Cechin, C.T.Z. & Costa, T.B.G. da 2019c. *Atractus latifrons*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15158400/15158409> (accessed 27 July 2020).
- Arredondo, J.C.; Castañeda, M.R.; Cisneros-Heredia, D.F.; Velasco, J.; Hoogmoed, M.S.; Nogueira, C.C.; Schargel, W.; Rivas, G. & Martins, M.R.C. 2019d. *Anilius scytale*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/167047/15204086> (accessed 17 August 2020).
- Arredondo, J.C.; Grazziotin, F.G.; Scrocchi Manfrini, G.J.; Rodrigues, M.T.U.; Bonatto, S.L.; & Zaher, H. 2020. Molecular phylogeny of the tribe Philodryadini Cope, 1886 (Dipsadidae: Xenodontinae): Rediscovering the diversity of the South American Racers. *Papéis Avulsos De Zoologia*, 60: e20206053.
- Arteaga, A.; Salazar-Valenzuela, D.; Mebert, K.; Peñaflor, N.; Aguiar, G.; Sánchez-Nivicela, J.C.; Pyron, R.A.; Colston, T.J.;

- Cisneros-Heredia, D.F.; Yáñez-Muñoz, M.H.; Venegas, P.J.; Guayasamin, J.M. & Torres-Carvajal, O. 2018. Systematics of South American snail-eating snakes (Serpentes, Dipsadinae), with the description of five new species from Ecuador and Peru. *ZooKeys* 766: 79-147.
- Arzamendia, V. 1999. Geographic distribution. *Philodryas baroni*. *Herpetological Review* 30: 55.
- Arzamendia, V. & Avila, L. 2019. *Lygophis meridionalis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/190554/61324889> (accessed 10 August 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Montero, R.; Williams, J.; Kacolis, F.; Pelegrin, N. & Scrocchi, G. 2016a. *Amphisbaena bolivica*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/56039143/56039146> (accessed 3 July 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2016b. *Amphisbaena heterozonata*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/56039161/56039164> (accessed 4 July 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2016c. *Ophiodes intermedius*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/56039279/56039282> (accessed 26 July 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G.; Williams, J. & Gonzales, L. 2016d. *Ameivula abalosi*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50011707/50011709> (accessed 18 July 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Scrocchi, G. & Williams, J. 2016e. *Erythrolamprus sagittifer*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/56039393/56039402> (accessed 10 August 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2016f. *Phimophis vittatus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/203562/2768467> (accessed 9 August 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2017. *Erythrolamprus ceii*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/176832/61318857> (accessed 9 August 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2019a. *Epictia striatula*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50956507/50956513> (accessed 23 August 2020).
- Arzamendia, V.; Giraudo, A.; Scott, N. & Scrocchi, G. 2019b. *Dipsas lavillai*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/48617604/48617606> (accessed 28 July 2020).
- Arzamendia, V.; Caicedo, J.R.; Daza, J.; Fitzgerald, L.; França, E.G.R.; Giraudo, A.; Gutiérrez-Cárdenas, P.; Kacolis, F.; Montero, R.; Pelegrin, N.; Renjifo, J.; Rivas, G.; Scrocchi, G.; Williams, J.; Nogueira, C.C.; Gagliardi, G.; Catenazzi, A.; Gonzales, L. & Murphy, J. 2019c. *Leptodeira annulata*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/197497/2490787> (accessed 1 August 2020).
- Arzamendia, V.; Catenazzi, A.; Chaves, G.; Fitzgerald, L.; Gagliardi, G.; Giraudo, A.; Gonzales, L.; Gutiérrez-Cárdenas, P.; Köhler, G.; Nogueira, C.C.; Renjifo, J.; Rivas, G.; Scrocchi, G.; Solórzano, A.; Williams, J. & Murphy, J. 2019d. *Imantodes cenchoa*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/197491/2489923> (accessed 31 July 2020).
- Arzamendia, V.; Caicedo, J.R.; Fitzgerald, L.; Giraudo, A.; Gutiérrez-Cárdenas, P.; Kacolis, F.; Montero, R.; Pelegrin, N.; Rivas, G.; Scrocchi, G.; Williams, J.; Gonzales, L.; Nogueira, C.C.; Gagliardi, G.; Cisneros-Heredia, D.F.; Catenazzi, A.; Valencia, J. & Murphy, J. 2019e. *Spilotes pullatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/190633/1955620> (accessed 26 July 2020).
- Arzamendia, V.; Giraudo, A.; Scott, N. & Scrocchi, G. 2019f. *Philodryas patagoniensis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15182036/15182048> (accessed 18 August 2020).
- Arzamendia, V.; Giraudo, A.; Scott, N.; Scrocchi, G. & Embert, D. 2019g. *Philodryas psammophidea*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/177437/61320017> (accessed 18 August 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Williams, J. & Scrocchi, G. 2019h. *Boiruna maculata*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15158518/15158527> (accessed 5 August 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Montero, R. & Williams, J. 2019i. *Oxyrhopus rhombifer*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15179513/15179518> (accessed 9 August 2020).
- Arzamendia, V.; Giraudo, A.; Scott, N. & Scrocchi, G. 2019j. *Psomophis genimaculatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15182322/15182328> (accessed 9 August 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2019k. *Thamnodynastes chaquensis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/49845698/49845700> (accessed 22 September 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scrocchi, G. & Williams, J. 2019l. *Erythrolamprus albertguentheri*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50955421/50955434> (accessed 9 August 2020).
- Arzamendia, V.; Catenazzi, A.; Fitzgerald, L.; Gagliardi, G.; Giraudo, A.; Gonzales, L.; Hladki, A.I.; Nogueira, C.C.; Ramírez Pinilla, M.; Renjifo, J.; Scrocchi, G.; Urbina, N.; Williams, J.; Schargel, W.; Rivas, G. & Murphy, J. 2019m. *Erythrolamprus reginae*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44581723/44581732> (accessed 10 August 2020).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Scrocchi, G. & Williams, J. 2019n. *Lygophis flavifrenatus*. The IUCN Red

- List of Threatened Species 2019: e.T190552A61324884. <https://dx.doi.org/10.2305/IUCN.UK.2019-3.RLTS.T190552A61324884.en>. (accessed 13 July 2025).
- Arzamendia, V.; Fitzgerald, L.; Giraudo, A.; Montero, R. & Williams, J. 2019o. *Thamnodynastes hypoconia*. The IUCN Red List of Threatened Species 2019: e.T15183091A15183105. <https://dx.doi.org/10.2305/IUCN.UK.2019-3.RLTS.T15183091A15183105.en>. (accessed 13 July 2025).
- Arzamendia, V.; Cisneros-Heredia, D.F.; Fitzgerald, L.; Flores-Villela, O.; Gagliardi, G.; Giraudo, A.; Hladki, A.I.; Köhler, G.; Lee, J.; Nogueira, C. de C.; Ramírez Pinilla, M.; Renjifo, J.; Scrocchi, G.; Urbina, N.; Williams, J.; Wilson, L.D. & Murphy, J. 2021a. *Boa constrictor*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/197462/2486405> (accessed 3 December 2020).
- Arzamendia, V.; Fitzgerald, L.; Scrocchi, G.; Giraudo, A.; Williams, J.; Silveira, A.L.; Prudente, A.L. da C.; Argôlo, A.J.S.; Abrahão, C.R.; Nogueira, C. de C.; Barbo, F.E.; Costa, G.C.; Pontes, G.M.F.; Colli, G.R.; Zaher, H. el D.; Borges-Martins, M.; Martins, M.R.C.; Oliveira, M.E.; Passos, P.G.H.; Bérnils, R.S.; Sawaya, R.J.; Cechin, C.T.Z & Guedes da Costa, T.B. 2021b. *Epicrates crassus*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/15154897/15155053> (accessed 3 December 2022).
- Ascenso, A.C. & Missassi, A.F.R. 2015. Geographic Distribution: *Imantodes lentiferus* (blunt-headed tree snake. *Herpetological Review* 46: 386.
- Ascenso, A.C.; Costa, J.C.L. & Prudente, A.L.C. 2019. Taxonomic revision of the *Erythrolamprus reginae* species group, with description of a new species from Guiana Shield (Serpentes: Xenodontinae). *Zootaxa* 4586: 065-097.
- Atkinson, K.; Smith, P.; Sarvary, J. & Matthews, A. 2017. New and noteworthy snake species records (Colubridae and Dipsadidae) for the Reserva Natural Laguna Blanca, eastern Paraguay. *Check List* 13:1-5.
- Auguste, R.J. 2019. Herpetofaunal checklist for six pilot protected areas in Trinidad and Tobago. *Herpetology Notes* 12: 577-585.
- Avila, L.J. & Abdala, S. 2016. *Liolaemus dorbignyi*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/56057897/56057906> (accessed 5 March 2022).
- Avila, L.J.; Montero, R.; Morando, M.; Tedesco, M.E.; Acosta, J.C.; Federico, L.; Lobo, F. & Vega, L. 2000. Categorización de las lagartijas y anfisbenas de Argentina. In: Lavilla, E.O.; Richard, E. & Scrocchi, G.J. Eds, Categorización de los anfibios y reptiles de la República Argentina. Asociación Herpetológica Argentina, Tucumán, pp. 51-74.
- Avila, L.J.; Morando, M. & Sites Jr.; J.W. 2006. Congeneric phylogeography hypothesizing species limits and evolutionary processes in Patagonian lizards of the *Liolaemus boulengeri* group (Squamata: Liolaemini) *Biological Journal of the Linnean Society* 89: 241-275.
- Avila, L.J.; Martinez, L.E. & Morando, M. 2010. *Lista de las lagartijas y anfisbaenas de Argentina: una actualización*. Centro Nacional Patagónico CENPAT-CONICET. Puerto Madryn, Chubut, Argentina. 26 pp.
- Avila, L.J.; Martinez, L.E. & Morando, M. 2013. Checklist of lizards and amphisbaenians of Argentina: an update. *Zootaxa* 3616: 201-238.
- Avila, L.J. & Abdala, S. 2020. *Liolaemus pantherinus* (amended version of 2016 assessment). The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/56077811/188136679> (accessed 4 December 2022).
- Avila-Pires, T.C.S. 1995. Lizards of Brazilian Amazonia (Reptilia: Squamata). *Zoologische Verhandelingen* 299: 1-706.
- Avila-Pires, T.C.S. 2005. Reptiles. In: Hollowell, T. & Reynolds, R.P. Eds, Checklist of the Terrestrial Vertebrates of the Guiana Shield. Biological Society of Washington, Washington, D.C.; U.S.A.; pp. 22-40.
- Avila-Pires, T.C.S. & Hoogmoed, M.S. 2000. On two new species of *Pseudogonatodes* Ruthven, 1915 (Reptilia: Squamata: Gekkonidae), with remarks on the distribution of some other sphaerodactyl lizards. *Zoologische Mededelingen* 73: 209-223.
- Avila-Pires, T.C.S.; Hoogmoed, M.S. & Vitt, L.J. 2007. Herpetofauna da Amazônia. *Herpetologia no Brasil*, pp. 13-43
- Avila-Pires, T.C.S.; Mulcahy, D.G.; Werneck, F.P. & Sites, J.W. 2012. Phylogeography of the Teiid Lizard *Kentropyx calcarata* and the Sphaerodactylid *Gonatodes humeralis* (Reptilia: Squamata): Testing A Geological Scenario for the Lower Amazon-Tocantins Basins, Amazonia, Brazil. *Herpetologica* 68: 272-287.
- Avila-Pires, T.C.S.; Alves-Silva, K.R.; Barbosa, L.; Correa, F.S.; Cosenza, J.F.A.; Costa-Rodrigues, A.P.V.; Cronemberger, A.A.; Hoogmoed, M.S.; Lima-Filho, G.R.; Maciel, A.O.; Missassi, A.F.R. & Lywouty R.S. 2018. Changes in Amphibian and Reptile Diversity Over Time in Parque Estadual do Utinga, a Protected Area Surrounded by Urbanization. *Herpetology Notes* 11: 499-512.
- Avila-Pires, T.C.S.; Pérez, P.; Moravec, J. & Aparicio, J. 2019a. *Enyaliodes palpebralis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44578956/44578974> (accessed 5 July 2020).
- Avila-Pires, T.C.S.; Caicedo, J.; Cisneros-Heredia, D.F.; Gutiérrez-Cárdenas, P.; Pérez, P. & Rivas, G. 2019b. *Thecadactylus solimoensis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/190507/44957121> (accessed 5 July 2020).
- Avila-Pires, T.C.S.; Cisneros-Heredia, D.F. & Pérez, P. 2019c. *Polychrus liogaster*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203163/2761318> (accessed 7 July 2020).
- Avila-Pires, T.C.S.; Aparicio, J.; Moravec, J.; Pérez, J. & Almendáriz, A. 2019d. *Stenocercus fimbriatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/29364/68002267> (accessed 9 July 2020).
- Avila-Pires, T.C.S.; Aparicio, J.; Moravec, J.; Pérez, P.; Daza, J. & Cisneros-Heredia, D.F. 2019e. *Uracentron flaviceps*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44579982/44579991> (accessed 12 July 2020).
- Avila-Pires, T.C.S.; Aparicio, J.; Hoogmoed, M.S.; Moravec, J. & Pérez, P. 2020. *Plica plica*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/44579844/44579853> (accessed 1 December 2022).
- Ayala, S.C. 1986. Saurios de Colombia: Lista actualizada, y distribución de ejemplares colombianos en los museos. *Caldasia* 15: 555-575.

- Ayala-Varela, F. 2004. Revisión taxonómica y de variación geográfica de las especies de *Anolis* (Sauria: Polychrotidae) del oriente ecuatoriano. Tesis de Licenciatura. Pontificia Universidad Católica del Ecuador. Escuela de Biología. Quito, Ecuador.
- Ayala-Varela, F. & Carvajal-Campos, A. 2019. *Anolis punctatus*. In: Torres-Carvajal, O.; Pazmiño-Otamendi, G. & Salazar-Valenzuela, D. Eds, Reptiles del Ecuador. Version 2019.0. Museo de Zoología, Pontificia Universidad Católica del Ecuador. Available from: <https://bioweb.bio/faunaweb/reptiliaweb/FichaEspecie/Anolis%20punctatus> (accessed 5 July 2020).
- Bailey, J.R. 1955. The snakes of the genus *Chironius* in southeastern South America. *Occasional Papers of the Museum of Zoology, University of Michigan* 571: 1-21.
- Bailey, J.R. 1962. *Lystrophis* Cope, 1885 (Reptilia): Proposed validation under the plenary powers. z.n.s.1484. *Bulletin of Zoological Nomenclature* 19: 164-169.
- Bailey, J.R. 1970a. *Oxyrhopus*. In: Peters, J. & B. Orejas-Miranda, B. Eds, Catalogue of the Neotropical Squamata: Part I, Snakes. Bulletin of U. S. National Museum, pp. 229-235.
- Bailey, J.R. 1970b. *Phimophis*. In: Peters, J. & Orejas-Miranda, B. Eds, Catalogue of the Neotropical Squamata: Part I, Snakes. Bulletin of U. S. National Museum, 246 pp.
- Bailey, J.R. 1970c. *Pseudoboa*. In: Peters, J. & Orejas-Miranda, B. Eds, Catalogue of the Neotropical Squamata: Part I, Snakes. Bulletin of U. S. National Museum, pp. 253-254.
- Bailey, J.R.; Thomas, R.A. & Silva Jr.; N.J. da. 2005. A revision of the South American snake genus *Thamnodynastes* Wagler, 1830 (Serpentes, Colubridae, Tachymenini). Two new species of *Thamnodynastes* from central Brazil and adjacent areas, with redefinition and neotype designation for *Thamnodynastes pallidus* (Linnaeus, 1758). *Phyllomedusa* 4: 83-101.
- Baird, S.F. & Girard, C. 1853. Catalogue of North American Reptiles in the Museum of the Smithsonian Institution. Part I. Serpents. Smithsonian Institution, Washington, xvi + 172 pp.
- Balaguera-Reina, S.A. & Velasco, A. 2019. Caiman crocodilus. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/46584/3009688> (accessed 06 February 2022).
- Baldo, D.; Martínez, P.; Boeris, J.M. & Giraudo, A. 2007. Notes on geographic distribution: Reptilia, Chelonii, Chelidae, *Phrynops geoffroanus* Schweigger, 1812 and *Mesoclemmys vanderhaegei* (Bour, 1973): Distribution extension, new country record, and new province records in Argentinian. *Check List* 3: 348-352.
- Barbour, T. 1909. Some new South American cold-blooded vertebrates. *Proceedings of the New England Zoological Club* 4: 47-52.
- Barbour, T. 1934. The Anoles. II. The mainland species from Mexico southward. *Bulletin of the Museum of Comparative Zoology* 77: 121-155.
- Barbour, T. & Cole, L.J. 1906. Vertebrata from Yucatan. Reptilia, Amphibia and Pisces. *Bulletin of the Museum of Comparative Zoology* 50: 146-159.
- Barreto, D.S.; Valadão, R.M.; Nogueira, C.C.; Castro, C.P.; Ferreira, V.L. & Strüssmann, C. 2012. New locality records, geographical distribution, and morphological variation in *Cercosaura parkeri* (Ruíbal, 1952. (Squamata: Gymnophthalmidae) from western Brazil. *Check List* 8: 1365-1369.
- Barrio-Amorós, C.L. 2019. On the taxonomy of snakes in the genus *Leptodeira*, with an emphasis on Costa Rican species. *Reptiles & Amphibians* 26: 1-15.
- Barrio-Amorós, C.L. & Brewer-Carias, C. 2008. Herpetological results of the 2002 expedition to Sarisari-ama, a tepui in Venezuelan Guayana, with the description of five new species. *Zootaxa* 1942: 1-68.
- Baudoin, M.J. & Pacheco, L.F. 1991. *Reptiles*. In: Forno, E. & Baudoin, M. Eds, Historia Natural de un Valle en Los Andes: La Paz. Instituto de Ecología, Universidad Mayor de San Andrés. La Paz, Bolivia. pp. 421-452.
- Bauer, A.M. 2013. Geckos: The Animal Answer Guide. Johns Hopkins University Press, 159 pp.
- Bauer, A.M.; Lang, M. & Günther, R. 1994. An Annotated Type Catalogue of the Pygopods, Xantusiids, Gerrhosaurids and Cordylids (Reptilia: Squamata: Pygopodidae, Xantusiidae, Gerrhosauridae and Cordylidae) in the Collection of the Zoological Museum, Berlin. *Mitteilungen aus dem Zoologischen Museum in Berlin* 70: 85-92.
- Bauer, A.M.; Günther, R. & Klipfel, M. 1995. The herpetological contributions of Wilhelm C.H. Peters (1815-1883). SSAR Facsimile Reprints in Herpetology, 714 pp.
- Beebe, W. 1919. Higher vertebrates of British Guiana, with special reference to the fauna of Bartica District. *Zoologica* 2: 205-238.
- Beebe, W. 1946. Field notes on the snakes of Kartabo, British Guiana, and Caripito, Venezuela. *Zoologica* 31: 11-52.
- Bell, T. 1833. [Descriptions of] two reptiles [and] the types of two genera hitherto undescribed. Characters of two new genera of reptiles. *Proceedings of the Zoological Society of London* 1833: 98-99.
- Bell, T. 1836. A monograph of the Testudinata. London, xxiv + 82 unnumbered pages, 40 pl.
- Berg, C. 1895. Dos reptiles nuevos descritos. *Anales del Museo Nacional de Buenos Aires* 4: 189-194.
- Bergmann, P.J. & Russell, A.P. 2007. Systematics and biogeography of the widespread Neotropical gekkonid genus *Thecadactylus* (Squamata), with the description of a new cryptic species. *Zoological Journal of the Linnean Society* 149: 339-370.
- Bergna, S. & Alvarez, B. 1993. Descripción de una nueva especie de *Thamnodynastes* (Reptilia: Serpentes, Colubridae) del Nordeste Argentino. *Facena* 10: 5-18.
- Bernal, R. & Dubois, A. 2023. *Chironius scurrula*, the correct nomen for *Chironius scurrulus* (Squamata, Serpentes, Colubridae), with a list of the correct spellings of specific epithets currently in use in this genus. *Bionomina*, 34: 035-044.
- Bernarde, P.S. 2016. Predation on the lizard *Pantodactylus parkeri* Ruibal, 1952 (Squamata: Gymnophthalmidae) by *Guira guira* (Aves, Cuculidae) in the Pantanal at Pocone, Western Brazil. *Herpetology Notes* 9: 279-281.
- Bernarde, P.S. & Abe, A.S. 2006. A snake community at Espigão do Oeste, Rondônia, Southwestern Amazon, Brazil. *South American Journal of Herpetology* 1: 102-113.
- Bernarde, P.S.; Machado, R.A. & Turci, L.C.B. 2011. Herpetofauna da área do Igarapé Esperança na Reserva Extrativista Riozinho da Liberdade, Acre, Brasil. *Biota Neotropica* 11: 117-144.
- Bernarde, P.S.; Albuquerque, S.; Barros, T.O. & Turci, L.C.B. 2012. Serpentes do Estado de Rondônia, Brasil. *Biota*

- Neotropica* 12: 1-29.
- Bernarde, P.S.; Turci, L.C.B.; Abegg, A.D. & Franco, F.L. 2018. A remarkable new species of coralsnake of the *Micrurus hemprichii* species group from the Brazilian Amazon. *Salamandra* 54: 249-258.
- Bérnils, R.S.; Batista, M.A. & Bertelli, P.W. 2001. Cobras e lagartos do Vale: levantamento das espécies de Squamata (Reptilia, Lepidosauria) da Bacia do Rio Itajai, Santa Catarina, Brasil. *Revista de Estudos Ambientais* 3: 69-79.
- Bérnils, R.S.; Giraudo, A.R.; Carreira, S. & Cechin, S.Z. 2007. Répteis das porções subtropical e temperada da Região Neotropical. *Ciência & Ambiente* 35: 101-136.
- Bertoni, A.W. 1914. Catálogos sistemáticos de los vertebrados del Paraguay: reptiles y batracios. *Descripción Física y Económica del Paraguay* 59: 1-86.
- Blanco-Torres, A.; Baéz, L.S.; Patiño-Flores, E. & Renjifo, J.M. 2013. Herpetofauna from the middle valley of the Ranchería river, La Guajira, Colombia. *Revista Biodiversidad Neotropical* 3: 113-22.
- Bock, B.; Malone, C.L.; Knapp, C.; Aparicio, J.; Avila-Pires, T.C.S.; Cacciali, P.; Caicedo, J.R.; Chaves, G.; Cisneros-Heredia, D.F.; Gutiérrez-Cárdenas, P.; Lamar, W.; Moravec, J.; Pérez, P.; Porras, L.W.; Rivas, G.; Scott, N.; Solórzano, A. & Sunyer, J. 2018. *Iguana iguana*. The IUCN Red List of Threatened Species 2018. Available from: <https://www.iucnredlist.org/es/species/174481/174437922> (accessed 5 July 2020).
- Bocourt, F. 1876. Note sur quelques reptiles de l'Isthme de Tehuantepec (Mexique). donnés par M. Sumichrast au museum. *Journal de Zoologie* 5: 386-411.
- Boettger, O. 1888. Beitrag zur Reptilfauna des oberen Beni in Bolivia. *Bericht über die Senckenbergische Naturforschende Gesellschaft in Frankfurt am Main* 1888: 191-199.
- Boettger, O. 1891. Reptilien und Batrachier aus Bolivia. *Zoologische Anzeiger* 14: 343-347.
- Boettger, O. 1893. Katalog der Reptilien-Sammlung im Museum der Senckenbergischen Naturforschenden Gesellschaft in Frankfurt am Main. I. Teil (Rhynchocephalen, Schildkröten, Krokodile, Eidechsen, Chamäleons). [type catalogue] Gebrüder Knauer, Frankfurt, x + 140 pp.
- Boie, F. 1827. Bemerkungen über Merrem's Versuch eines Systems der Amphibien, 1. Lieferung: Ophidier. *Isis van Oken* 20: 508-566.
- Bolívar, W.; Castañeda, M.R.; Cisneros-Heredia, D.F.; Velasco, J.; Nogueira, C.C.; Catenazzi, A.; Gagliardi, G. & Gonzales, L. 2019. *Drepanoides anomalus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15177369/15177399> (accessed 8 August 2020).
- Bonin, F.; Devaux, B. & Dupré, A. 2006. Turtles of the World. English translation by P.C.H. Pritchard. Johns Hopkins University Press, 416 pp.
- Bons, J. & Pasteur, G. 1977. *Comptes rendus de l'Académie des sciences* 28: 2547.
- Boos, H.E.A. 2001. The snakes of Trinidad and Tobago. Texas A&M University Press, 270 pp.
- Boulenger, G.A. 1883. Description of a new species of lizard of the genus *Enyalius*. *Proceedings of the Zoological Society of London* 51: 46-58.
- Boulenger, G.A. 1885. Catalogue of the Lizards in the British Museum (Natural History). Volume II. Iguanidae, Xenosauridae, Zonuridae, Anguidae, Anellidae, Helodermatidae, Varanidae, Xantusiidae, Teiidae. Order of the Trustees. London, UK.
- Boulenger, G.A. 1886. A synopsis of the reptiles and batrachians of the province Rio Grande do Sul, Brazil. *Annals & Magazine of Natural History* 5: 423-445.
- Boulenger, G.A. 1889. Catalogue of the chelonians, rhynchocephalians, and crocodiles in the British Museum (Natural History). British Museum, London, 311 pp.
- Boulenger, G.A. 1893. Catalogue of the snakes in the British Museum (Natural History), Volumen I, London, 448 pp.
- Boulenger, G.A. 1896. Catalogue of the snakes in the British Museum (Natural History), Volume III, London, xiv + 727 pp.
- Boulenger, G.A. 1905. Descriptions of new snakes in the collection of the British Museum. *Annals & Magazine of Natural History* 7: 453-456.
- Boulenger, G.A. 1907. Descriptions of new lizards in the British Museum. *Annals & Magazine of Natural History* 7: 486-489.
- Boulenger, G.A. 1908. Descriptions of new South-American reptiles. *Annals & Magazine of Natural History* 8: 111-115.
- Boulenger, G.A. 1912. Descriptions of new reptiles from the Andes of South America, preserved in the British Museum. *Annals & Magazine of Natural History* 8: 420-424.
- Bour, R. 1973. Contribution a la connaissance de *Phrynops nasutus* (Schweigger, 1812. et *Phrynops tuberculatus* (Luederwaldt, 1926). Description d'une nouvelle sous-espèce originaire du Paraguay, *Phrynops tuberculatus vanderhaegei* (Testudinata - Pleurodira - Chelidae). *Bulletin de la Société zoologique de France* 98: 175-190.
- Bour, R. & Pauler, I. 1987. Identité de *Phrynops vanderhaegei* Bour 1973 et des espèces affines. *Mésogée* 47: 3-23.
- Bour, R. & Zaher, H. 2005. A new species of Mesoclemmys, from the open formations of northeastern Brazil (Chelonii, Chelidae). *Papéis Avulsos de Zoologia* 45: 295-311.
- Brazil, V. 1911. *A defesa contra o ophidiosmo*. São Paulo: Pocai & Weiss, 152 pp.
- Brizio, M.V. & Avila, L.J. 2019. *Philodryas patagoniensis* (Patagonian Green Racer). Predation. *Herpetological Review* 50: 398.
- Brongersma, L.D. 1937. Herpetological Notes XIV - XVI. XV. The type of *Dipsas dieperinkii* Schlegel, 1837, and the genus *Pseustes* Fitzinger, 1843. *Zoologische Mededelingen* 20: 1-10.
- Brühl, C.B. 1874. Zootomie aller Thierklassen für Lernende, nach Autopsien, skizzirt. Bd. 1-4. Alfred Hölder, Wien: Bd. 1, 86 pp.; Bd. 2, 90 pp.; Bd. 3, 114 pp.; Bd. 4, 152 pp.
- Bulacios Arroyo, A.L. 2021. *Liolaemus cranwelli*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 287.
- Burgos-Gallardo, F.; Baldo, J.L.; Vilte, A. & Scrocchi, G. 2017. *Apostolepis multicincta* Harvey 1999 (Squamata, Dipsadidae) in Argentina. *Check List* 13(6): 913-916. <https://doi.org/10.15560/13.6.913>
- Burgos-Gallardo, F. & Harvey, M. 2019. *Aspronema cochabambae* (Squamata: Lacertilia: Scincidae): its discovery in Argentina, morphological variation and extent of suitable habitat. *Salamandra* 55: 135-139.
- Burmeister, H. 1861. Reise durch die La Plata Staaten mit besonderer Rücksicht auf die physische Beschaffenheit

- und den Culturzustand der Argentinischen Republik. Ausgeführt in den Jahren 1857, 1858, 1859 und 1860. Halle, H.W. Schmidt, v.2, iv + 538 pp.
- Burt, C.E. 1931. A study of the teiid lizards of the genus *Cnemidophorus* with special reference to their phylogenetic relationships. *Bulletin of the United States National*, 154, 286 pp.
- Burt, C.E. & Burt, M.D. 1930. South American lizards in the collection of the United States National Museum. *Proceedings of the United States National Museum* 78: 1-51.
- Burt, C.E. & Burt, M.D. 1931. South American lizards in the collection of the American Museum of Natural History. *Bulletin of the American Museum of Natural History* 61: 227-395.
- Cabrera, M.R. 2009. Lagartos del centro de la Argentina. Taller General de Imprenta, Córdoba, Argentina, 120 pp.
- Cabrera, M.R. 2012. A new species of *Cnemidophorus* (Squamata, Teiidae) from the South American Chaco. *The Herpetological Journal* 22: 123-131.
- Cacciali, P. 2006. Las serpientes caracolas (Colubridae: Dipsadini) de Paraguay. *Revista Española de Herpetología* 20: 71-86.
- Cacciali, P. 2010. Distribución y afinidades biogeográficas de la familia Gymnophthalmidae de Paraguay. *Reportes Científicos de la FACEN* 1: 10-19.
- Cacciali, P. 2019. *Dipsas turgida*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15182460/15182475> (accessed 28 July 2020).
- Cacciali, P. & Köhler, G. 2018. Diversity of *Tropidurus* (Squamata: Tropiduridae) in Paraguay—an integrative taxonomic approach based on morphological and molecular genetic evidence. *Zootaxa* 4375: 511-536.
- Cacciali, P. & Scott, N. 2019a. *Chironius quadricarinatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44580154/44580162> (accessed 20 July 2020).
- Cacciali, P. & Scott, N. 2019b. *Apostolepis ambiniger*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15155600/15155652> (accessed 28 July 2020).
- Cacciali, P. & Scott, N. 2019c. *Lygodactylus wetzeli*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/63488607/63488619> (accessed 4 July 2020).
- Cacciali, P. & Scott, N. 2019d. *Bothrops pauloensis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15203510/15203530> (accessed 16 August 2020).
- Cacciali, P.; Scott, N.; Aquino-Ortiz, A.L.; Fitzgerald, L.A. & Smith, P. 2016a. The Reptiles of Paraguay: Literature, Distribution, and an Annotated Taxonomic Checklist. *Special Publication of the Museum of Southwestern Biology* 11: 1-373.
- Cacciali, P.; Carreira, S.; Kacolis, F.; Montero, R.; Pelegrin, N.; Moravec, J.; Lehr, E.; Gonzales, L. & Aparicio, J. 2016b. *Proctoporus xestus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/48283802/48283833> (accessed 20 July 2020).
- Cacciali, P.; Carreira, S.; Kacolis, F.; Montero, R. & Pelegrin, N. 2016c. *Tropidurus spinulosus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/49845666/49845674> (accessed 12 July 2020).
- Cacciali, P.; Kacolis, F.; Montero, R.; Pelegrin, N.; Moravec, J.; Aparicio, J. & Gonzales, L. 2016d. *Teius teyou*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50012977/50012986> (accessed 19 July 2020).
- Cacciali, P.; Morando, M.; Köhler, G. & Avila, L. 2016e. On the distribution of the genus *Teius Merrem*, 1820 (Reptilia: Squamata: Teiidae). *Zootaxa* 4136: 491-514.
- Cacciali, P.; Cabral, H.; Ferreira, V.L. & Köhler, G. 2016f. Revision of *Philodryas mottogrossensis* with the revalidation of *P. erlandi* (Reptilia: Squamata: Dipsadidae). *Salamandra* 52: 293-305.
- Cacciali, P.; Morando, M.; Medina, C.D.; Köhler, G.; Motte, M. & Avila, L.J. 2017a. Taxonomic analysis of Paraguayan samples of *Homonota fasciata* Duméril & Bibron (1836) with the revalidation of *Homonota horrida* Burmeister (1861) (Reptilia: Squamata: Phyllodactylidae) and the description of a new species. *PeerJ* 5: e3523.
- Cacciali, P.; Giraudo, A.; Scott, N.; Scrocchi, G. & Arzamendia, V. 2017b. *Philodryas baroni*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/15181766/15181770> (accessed 6 August 2020).
- Cacciali, P.; Giraudo, A.; Scott, N.; Scrocchi, G. & Arzamendia, V. 2017c. *Epictia albipuncta*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/50956442/50956450> (accessed 23 August 2020).
- Cacciali, P.; Giraudo, A.; Scott, N.; Scrocchi, G. & Arzamendia, V. 2017d. *Rena unguirostris*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/184107/61324874> (accessed 23 August 2020).
- Cacciali, P.; Lotzk, S.; Gamble, T. & Köhler, G. 2018. Cryptic Diversity in the Neotropical Gecko Genus *Phyllopezus* Peters, 1878 (Reptilia: Squamata: Phyllodactylidae): A New Species from Paraguay. *International Journal of Zoology* 3958327. <https://doi.org/10.1155/2018/3958327>
- Cacciali, P.; Carreira, S.; Kacolis, F.; Montero, R.; Pelegrin, N.; Gonzales, L. & Aparicio, J. 2019a. *Vanzosaura rubricauda*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/56041302/56041312> (accessed 20 July 2020).
- Cacciali, P.; Kacolis, F.; Montero, R.; Pelegrin, N.; Scott, N.; Moravec, J.; Aparicio, J. & Avila-Pires, T.C.S. 2019b. *Polychrus acutirostris*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203159/2761234> (accessed 7 July 2020).
- Cacciali, P.; Carreira, S.; Kacolis, F.; Montero, R.; Pelegrin, N.; Moravec, J.; Avila-Pires, T.C.S. & Aparicio, J. 2019c. *Phyllopezus pollicaris*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/48443950/48443963> (accessed 5 July 2020).
- Cacciali, P.; Scott, N.; Moravec, J.; Aparicio, J.; Nogueira, C.C. & Avila-Pires, T.C.S. 2019d. *Manciola guaporicola*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/47102918/47102929> (accessed 18 July 2020).
- Cacciali, P.; Scott, N.; Pérez, P.; Avila-Pires, T.C.S.; Aparicio, J.; Moravec, J. & Rivas, G. 2019e. *Copeoglossum nigropunctatum*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/47102757/47102768> (accessed 18 July 2020).

- Cacciali, P.; Carreira, S.; Kacoliris, F.; Montero, R.; Pelegrin, N.; Nogueira, C.C.; Avila-Pires, T.C.S.; Aparicio, J. & Moravec, J. 2019f. *Notomabuya frenata*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/47102996/47103009> (accessed 18 July 2020).
- Cacciali, P.; Scott, N.; Gonzales, L.; Nogueira, C.C. & Hoogmoed, M. 2019g. *Chironius flavolineatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15158734/15158743> (accessed 20 July 2020).
- Cacciali, P.; Carreira, S.; Kacoliris, F.; Montero, R.; Pelegrin, N. & Scott, N. 2019h. *Bothrops diporus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15203290/15203298> (accessed 16 July 2020).
- Cacciali, P.; Giraudo, A.; Arzamendia, V.; Scott, N. & Scrocchi, G. 2019i. *Philodryas aestiva*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15181613/15181620> (accessed 4 August 2020).
- Cacciali, P.; Scott, N.; Williams, J. & Carreira, S. 2020. *Contomastix lacertoides*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/50012209/50012217> (accessed 1 December 2022).
- Cacciali, P.; Carreira, S.; Fitzgerald, L.; Kacoliris, F.; Montero, R.; Pelegrin, N.; Scott, N.; Aparicio, J.; Moravec, J. & Gonzales, L. 2021a. *Salvator rufescens*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/44579822/44579826> (accessed 3 December 2022).
- Cacciali, P.; Carreira, S.; Kacoliris, F.; Montero, R.; Pelegrin, N. & Scott, N. 2021b. *Bothrops mattogrossensis*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/15203217/15203274> (accessed 4 December 2022).
- Cacciali, P. & Scott, N. 2021. *Dipsas bucephala*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/50951347/50951362> (accessed 4 December 2022).
- Cacciali, P. & Scott, N. 2022. *Chironius maculiventris* (amended version of 2017 assessment). The IUCN Red List of Threatened Species 2022. Available from: <https://www.iucnredlist.org/es/species/63488777/217811661> (accessed 3 December 2022).
- Cadle, J.E. 2001. A new species of lizard related to *Stenocercus caducus* (Cope). (Squamata: Iguanidae) from Peru and Bolivia, with a key to the "Ophryossoides Group". *Bulletin of the Museum of Comparative Zoology at Harvard College* 157: 183-222.
- Cadle, J.E. & Myers, C.W. 2003. Systematics of Snakes Referred to *Dipsas variegata* in Panama and Western South America, with Revalidation of Two Species and Notes on Defensive Behaviors in the Dipsadini (Colubridae). *American Museum Novitates* 3409: 1-47.
- Cadle, J.E.; Gonzales, L. & Guerrero, M. 2003. Amphibians and reptiles. In: Alverson, W.S. Ed. Bolivia: Pando, Federico Roman. Rapid Biological Inventories 06. Chicago, Illinois, The Field Museum, 122 pp.
- Caicedo, J.R.; Calderón, M.; Harvey, M.; Ines Hladki, A.; Ramírez Pinilla, M.; Renjifo, J.; Rivas, G.; Urbina, N.; Cisneros-Heredia, D.F.; Gagliardi, G. & Catenazzi, A. 2016. *Dipsas peruana*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/species/176796/44949677> (accessed 23 August 2020).
- Caicedo, J.R.; Calderón, M.; Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Gonzales, L.; Aguayo, R.; Venegas, P.; Yáñez-Muñoz, M.; Cisneros-Heredia, D.F.; Muñoz, A.; Lehr, E. & Catenazzi, A. 2017. *Cercosaura manicata*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/species/44578511/44578516> (accessed 15 July 2020).
- Caicedo, J.R.; Gutiérrez-Cárdenas, P. & Rivas, G. 2019a. *Amerotyphlops reticulatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/178605/44955523> (accessed 23 August 2020).
- Caicedo, J.R.; Calderón, M.; Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Nogueira, C.C.; Catenazzi, A.; Gonzales, L.; Schargel, W. & Rivas, G. 2019b. *Taeniophallus brevirostris*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/15182904/15182912> (accessed 28 July 2020).
- Caicedo, J.R.; Calderón, M.; Cisneros-Heredia, D.F.; Embert, D.; Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Nogueira, C.C.; Gagliardi, G.; Catenazzi, A.; Gonzales, L.; Schargel, W. & Rivas, G. 2019c. *Philodryas argentea*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/177515/44951580> (accessed 5 August 2020).
- Caicedo, J.R.; Calderón, M.; Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J. & Urbina, N. 2019d. *Bothrocophias microphthalmus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/15204044/15204050> (accessed 16 August 2020).
- Caicedo, J.R.; Calderón, M.; Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Rivas, G.; Urbina, N.; Gagliardi, G.; Gonzales, L. & Nogueira, C.C. 2019e. *Erythrolamprus typhlus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/44581753/44581764> (accessed 10 August 2020).
- Caicedo, J.R.; Calderón, M.; Cisneros-Heredia, D.F.; Ortega, A.; Gonzales, L.; Nogueira, C.C.; Schargel, W. & Rivas, G. 2019f. *Pseudoboa coronata*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/203577/2768885> (accessed 9 August 2020).
- Caicedo, J.R.; Rivas, G.; Gutiérrez-Cárdenas, P.; Pérez, P.; Moravec, J.; Aparicio, J. & Avila-Pires, T.C.S. 2019g. *Cercosaura argulus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/178355/44953641> (accessed 15 July 2020).
- Caicedo, J.R.; Calderón, M.; Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Rivas, G.; Urbina, N.; Nogueira, C.C. & Gonzales, L. 2019h. *Palusophis bifossatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/203298/2763499> (accessed 26 July 2020).
- Caicedo, J.R.; Gutiérrez-Cárdenas, P.; Rivas, G.; Nogueira, C.C.; Gonzales, L.; Cisneros-Heredia, D.F.; Catenazzi, A.; Gagliardi, G.; Hoogmoed, M. & Schargel, W. 2019i. *Chironius fuscus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/44580103/44580112> (accessed 20 July 2020).
- Calcaño, D. & Barrio-Amorós, C.L. 2003. Geographic Distribution. Serpentes: *Dipsas variegata*. *Herpetological Review* 34: 388.
- Calderón, M.; Ortega, A.; Nogueira, C.C.; Gagliardi, G.;

- Cisneros-Heredia, D.F.; Hoogmoed, M.; Schargel, W. & Rivas, G. 2016. *Corallus hortulanus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/species/203210/2762194> (accessed 19 July 2020).
- Calderón, M.; Castro, F. & Ouboter, P. 2019a. *Loxopholis percarinatum*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/178678/44956503> (accessed 19 July 2020).
- Calderón, M.; Pérez, P.; Avila-Pires, T.C.S. & Aparicio, J. 2019b. *Ptychoglossus brevifrontalis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/203062/2759731> (accessed 12 July 2020).
- Calderón, M.; Moravec, J.; Avila-Pires, T.C.S.; Aparicio, J. & Pérez, P. 2019c. *Iphisa elegans*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/44578602/44578607> (accessed 17 July 2020).
- Calderón, M.; Cisneros-Heredia, D.F.; Ortega, A.; Nogueira, C.C.; Gagliardi, G. & Gonzales, L. 2019d. *Helicops polylepis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/15178890/15178896> (accessed 2 August 2020).
- Calderón, M.; Pérez, P.; Avila-Pires, T.C.S.; Aparicio, J.; Moravec, J.; Schargel, W.; Rivas, G. & Murphy, J. 2019e. *Gonatodes humeralis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/44579283/44579292> (accessed 5 July 2020).
- Calderón, M.; Pérez, P.; Avila-Pires, T.C.S.; Aparicio, J. & Moravec, J. 2019f. *Kentropyx pelviceps*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/44579732/44579741> (accessed 19 July 2020).
- Calderón, M.; Pérez, P.; Gagliardi, G.; Aparicio, J.; Avila-Pires, T.C.S. & Moravec, J. 2019g. *Kentropyx altamazonica*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/44579671/44579678> (accessed 19 July 2020).
- Calderón, M.; Gagliardi, G.; Avila-Pires, T.C.S.; Aparicio, J. & Perez, P. 2020. *Anolis transversalis*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/44577819/44577829> (accessed 29 November 2022).
- Calderón, M.; Ortega, A.; Catenazzi, A.; Gagliardi, G.; Cisneros-Heredia, D.F.; Nogueira, C. de C.; Schargel, W. & Rivas, G. 2021a. *Epicrates cenchria*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/15154721/15154747> (accessed 3 December 2022).
- Calderón, M.; Ortega, A.; Scott, N.; Cacciali, P.; Nogueira, C. de C.; Gagliardi, G.; Catenazzi, A.; Cisneros-Heredia, D.F.; Hoogmoed, M.S.; Schargel, W.; Rivas, G. & Murphy, J. 2021b. *Eunectes murinus*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/44580041/44580052> (accessed 3 December 2022).
- Camargo, A.; Avila, L.J.; Morando, M. & Sites Jr.; J.W. 2012. Accuracy and precision of species trees: effects of locus, individual, and base pair sampling on inference of species trees in lizards of the *Liolaemus darwini* group (Squamata, Liolaemidae). *Systematic Biology* 61: 272-288.
- Campbell, J.A. 1998. Amphibians and reptiles of northern Guatemala, the Yucatán, and Belize. Norman: University of Oklahoma Press, xiii + 380 pp.
- Campbell, J.A. & Lamar, W.W. 1989. The Venomous Reptiles of Latin America. Comstock Publishing, Cornell University Press, Ithaca, 425 pp.
- Campbell, J.A. & Lamar, W.W. 2004. The Venomous Reptiles of the Western Hemisphere, 2 volumes. Comstock (Cornell University Press., Ithaca, NY, 962 pp.
- Campos, Z.; Llobet, A.; Piña, C.I. & Magnusson, W.E. 2010. Yacare Caiman *Caiman yacare*. In: Manolis, S.C. & Stevenson, C. Crocodiles. Status Survey and Conservation Action Plan. Third Edition. Crocodile Specialist Group: Darwin, pp. 23-28.
- Campos, Z.; Magnusson, W.E. & Muniz, F. 2018. Cuvier's Smooth-fronted Caiman *Paleosuchus palpebrosus*. In: Manolis, S.C. & Stevenson, C. Crocodiles. Status Survey and Conservation Action Plan. Third Edition. Crocodile Specialist Group: Darwin, pp. 40-42.
- Campos, Z.; Magnusson, W.E. & Muniz, F. 2019a. Schneider's Smooth-fronted Caiman *Paleosuchus trigonatus*. In: Manolis, S.C. & Stevenson, C. Crocodiles. Status Survey and Conservation Action Plan. Third Edition. Crocodile Specialist Group: Darwin, pp. 43-45.
- Campos, Z.; Magnusson, W.E. & Muniz, F. 2019b. *Paleosuchus trigonatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/46588/3010035> (accessed 3 July 2020).
- Canavero, A.; Carreira, S.; Langone, J.A.; Achaval, F.; Borteiro, C.; Camargo, A.; Rosa, I. da, Estrades, A.; Fallabrino, A.; Kolenc, F.; López-Mendilaharsu, M.M.; Maneyro, R.; Meneghel, M.; Nuñez, D.; Prigioni, C.M. & Ziegler, L. 2010. Conservation status assessment of the amphibians and reptiles of Uruguay. *Iheringia. Série Zoologia* 100: 5-12.
- Cano, P.D.; Ball, H.A.; Carpinetto, M.F. & Peña, G.D. 2015. Reptile checklist of Río Pilcomayo National Park, Formosa, Argentina. *Check List* 11: 1658.
- Carnovale, A. 2005. Keeping and breeding the Argentine Tortoise *Chelonoidis chilensis*. *Reptilia* 38: 38-42.
- Carrasco, P.A.; Harvey, M.B. & Muñoz Saravia, A. 2009. The rare Andean pitviper *Rhinocerocephalus jonathani* (Serpentes: Viperidae: Crotalinae): redescription with comments on its systematics and biogeography. *Zootaxa* 2283: 1-15.
- Carrasco, P.A.; Mattoni, C.I.; Leynaud, G.C. & Scrocchi, G.J. 2012. Morphology, phylogeny and taxonomy of South American bothropoid pitvipers (Serpentes, Viperidae). *Zoologica Scripta* 41: 109-124.
- Carrasco, P.A.; Grazziotin, F.G.; Farfán, R.S.C.; Koch, C.; Ochoa, J.A.; Scrocchi, G.J.; Leynaud, G.C. & Chaparro, J.C. 2019. A new species of *Bothrops* (Serpentes: Viperidae: Crotalinae) from Pampas del Heath, southeastern Peru, with comments on the systematics of the *Bothrops neuwiedi* species group. *Zootaxa* 4565: 301-344.
- Carreira, S. & Estrades, A. 2013. Reptiles. In: Soutullo, A.; Clavijo, C. & Martínez-Lanfranco, J.A. Eds, Especies prioritarias para la conservación en Uruguay. Vertebrados, moluscos continentales y plantas vasculares. SNAP/ DINAMA/MVOTMA y DICYT/MEC, Montevideo, pp. 129-147.
- Carreira, S. & Maneyro, R. 2015. Lista Roja de los Anfibios y Reptiles del Uruguay: Una evaluación del estado de conservación de la herpetofauna de Uruguay sobre la base de los criterios de la Unión Internacional para la Conservación de la Naturaleza. Dirección Nacional de Medio Ambiente,

- Montevideo, 212 pp.
- Carreira, S.; Meneghel, M. & Achaval, F. 2005. Reptiles de Uruguay. Universidad de la República. Montevideo, Uruguay, 639 pp.
- Carreira, S.; Brazeiro, A.; Camargo, A.; Rosa, I. da, Canavero, A. & Maneyro, M. 2012. Diversity of reptiles of Uruguay: knowledge and information gaps. *Boletín de la Sociedad Zoológica del Uruguay (2ª época)* 21: 1-2, 9-29.
- Carreira, S.; Kacoliris, F.; Pelegrin, N.; Montero, R.; Moravec, J.; Gonzales, L.; Aparicio, J.; Avila-Pires, T.C.S. & Nogueira, C.C. 2019. *Cercosaura schreibersii*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/178697/61324472> (accessed 16 July 2020).
- Carrillo, N. & Icochea, J. 1995. Lista taxonómica preliminar de los reptiles vivientes del Perú. *Publicaciones del Museo de Historia Natural Universidad Nacional Mayor de San Marcos* 49: 1-27.
- Castro-Herrera, F. & Vargas-Salinas, F. 2008. Anfíbios y reptiles en el departamento del Valle del Cauca, Colombia. *Biota Colombiana* 9: 251-277.
- Carvajal-Campos, A. & Ayala-Varela, F. 2019a. *Anolis fuscoauratus*. In: Torres-Carvajal, O.; Pazmiño-Otamendi, G. & Salazar-Valenzuela, D. Eds, *Reptiles del Ecuador*. Version 2019.0. Museo de Zoología, Pontificia Universidad Católica del Ecuador. Available from: <https://bioweb.bio/faunaweb/reptiliaweb/FichaEspecie/Anolis%20fuscoauratus> (accessed 5 July 2020).
- Carvajal-Campos, A. & Ayala-Varela, F. 2019b. *Anolis transversalis*. In: Torres-Carvajal, O.; Pazmiño-Otamendi, G. & Salazar-Valenzuela, D. Eds, *Reptiles del Ecuador*. Version 2019.0. Museo de Zoología, Pontificia Universidad Católica del Ecuador. Available from: <https://bioweb.bio/faunaweb/reptiliaweb/FichaEspecie/Anolis%20transversalis> (accessed 5 July 2020).
- Carvalho, A.L.G. 2013. On the distribution and conservation of the South American lizard genus *Tropidurus* Wied-Neuwied, 1825 (Squamata: Tropiduridae). *Zootaxa*, 3640: 42-56.
- Carvalho, A.L.G.; Rivas, L.R.; Céspedes, R. & Rodrigues, M.T. 2018. A New Collared Lizard (*Tropidurus*: Tropiduridae). Endemic to the Western Bolivian Andes and Its Implications for Seasonally Dry Tropical Forests. *American Museum Novitates* 3896: 1-56.
- Carvalho, A.L.G.; Laspiur, A.; Klaczko, J.; Rivas, L.R.; Rodrigues, M.T.; Sena, M.A.D. & Céspedes, R. 2023. Total evidence phylogenetic analysis of Leiosauridae (Squamata) with focus on the 'para-anoles' and description of a new *Urostrophus* species from the Bolivian Andes. *Systematics and Biodiversity* 21: 2200306.
- Carvalho, A.L.G.; Paredero, R.C.B.; Villalobos-Chaves, D.; Ferreira, E.; Rodrigues & Curcio, F.F. 2024. A highly polymorphic South American collared lizard (Tropiduridae: *Tropidurus*) reveals that open-dry refugia from south-western Amazonia staged allopatric speciation. *Zoological Journal of the Linnean Society* 201: 493-533
- Castañeda, M.R.; Gagliardi, G.; Pérez, P.; Cisneros-Heredia, D.F.; Avila-Pires, T.C.S.; Rivas, G.; Schargel, W. & Aparicio, J. 2020. *Anolis punctatus*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/44577684/44577693> (accessed 29 November 2022).
- Castañeda, M.R.; Cisneros-Heredia, D.F.; Rivas, G.; Perez, P.; Avila-Pires, T.C.S.; Aparicio, J. & Schargel, W. 2021. *Anolis ortonii*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/44577592/44577623> (accessed 29 November 2022).
- Castoe, T.A.; Doan, T.M. & Parkinson, C.L. 2004. Data partitions and complex models in Bayesian analysis: the phylogeny of Gymnophthalmid lizards. *Systematic Biology* 53: 448-469.
- Castrillon, M.I & Strussman, C. 1998. Nova espécie de *Bachia* e a presença de *B. dorbignyi* (Duméril & Bibron) no sudoeste de Mato Grosso, Brasil (Sauria, Gymnophthalmidae). *Revista Brasileira de Zoologia* 15: 567-581.
- Castro, D.P.; Mângia, S.; Medeiros-Magalhães, F.; Röhr, D.L.; Camurugi, F.; Silveira-Filho, R.R.; Silva, M.M.X.; Andrade-Oliveira, J.A.; Sousa, T.A.; França, F.G.R.; Harris, D.J.; Garda, A.A. & Borges-Nojosa, D.M. 2019. Herpetofauna of protected areas in the Caatinga VI: The Ubajara National Park, Ceará, Brazil. *Herpetology Notes* 12: 727-742.
- Catenazzi, A.; Lehr, E. & von May, R. 2013. The amphibians and reptiles of Manu National Park and its buffer zone, Amazon basin and eastern slopes of the Andes, Peru. *Biota Neotropica* 13: 269-283.
- Catenazzi, A.; Gagliardi, G.; Gonzales, L. & Nogueira, C.C. 2019a. *Apostolepis nigroterminata*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15156955/15157001> (accessed 22 September 2020).
- Catenazzi, A.; Gonzales, L.; Hoogmoed, M.; Nogueira, C.C.; Cisneros-Heredia, D.F.; Schargel, W.; Rivas, G. & Murphy, J. 2019b. *Dipsas variegata*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50951426/50951434> (accessed 30 July 2020).
- Catenazzi, A.; Gagliardi, G.; Gonzales, L.; Nogueira, C.C.; Williams, J.; Giraudo, A.; Arzamendia, V.; Fitzgerald, L. & Scrocchi, G. 2019c. *Helicops leopardinus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15178817/15178836> (accessed 2 August 2020).
- Catenazzi, A.; Cisneros-Heredia, D.F.; Gagliardi, G. & Nogueira, C.C. 2019d. *Ninia hudsoni*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/203550/2768349> (accessed 14 December 2021).
- Catenazzi, A.; Gonzales, L.; Nogueira, C.C.; Hoogmoed, M.S. & Cisneros-Heredia, D.F. 2021a. *Bothrocophias hyoprora*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/species/15204024/15204030> (accessed 14 December 2021).
- Catenazzi, A.; Cisneros-Heredia, D.F.; Hoogmoed, M.S. & Nogueira, C.C. 2021b. *Bothrops bilineatus*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/15203567/15203579> (accessed 4 December 2022).
- CBD. 2002. Report of the sixth meeting of the conference of the parties to the
- Convention on Biological Diversity. Conference of the Parties to the Convention on Biological Diversity. CBD/UNEP. The Hague.
- Cei, J.M. 1979. A reassessment of the genus *Ctenoblepharis* (Reptilia, Sauria, Iguanidae). with description of a new subspecies of *Liolaemus multimaculatus* from western Argentina. *Journal of Herpetology* 13: 297-302.
- Cei, J.M. 1980. On the conspecificity of the Iguanid lizards *Liolaemus chacoensis* and *Liolaemus emmae*. *Copeia* 4:

- 936-937.
- Cei, J.M. 1982. A new species of *Tropidurus* (Sauria, Iguanidae) from the arid Chacoan and western regions of Argentina. *Occasional papers of the Museum of Natural History University of Kansas* 97: 1-10.
- Cei, J.M. 1986. Reptiles del centro, centro-oeste y sur de la Argentina; herpetofauna de las zonas áridas y semiaridas. Museo Regionale di Scienze Naturali di Torino, Monografie 4, 527 pp.
- Cei, J.M. 1993. Reptiles del noroeste, nordeste y este de la Argentina. Museo Regionale di Scienze Naturali di Torino, Monografie 14, 949 pp.
- Cei, J.M. & Lescure, J. 1985. Identité de *Teius teyou* (Daudin, 1802., type du genre, et de *T. oculatus* (d'Orbigny et Bibron, 1837) (Reptilia, Teiidae). *Bulletin du Muséum national d'histoire naturelle* 4: 461-473.
- Celsi, C.E.; Monserrat, A.L. & Kacolis, F.P. 2008. Reptilia, Colubridae, *Philodryas aestivus*: Distribution extension. *Check List* 4: 12-14.
- Ceríaco, L.M.P. & Bauer, A.M. 2017. "*Testudo torticollis*," an unpublished name for the Matamata, *Chelus fimbriatus* (Schneider, 1783. (Testudines: Chelidae), with comments on early illustrations of the species. *Bibliotheca Herpetologica* 13: 1-2, 35-49.
- Ceron, K.; Sarah Mângia; Thaís B. Guedes; Diego Janisch Alvares; Matheus O. Neves; Matheus De Toledo Moroti; Natália Torello; Márcio Borges-Martins; Vanda L. Ferreira & Diego J. Santana 2021. Ecological Niche Explains the Sympatric Occurrence of Lined Ground Snakes of the Genus *Lygophis* (Serpentes, Dipsadidae) in the South American Dry Diagonal. *Herpetologica* Sep 2021 Vol. 77, No. 3: 239-248
- Chaparro, J.C.; Quiroz, A.J.; Mamani, L.; Gutiérrez, R.C.; Condori, P.; De la Riva, I.; Herrera-Juárez, G.; Cerdeña, J.; Arapa, L.P. & Abdala, C.S. 2020. An endemic new species of Andean lizard of the genus *Liolaemus* from southern Peru (Iguania: Liolaemidae) and its phylogenetic position. *Amphibian & Reptile Conservation* 14: 47-63.
- Chaves, G.; Cisneros-Heredia, D.F.; Gagliardi, G.; Gonzales, L.; Gutiérrez-Cárdenas, P.; Köhler, G.; Lamar, W.; Nogueira, C.C.; Porras, L.W.; Rivas, G.; Solórzano, A. & Murphy, J. 2019. *Oxyrhopus petolarius*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/198391/2524138> (accessed 9 August 2020).
- Chávez, G. & Vásquez, D. 2012. A new species of Andean semiaquatic lizard of the genus *Potamites* (Sauria, Gymnophthalmidae) from southern Peru. *Zookeys* 168: 31-44.
- Cisneros-Heredia, D.F. 2006a. Reptilia, Colubridae, *Helicops angulatus* and *Helicops leopardinus*: Distribution extension, new country record. *Check List* 2: 36-37.
- Cisneros-Heredia, D.F. 2006b. Notes on the distribution and natural history of the Bluntheaded vine snake, *Imantodes cenchoa*, in Ecuador. *Herpetological Bulletin* 97: 4-7.
- Cisneros-Heredia, D.F. & Touzet, J.M. 2007. Ecuadorian distribution of snakes of the genera *Oxybelis* Wagler, 1830 and *Xenoxybelis* Machado, 1993 [Short Note]. *Herpetozoa* 19: 188-189.
- Cisneros-Heredia, D.F. & Calderón, M. 2019. *Potamites ecpleopus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44578695/44578704> (accessed 19 July 2020).
- Cisneros-Heredia, D.F.; Gutierrez, P.; Renjifo, J.; Nogueira, C. de C.; Gagliardi, G.; Catenazzi, A.; Gonzales, L.; Schargel, W. & Rivas, G. 2020. *Rhinobothryum lentiginosum*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/15183785/15183794> (accessed 4 December 2022).
- Cisneros-Heredia, D.F.; Yáñez-Muñoz, M.; Brito, J.; Valencia, J.; Perez, P.; Avila-Pires, T.C.S.; Aparicio, J. & Moravec, J. 2021. *Varzea altamazonica*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/44579239/44579243> (accessed 1 December 2022).
- Claessen, H. 2005. De slangen van de Guyana's. Deel VIII. *Lacerta* 63: 136-151.
- Claessen, H. 2006. De Slangen van de Guyana's. Deel X. *Lacerta* 64: 92-100.
- Cole, C.J.; Townsend, C.R.; Reynolds, R.P.; MacCulloch, R.D. & Lathrop, A. 2013. Amphibians and reptiles of Guyana, South America: illustrated keys, annotated species accounts, and a biogeographic synopsis. *Proceedings of the Biological Society of Washington* 125: 317-620.
- Colina, M.; Arrieta, D. & Carreira, S. 2012. *Ophiodes intermedius* Boulenger, 1894 (Squamata: Anguillidae.: Uruguay distribution extension with conservation comments. *Check List* 8: 896-897.
- Conant, R. & Collins, J.T. 1991. *A Field Guide to Reptiles and Amphibians of Eastern/Central North America*, 3rd edition, Houghton Mifflin (Boston/New York), xx + 450 pp.
- Cope, E.D. 1860. Catalogue of the Colubridae in the Museum of the Academy of Natural Sciences of Philadelphia, with notes and descriptions of new species. Part II. *Proceedings of the Academy of Natural Sciences of Philadelphia* 12: 241-266.
- Cope, E.D. 1868. An examination of the Reptilia and Batrachia obtained by the Orton Expedition to Ecuador and the Upper Amazon, with notes on other species. *Proceedings of the Academy of Natural Sciences of Philadelphia* 20: 96-140.
- Cope, E.D. 1875. Report on the Reptiles brought by Professor James Orton from the middle and upper Amazon and western Peru. *Journal of the Academy of Natural Sciences of Philadelphia* 8: 159-183.
- Cope, E.D. 1878. Synopsis of the cold blooded Vertebrata, procured by Prof. James Orton, during his exploration of Peru in 1876-77. *Proceedings of the American Philosophical Society*, 17: 33-49.
- Cope, E.D. 1879. Eleventh contribution to the herpetology of tropical America. *Proceedings of the American Philosophical Society* 18: 261-277.
- Cope, E.D. 1887. Synopsis of the Batrachia and Reptilia obtained by H. H. Smith in the Province of Mato Grosso, Brazil. *Proceedings American Philosophical Society* 24: 44-60.
- Cope, E.D. 1894. On the species of *Himantodes* Duméril and Bibron. *American Naturalist* 28: 612-614.
- Cornalia, E. 1849. *Vertebratorum Synopsis in Musaeo Mediolanense extantium quae per novum Orbem Cajetanas Osculati collegit Annis 1846-47-48. Speciebus novis vel minus cognitis adjectis, nec non Descriptionibus atque Iconibus illustratis, curante Aemilio Cornalia. Mediolani*, 16 pp.
- Cortez, C. 2005. Herpetofauna de la zona norte del Parque Nacional y Área Natural de Manejo Integrado Madidi (PNANMI-Madidi). *Ecología en Bolivia* 40: 10-26.
- Cortez, C. 2009a. *Chelus fimbriatus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de

- la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp.617-618.
- Cortez, C. 2009b. *Apostolepis breviceps*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 639-640.
- Cortez, C. 2009c. *Apostolepis phillipsi*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 641-642.
- Cortez, C. 2009d. *Apostolepis tenuis*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 643-644.
- Cortez, C. 2009e. *Micrurus diana*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 649-650.
- Cortez, C. 2009f. *Liophis andinus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 257-258.
- Cortez, C. 2009g. Reptiles. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 225-304.
- Cortez, C. & Aguayo, R. 2009a. *Potamites ocellatus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 267-268.
- Cortez, C. & Aguayo, R. 2009b. *Dipsas chaparensis*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 645-646.
- Cortez, C. & Rey-Ortiz, G. 2009a. *Chelonoidis carbonaria*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 611-612.
- Cortez, C. & Rey-Ortiz, G. 2009b. *Chelonoidis chilensis*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 613-614.
- Cortez, C. & Zapata, B. 2009. *Corallus caninus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 635-636.
- Costa, H.C. & Bérnils, R.S. 2015. Répteis brasileiros: lista de espécies 2015. *Herpetologia Brasileira* 4: 75-93.
- Costa, H.C.; São Pedro, V. & Feio, R. 2010. A new record of the poorly known Amazonian snake *Siphlophis worontzowi*. *Herpetology Notes* 3: 97-100.
- Costa H.C.; Welton, L.J. & Hallermann, J. 2018. An updated diagnosis of the rare *Amphisbaena slateri* Boulenger, 1907, based on additional specimens (Squamata, Amphisbaenia, Amphisbaenidae). *Evolutionary Systematics* 2: 125-135.
- Crother, B.I. 2012. Standard Common and Current Scientific Names for North American Amphibians, Turtles, Reptiles, and Crocodilians, Seventh Edition. *Herpetological Circular* 39: 1-92.
- Cruz, F.B. & Ramírez Pinilla, M. 1996. Actividad reproductiva en el lagarto *Liolaemus chacoensis* (Sauria: Tropiduridae), del Chaco occidental, Salta, Argentina. *Revista Española de Herpetología* 10: 33-39.
- Cruz, F.; Nogueira, C.C. & Scott, N. 2016. *Phalotris tricolor*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/174147/62616726> (accessed 1 August 2020).
- Cunha, O.R. & Nascimento F.P. 1983. Ofidios da Amazonia. 20 - As espécies de *Atractus* Wagler, 1828, na Amazonia oriental & Maranhao (Ophidia, Colubridae). Boletim do Museu Paraense Emilio Goeldi. *Nova Serie Zoologia* 123: 1-38.
- Cuvier, G. 1807. Sur les différentes especes de crocodiles vivans et sur leurs caracteres distinctifs. *Annales du Muséum National d'Histoire Naturelle* 10: 8-86.
- Cuvier, G. 1817. Le règne animal distribué d'après son organisation, pour servir de base a l'histoire naturelle des animaux et d'introduction a l'anatomie comparée. Volume 2. Les reptiles, les poissons, les mollusques et les annélides. Déterville, Paris, 556 pp.
- Cuvier, G. 1831. The Animal Kingdom arranged in conformity with its organization, by the Baron Cuvier, with additional descriptions of all the species hitherto named, and of many not before noticed, by Edward Griffith.. and others. Volume 9. Whittaker, Treacher and Co, London, 481 pp.
- D'angiolella, A.B.; Gamble, T.; Avila-Pires, T.C.S.; Colli, G.R.; Noonan, B.P. & Vitt, L.J. 2011. *Anolis chrysolepis* Duméril and Bibron, 1837 (Squamata: Iguanidae), Revisited: Molecular Phylogeny and Taxonomy of the *Anolis chrysolepis* Species. *Bulletin of the Museum of Comparative Zoology at Harvard College* 160: 35-63.
- Daltry, J.C. 2007. An introduction to the herpetofauna of Antigua, Barbuda and Redonda, with some conservation recommendations. *Applied Herpetology* 4: 97-130.
- Daudin, F.M. 1803. Histoire Naturelle Generale et Particuliere des Reptiles. Vol. 6. F. Dufart, Paris.
- Daza, J.; Aguayo, R.; Aparicio, J.; Gonzales, L.; Embert, D.; Cisneros-Heredia, D.F.; Valencia, J.; Venegas, P. & Rivas, G. 2016. *Chironius monticola*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/44580132/44580137> (accessed 20 July 2020).
- De la Galvez Murillo, E. & Pacheco, L.F. 2009. Abundancia y estructura poblacional de la lagartija jararank'o (*Liolaemus signifer*) Liolaemidae-Lacertilia-Reptilia. en zonas con y sin extracción comercial en el Altiplano de Bolivia. *Tropical Conservation Science* 2: 106-115.
- De la Riva, I. 1993. Ecología de una comunidad neo-tropical de anfibios durante la estación lluviosa. PhD Dissertation. Universidad Complutense, Madrid. 365 pp.
- De la Riva, I.; Castroviejo, J. & Cabot, J. 1992. *Pseustes sulphureus* (Wagler, 1824) (Serpentes: Colubridae) nueva especie para Bolivia, y datos sobre la herpetofauna boliviana. *Acta Zoológica Lilloana* 41: 215-218.

- De la Riva, I.; Mateo, J.A. & Pleguezuelos, J.M. 2018. Herpetólogos españoles por el mundo (I.: América, Eurasia y Pacífico. *Boletín de la Asociación Herpetológica Española* 29: 3-23.
- De la Quintana, P.; Pacheco, L.F. & Rivas, J.A. 2011. *Eunectes beniensis* (Beni Anaconda). Diet: Cannibalism. *Herpetological Review* 42: 614.
- De la Quintana, P.; Rivas, J.A.; Valdivia, F. & Pacheco, L.F. 2017. Home range and habitat use of Beni anacondas (*Eunectes beniensis*) in Bolivia. *Amphibia-Reptilia* 38: 547-553.
- De la Quintana, P.; Rivas, J.A.; Valdivia, F. & Pacheco, L.F. 2018. *Eunectes murinus* (Green Anaconda). Dry season home range. *Herpetological Review* 49: 546-547.
- De la Quintana, P.; Aparicio, J. & Pacheco, L.F. 2022. Home range and habitat use of two sympatric crocodylians (*Melanosuchus niger* and *Caiman yacare*) under changing habitat conditions. *Amphibia-Reptilia* 42: 115-123.
- Demangel Miranda D. 2016. Reptiles en Chile. Fauna Nativa Ediciones, Santiago, Chile. pp. 619.
- Di Bernardo, M. 1992. Revalidation of the género *Rhadinaea* Copegenus *Echianthera* Cope 1894 and its conceptual amplification (Serpentes, Colubridae). *Comunicações do Museu de Ciências e Tecnologia da PUCRS*, 5: 225-256.
- Di Bernardo, M. 1996. A new species of the neotropical snake genus *Echianthera* Cope 1894 from southeastern Brazil (Serpentes, Coluridae). *The Snake* 27: 120-126.
- Dirksen, L. 1995. Zur Reptilienfauna Boliviens unter spezieller Berücksichtigung taxonomischer und zoo - geographischer Aspekte. Diplomarbeit der Rheinischen Friedrich-Wilhelm-Universität Bonn (ZFMK.), 172 pp.
- Dirksen, L. 2002. Anakondas: monographische revision der Gattung *Eunectes* Wagler, 1830 (Serpentes, Boidae). Natur und Tier Verlag, Münster, 192 pp.
- Dirksen, L. & De la Riva, I. 1999. The lizards and amphisbaenians of Bolivia (Reptilia, Squamata): checklist, localities, and bibliography. *Graellsia* 55: 199-215.
- Dirksen, L. & Böhme, W. 2005. Studies on anacondas III. A reappraisal of *Eunectes beniensis* Dirksen, 2002, from Bolivia, and a key to the species of the genus *Eunectes* Wagler, 1830 (Serpentes: Boidae). *Russian Journal of Herpetology* 12: 223-229.
- Dirksen, L.; Ibisch, P.L.; Köhler, J. & Böhme, W. 1995. Zur Herpetofauna der semihumiden Samaipata-Region, Bolivien. II Reptilien. *Herpetofauna* 17: 15-28.
- Dixon, J.R. 1973. A systematic review of the teiid lizards, genus *Bachia*, with remarks on *Heterodactylus* and *Anotosaura*. University of Kansas, Museum of Natural History. *Miscellaneous publications* 57: 1-47.
- Dixon, J.R. 1987. Taxonomy and geographic variation of *Liophis typhlus* and related "green" species of South America (Serpentes: Colubridae). *Annals of the Carnegie Museum* 52: 113-138.
- Dixon, J.R. 1989. A key and checklist to the neotropical snake genus *Liophis* with country lists and maps. *Smithsonian Herpetological Information Service* 79: 1-40.
- Dixon, J.R. 1991. Geographic variation and taxonomy of *Liophis almadensis* (Wagler. (Serpentes: Colubridae) and description of a new species of *Liophis* from Argentina and Bolivia. *Texas Journal of Science* 43: 225-236.
- Dixon, J.R. 2000. Ecuadorian, Peruvian, and Bolivian snakes of the *Liophis taeniurus* complex with descriptions of two new species. *Copeia* 2: 482-490.
- Dixon, J.R. & Soini, P. 1975. The reptiles of the upper Amazon basin, Iquitos region, Peru, Part I. Lizards and Amphisbaenians. *Milwaukee Public Museum Contributions in Biology and Geology* 4: 1-58.
- Dixon J.R. & Hendricks, F.S. 1979. The wormsnakes (family Typhlopidae) of the neotropics, exclusive of the Antilles. *Zoologische Verhandelingen* 173: 1-39.
- Dixon, J.R. & Markezich, A.L. 1979. Rediscovery of *Liophis taeniurus* Tschudi (Reptilia, Serpentes, Colubridae) and its relationship to other Andean colubrid snakes. *Journal of Herpetology* 13: 317-320.
- Dixon, J.R. & Thomas, R.A. 1982. The status of the Argentine colubrid snakes *Liophis sagittifer* and *L. trifasciatus*. *Herpetologica* 38: 389-395.
- Dixon, J.R. & Markezich, A.L. 1992. Taxonomy and geographic variation of *Liophis poecilogyrus* (Wied) from South America (Serpentes: Colubridae). *The Texas Journal of Science* 44: 131-166.
- Dixon, J.R.; Thomas, R.A. & Greene, H.W. 1976. Status of the neotropical snake *Rhabdosoma poeppigi* Jan, with notes on variation in *Atractus elaps* (Günther). *Herpetologica* 32: 221-227.
- Dixon, J.R.; Wiest, J.A. & Cei, J.M. 1993. Revision of the Neotropical snake genus *Chironius* Fitzinger (Serpentes, Colubridae). *Museo Regionale di Scienze Naturale di Torino* 13: 1-280.
- Doan, T.M. 2003a. A south-to-north biogeographic hypothesis for Andean speciation: evidence from the lizard genus *Proctoporus* (Reptilia, Gymnophthalmidae). *Journal of Biogeography* 30: 361-374.
- Doan, T.M. 2003b. A new phylogenetic classification for the gymnophthalmid genera *Cercosaura*, *Pantodactylus* and *Prionodactylus* (Reptilia: Squamata). *Zoological Journal of the Linnean Society* 137: 101-115.
- Doan, T.M. & Arizabal, W.A. 2002. Microgeographic variation in species composition of the herpetofaunal communities of Tambopata region, Peru. *Biotropica* 34: 101-117.
- Doan, T.M. & Schargel, W.E. 2003. Bridging the gap in *Proctoporus* distribution: a new species (Squamata: Gymnophthalmidae) from the Andes of Venezuela. *Herpetologica* 59: 68-75.
- Doan, T.M. & Castoe, T.A. 2005. Phylogenetic taxonomy of the Cercosaurini (Squamata: Gymnophthalmidae., with new genera for species of *Neusticurus* and *Proctoporus*. *Zoological Journal of the Linnean Society* 143: 405-416.
- Doan, T.M. & Lamar, W.W. 2012. A new montane species of *Cercosaura* (Squamata: Gymnophthalmidae) from Colombia, with notes on the distribution of the genus. *Zootaxa* 3565: 44-54.
- Doan, T.M.; Castoe, A.T. & Arizabal-Arriaga, W. 2005. Phylogenetic relationships of the genus *Proctoporus* sensu stricto (Squamata: Gymnophthalmidae), with a new species from Puno, Southeastern Peru. *Herpetologica* 61: 325-336.
- Doan, T.M.; Hladki, A.I.; Lehr, E.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Valencia, J.; Gonzales, L.; Catenazzi, A. & Nogueira, C.C. 2019. *Xenopholis scalaris*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/177550/44952190> (accessed 13 August 2020).
- Domic, E. & Cortez, C. 2009a. *Liolaemus cranwelli*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia.

2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 251-252.
- Domic, E. & Cortez, C. 2009b. *Tropidurus callathelys*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 627-628.
- Domic, E. & Cortez, C. 2009c. *Tropidurus chromatops*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 629-630.
- Domic, E. & Cortez, C. 2009d. *Tropidurus melanopleurus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 631-632.
- Domic, E. & Cortez, C. 2009e. *Tropidurus xanthochilus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 633-636.
- Domic, E.; Martínez, J.; Spanowicz, M. & Wallace, R.B. 2015. *Diploglossus fasciatus* Gray, 1831 (Diploglossa: Anguidae). Primer registro para el Parque Nacional y Área Natural de Manejo Integrado Madidi. *Cuadernos de Herpetología* 29: 99-100.
- Domic, E.; Montaña R.; Rey-Ortiz G.; Lizarro D.; Carvajal-Bacarreza P.; Acebey S.; Ureña-Aranda C. A.; Gutiérrez E. K.; Aliaga-Rossel E.; Cortez C.; Aparicio J.; Camacho-Badani T.; Cortéz E.; Estrada-Groux F.; Forero-Medina G.; Gonzales L.; Guizada-Durán L. A.; Nascimento-Ferreira A.; Ocampo M.; Paredes M.; Rodríguez-Auad K.; Wallace R.; Pacheco L. F. & Miranda G. 2021. Tortugas de Bolivia: Prioridades en investigación y conservación. *Kempffiana* 17: 42-62.
- Domic, E.; Lizarro, D.; Rey-Ortiz, G.; Ureña-Aranda, C.; Acebey, S.; Carvajal-Bacarreza, P.; Gutiérrez, E.K.; Montaña, R.; Ocampo, M.; Forero-Medina, G.; González, L.; Aguayo, R.; Aliga, E.; Avila, P.; Castellón, C.; Cortéz, E.; Embert, E.; Ferrara, C.; Kurzmänn-Fagundes, C.; Méndez, D.; Muñoz, A.; Quiroga, P.; Reichle, S.; Rolando-Rivas, L.; Gómez-Murillo, P.; Quinteros-Muñoz, O.; Wallace, R. & Miranda-Chumacero, G. (in press) Tortoise and freshwater turtle (Orden: Testudines) diversity and species richness in Bolivia. *South American Journal of Herpetology*.
- Donnelly, A. & Myers, C.W. 1991. Herpetological results of the 1990 Expedition to the summit of Cerro Guaiquinima, with new tepui reptiles. *American Museum Novitates* 1-54.
- Donoso-Barros, R. 1966. Reptiles de Chile. Santiago: Universidad de Chile, cxlvi + 458 pp.
- Donoso-Barros, R. 1967. Notas sobre ofidios colectados por el Dr. Emilio Ureta en la Amazonía boliviana. *Publicación Ocasional Museo Nacional Historia Natural Santiago* 12: 1-8.
- Donoso-Barros, R. 1970a. Un nuevo reptil de Argentina, *Liolaemus emmae* (Sauria, Iguanidae). *Boletín de la Sociedad de Biología de Concepción* 42: 23-26.
- Donoso-Barros, R. 1970b. Catálogo herpetológico chileno. *Boletín del Museo Nacional de Historia Natural (Santiago, Chile)* 31: 49-124.
- Donoso-Barros, R. 1973. Un nuevo saurio de Bolivia (Lacertilia, Iguanidae). *Neotropica* 19: 132-134.
- Dorado-Rodriguez, T.F.; Campos, V.A.; dos Santos, M.M.; Pansonato, A. & Strüssmann, C. 2012. Circumstances and bioacoustics of the distress call of *Leptodactylus chaquensis* (Anura: Leptodactylidae) during predation by *Thamnodynastes chaquensis* (Serpentes: Dipsadidae) in the Brazilian Pantanal. *Salamandra* 48: 237-240.
- d'Orbigny, A. 1837. In: Duméril, A.M.C. & Bibron, G. *Erpétologie Générale ou Histoire Naturelle Complete des Reptiles*. Vol. 4. Librairie Encyclopédique Roret, Paris, 570 pp.
- d'Orbigny, A. 1847. Voyage dans l'Amérique Meridionale. Tome V, 1ère partie. Reptiles. Chez Bertrand. Paris.
- d'Orbigny, A. 1945. Viaje a la América Meridional. Editorial Futuro. Buenos Aires, Argentina. 1232 p.
- Duellman, W.E. 1958. A monographic study of the colubrid snake genus *Leptodeira*. *Bulletin American Museum Natural History* 114: 1-152.
- Duellman, W.E. 1978. The biology of an equatorial herpetofauna in Amazonian Ecuador. University of Kansas, Museum of Natural History. *Miscellaneous publications* 65: 1-352.
- Duellman, W.E. & Salas, A.W. 1991. Annotated checklist of the amphibians and reptiles of Cuzco Amazonico, Peru. *Occasional papers of the Museum of Natural History, University of Kansas* 143: 1-13.
- Duméril, A.M.C. 1853. Prodrome de la classification des reptiles ophidiens. *Histoire de l'Académie Royale des Sciences, Paris* 23: 399-536.
- Duméril, A.M.C. & Bibron, G. 1835. *Erpétologie Générale ou Histoire Naturelle Complète des Reptiles*, Vol. 2. Librairie Encyclopédique de Roret, Paris, iv + 680 pp.
- Duméril, A.M.C. & Bibron, G. 1836. *Erpétologie Générale ou Histoire Naturelle Complete des Reptiles*. Vol. 3. Librairie Encyclopédique de Roret, Paris, 528 pp.
- Duméril, A.M.C. & Bibron, G. 1839. *Erpétologie Générale on Histoire Naturelle Complète des Reptiles*. Vol. 5. Roret/Fain et Thunot, Paris, 871 pp.
- Duméril, A.M.C. & Bibron, G. 1844. *Erpétologie Générale ou Histoire Naturelle Complete des Reptiles*. Vol.6. Librairie Encyclopédique de Roret, Paris, 609 pp.
- Duméril, A.M.C. & Duméril, A.H.A. 1851. Catalogue méthodique de la collection des reptiles du Muséum d'Histoire Naturelle de Paris. Gide et Baudry/Roret, Paris, 224 pp.
- Duméril, A.M.C.; Bibron, G. & Duméril, A.H.A. 1854. *Erpétologie générale ou histoire naturelle complète des reptiles*. Tome septième, Partie 1. Librairie Encyclopédique de Roret, Paris, France, 780 pp.
- Dunn, E.R. 1935. Notes on American Mabuyas. *Proceedings of the Academy of Natural Sciences of Philadelphia* 87: 533-560.
- Dunn, E.R. 1944. A revision of the Colombian snakes of the genera *Leimadophis*, *Lygophis*, *Liophis*, *Rhadinaea*, and *Pliocercus*, with a note on Colombian *Coniophanes*. *Caldasia* 2: 479-495.
- Echevarría, L.Y.; Barboza, A.C. & Venegas, P.J. 2015. A new species of montane gymnophthalmid lizard, genus *Cercosaura* (Squamata: Gymnophthalmidae), from the Amazon slope of northern Peru. *Amphibian & Reptile Conservation* 9: 34-44 (e109).
- Embert, D. 2002. Geographic distribution. *Chironius quadricarinatus maculoventris* (Cobra Cipo, Sacaiboia). *Herpetological Review* 33: 226-227.
- Embert, D. 2005. *Kentropyx paulensis*. *Herpetological Review* 36: 80.
- Embert, D. 2008. Distribution, diversity and conservation status

- of Bolivian reptiles. Doctoral dissertation. Rheinischen Friedrichs-Wilhelms-Universität, Bonn, Germany.
- Embert, D. 2009a. *Eunectes beniensis*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 279-280.
- Embert, D. 2009b. *Atractus emmeli*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 241-242.
- Embert, D. 2009c. *Atractus torquatus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 255-256.
- Embert, D. 2009d. *Clelia langeri*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 287-288.
- Embert, D. & Reichle, S. 2003. Neue Daten zu *Apostolepis multicincta* Harvey, 1999 aus den innerandinen Trockentälern Boliviens. *Salamandra* 39: 249-253.
- Embert, D.; Gonzales, L.; Aguayo, R.; Aparicio, J.; Muñoz, A. & Pelegrin, N. 2019a. *Urostrophus gallardoi*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203157/2761220> (accessed 5 July 2020).
- Embert, D.; Martins, M.R.C.; Rivas, G.; Stafford, P.; Gonzales, L.; Gagliardi, G.; Catenazzi, A.; Nogueira, C.C.; Murphy, J.; Acosta Chaves, V.; García-Rodríguez, A.; Batista, A.; Cisneros-Heredia, D.F.; Saborío, G. & Vargas-Álvarez, J. 2019b. *Siphlophis compressus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/177499/1489242> (accessed 9 August 2020).
- Emmons, L.H. 1991. Observations on the herpetofauna. In: Parker, T. & Bailey, B. Eds, A biological assessment of the Alto Madidi region and adjacent areas of Bolivia. RAP Working Papers 1: 74.
- Emmons, L.H. 1993. Reptile and amphibian species Registered in the Curuyuqui Chaco Forest. In: Parker, T.; Foster, R. B.; Emmons, L. & Bailey, B. Eds, The lowland dry forests of Santa Cruz, Bolivia: a global conservation priority. RAP Working Papers 4: 104.
- Emmons, L.H. 2016. Observations on hard-ground nesting of *Podocnemis unifilis* in Bolivia. *Herpetological Review* 47: 186-189.
- Entiauspe-Neto, O.M. & Lema, T. de .2015. *Apostolepis christineae* Lema, 2002 (Serpentes: Xenodontinae: Elapomorphini): first record for Bolivia. *Check List* 11: 1814.
- Entiauspe-Neto, O.M. & Loebmann, D. 2019. Taxonomic status of *Chironius laurenti* Dixon, Wiest & Cei, 1993 and of the long- forgotten *Chironius dixonii* Wiest, 1978 (Squamata, Serpentes). *Bionomina* 16: 83-87.
- Entiauspe-Neto, O.M.; Perleberg, T.D. & Freitas, M.A. de .2016. Herpetofauna from an urban Pampa fragment in southern Brazil: composition, structure and conservation. *Check List* 12: 1964.
- Entiauspe-Neto, O.M.; Quintela, F.M.; Regnet, R.A.; Teixeira, V.H.; Silveira, F. & Loebmann, D. 2017. A New and Microendemic Species of *Ophiodes* Wagler, 1828 (Sauria: Diploglossinae) from the Lagoa dos Patos Estuary, Southern Brazil. *Journal of Herpetology* 51: 515-522.
- Entiauspe-Neto, O.M.; Abegg, A.D.; Rocha, A.M. & Loebmann, D. 2018. Connect the dots: Filling distribution gaps of *Philodryas viridissima* (Serpentes: Dipsadidae) in Brazil, with a new state record to Roraima. *Herpetology Notes* 11: 697-702.
- Entiauspe-Neto, O. M.; Koch, C.; Harvey, M. B.; Colli, G. R.; & Guedes, T. B. 2021. Redescription of *Apostolepis ambiniger* (Peters, 1869. (Serpentes: Dipsadidae: Elapomorphini). *Vertebrate Zoology* 71: 231-251.
- Ergueta, P. 1995. Panorama de la Herpetología en Bolivia. *Acta Zoológica Lilloana* 41: 5-12.
- Ernst, C.H. 1998. *Geochelone chilensis*. *Catalogue of American Amphibians and Reptiles* 668: 1-5.
- Ernst, C.H. & Barbour, R.W. 1989. *Turtles of the World*. Smithsonian Institution Press, Washington D.C. London, [i]-xii, 1-313.
- Espinoza, R.E.; Wiens, J.J. & Tracy, C.R. 2004. Recurrent evolution of herbivory in small, cold-climate lizards: breaking the ecophysiological rules of reptilian herbivory. *Proceedings of the National Academy of Sciences of the United States of America* 101.48: 16819-16824.
- Esqueda, L.F. & La Marca, E. 1999. New Reptilian species records from the Cordillera de Mérida, Andes of Venezuela. *Herpetological Review* 30: 238-240.
- Esqueda, L.F.; Natera, M.; La Marca, E. & Ilija-Fistar, M. 2007. Nueva especie de serpiente (Reptilia: Colubridae: Liophis. de un bosque tropical relictual en el estado Barinas, Venezuela. *Herpetotropicos* 2: 95-103.
- Etheridge, R. 1970. A review of the South American iguanid lizard genus *Plica*. *Bulletin of the Natural History Museum Zoology* 19: 237-256.
- Etheridge, R.E. 1993. Lizards of the *Liolaemus darwini* complex (Squamata: Iguania: Tropiduridae) in northern Argentina. *Bollettino del Museo Regionale di Scienze Naturali Torino*, 11: 137-199.
- Etheridge, R.E. 1995. Redescription of *Ctenoblepharys adspersa* Tschudi, 1845, and the taxonomy of Liolaemidae (Reptilia: Squamata: Tropiduridae). *American Museum Novitates* 3142: 1-34.
- Etheridge, R.E. 2000. A review of lizards of the *Liolaemus wiegmanni* group (Squamata, Iguania, Tropiduridae), and a history of morphological change in the sand-dwelling species. *Herpetological Monographs* 14: 293-352.
- Etheridge, R. & Williams, E.E. 1991. A review of the South American lizard genera *Urostrophus* and *Anisolepis* (Squamata: Iguania: Polychridae). *Bulletin of the Museum of Comparative Zoology at Harvard College* 152: 317-361.
- Etheridge, R.E. & Espinoza, R.E. 2000. Taxonomy of the Liolaeminae (Squamata: Iguania: Tropiduridae. and a semi-annotated bibliography. *Smithsonian Herpetological Information Service* 126: 1-64.
- Eversole, C.B.; Powell, R.L.; Lizarro, D. & Cholima, B.R. 2016a. *Erythrolamprus* (*Liophis dorsocorallinus*), Esqueda, Natera, La Marca and Ilija-Fistar, 2007 (Squamata: Dipsadidae): range extension, new country record, and comments on color pattern. *Biotaxa* 12: 1-4.
- Eversole, C.B.; Powell, R.L.; Lizarro, D. & Cholima, B.R. 2016b. *Thamnodynastes lanei* Diet. *Herpetological Review* 47: 155.

- Eversole, C.B.; Powell, R.L.; Crocker, A.V. & Lizzaro, D. 2018. *Imantodes cenchoa* (Blunt-headed Treesnake. Reproduction. *Herpetological Review* 49: 343.
- Eversole C.B.; Powell, R.L.; Lizarro, D.; Crocker, A.V.; Calderón-Vaca, G. & de La Quintana, P. 2021. Herpetofauna of the Reserva de la Biósfera Estación Biológica del Beni and the Chimane Reserve Indigenous Territory, Bolivia. *Neotropical Biodiversity* 7: 146-154.
- Eversole, C.B.; Rivas, L.R.; Powell, R.L. & Wallace R.B. 2025. Westernmost range boundary and first records of *Dryophylax hypoconia* (Cope, 1860) (Serpentes, Dipsadidae) from Bolivia. *Check List* 21: 413-419
- Fagundes, C.K.; Fath, F.; Côrtes, L.G.; Uhlig, V.; Andrade, P.C.M.; Vogt, R.; Pezzuti, J.C.B.; & Júnior, P.D.M. 2021. A large-scale analysis of threats to the nesting sites of *Podocnemis* species and the effectiveness of the coverage of these areas by the Brazilian Action Plan for Amazon Turtle Conservation. *Journal for Nature Conservation* 125997.
- Feio, R.N. & Caramaschi, U. 2003. Contribuição ao conhecimento da herpetofauna do nordeste do estado de Minas Gerais, Brasil. *Phyllomedusa* 1: 105-111.
- Feitosa, D.T.; Passos, P. & Prudente, A.L.C. 2007. Taxonomic status and geographic variation of the slender coralsnake *Micrurus filiformis* (Günther, 1859. (Serpentes, Elapidae). *South American Journal of Herpetology* 2: 149-156.
- Fenwick, A.M.; Gutberlet Jr.; R.L.; Evans, J.A. & Parkinson, C.L. 2009. Morphological and molecular evidence for phylogeny and classification of South American pitvipers, genera *Bothrops*, *Bothriopsis*, and *Bothrocophias* (Serpentes: Viperidae). *Zoological Journal of the Linnean Society* 156: 617-640.
- Fernández, B. 2008. Plan de Manejo de la Reserva de Vida Silvestre Departamental Bruno Racua. Monte Verde/WWF. Santa Cruz, Bolivia 141 p.
- Fernandes, D.S.; Germano, V.J.; Fernandes, R. & Franco, F.L. 2002. Taxonomic status of the lowland species of the *Liophis cobella* group with comments on the species of the Venezuelan Tepuis (Serpentes, Colubridae). *Boletim do Museu Nacional de Rio de Janeiro* 481: 1-14.
- Ferraro, D.P. & Williams, J.D. 2006. Material tipo de la colección de herpetología del Museo de La Plata, Buenos Aires, Argentina. *Cuadernos de Herpetología* 19: 19-36.
- Ferreira, V.L. & Ávila, R.W. 2009. Reptilia, Squamata, Serpentes, Dipsadidae, *Sibynomorphus lavillai* Scrocchi, Porto and Rey 1993: New country record and geographic distribution map. *Check List* 5: 773-775.
- Filippi, F. 1840. Catalogo Ragionato e Descrittivo).. Serpenti del Museo dell' I. R. Università de Pavia. *Biblioteca italiana* 99: 163-187, 306-343.
- Fitzinger, L. 1826. Neue Classification der Reptilien nach ihren natürlichen Verwandtschaften nebst einer Verwandtschafts-Tafel und einem Verzeichnisse der Reptilien-Sammlung des K. K. Zoologischen Museums zu Wien. J. G. Heubner, Wien, 66 pp.
- Fitzinger, L. 1843. *Systema Reptilium, fasciculus primus, Amblyglossae*. Braumüller et Seidel, Wien, 106 pp.
- Fonseca, W.L.; Silva, J.D. da, Abegg, A.D.; da Rosa, C.M. & Bernarde, P.S. 2019. Herpetofauna of Porto Walter and surrounding areas, Southwest Amazonia, Brazil. *Herpetology Notes* 12: 91-107.
- Forlani, M.C.; Bernardo, P.H.; Haddad, C.B.F. & Zaher, H. 2010. Herpetofauna of the Carlos Botelho State Park, São Paulo State, Brazil. *Biota Neotropica* 10: 265-309.
- Fraga, R.; Stow, A.J.; Magnusson, W.E. & Lima, A.P. 2014. The Costs of Evaluating Species Densities and Composition of Snakes to Assess Development Impacts in Amazonia. *PLoS One*, 9 (8., e105453).
- Frair, W.; Mittermeier, R.A. & Rhodin, A.G.J. 1978. Blood biochemistry and relations among *Podocnemis* turtles (Pleurodira, Pelomedusidae). *Comparative Biochemistry & Physiology*, 61B: 139-143.
- França, D.P.F.; Barbo, F.E.; Silva Jr.; N.J. da, Silva, H.L.R. & Zaher, H. 2008. A new species of *Apostolepis* (Serpentes, Dipsadidae, Elapomorphini. from the Cerrado of Central Brazil. *Zootaxa* 4521: 438-552.
- França, D.P.F.; Fermiano, E.C.; Machado-Filho, P.R. & Zaher, H.. 2020. Taxonomic contributions and first record of the poorly known species *Apostolepis tenuis* Ruthven, 1927 in Brazil (Serpentes, Dipsadidae). *Herpetologia Brasileira* 8: 44-49.
- França, F.G.R. & Araújo, A.F.B. 2006. The conservation status of snakes in central Brazil. *South American Journal of Herpetology* 1: 25-36.
- França, F.G.R. & Bezerra, E.S. 2010. Reptilia, Serpentes, Dipsadidae, *Liophis taeniogaster* Jan, 1863: Distribution extension, new state record and geographic distribution map. *Check List* 6: 614-615.
- França, F.G.R.; Mesquita, D.O. & Colli G.R. 2006. A checklist of snakes from amazonian savannas in Brazil, housed in the coleção herpetológica da Universidade de Brasília, with new distribution records. *Occasional Papers Sam Noble Oklahoma Museum of Natural History, University of Oklahoma* 17: 1-13.
- França, F.G.R.; Mesquita, D.O.; Nogueira, C.C. & Araújo, A.F.B. 2008. Phylogeny and Ecology Determine Morphological Structure in a Snake Assemblage in the Central Brazilian Cerrado. *Copeia* 1: 23-38.
- Francisco, B.C.S.; Pinto, R.R. & Fernandes, D.S. 2018. Taxonomic Notes on the Genus *Siagonodon* Peters, 1881, with a Report on Morphological Variation in *Siagonodon cupinensis* (Bailey and Carvalho, 1946). (Serpentes: Leptotyphlopidae). *Copeia*, 106: 321-328.
- Freiberg, M.A. 1945. Una nueva especie de Tortuga del género *Platemys* Wagler. *Physis* 20: 19-23.
- Freiberg, M.A. 1982. *Snakes of South America*. T.F.H. Publications, Neptune City, NJ, 189 pp.
- Freitas, J.L.; Strüssmann, C.; Carvalho, M.A.; Kawashita-Ribeiro, R.A. & Mott, T. 2011. A new species of *Bachia* Gray, 1845 (Squamata: Gymnophthalmidae) from the Cerrado of midwestern Brazil. *Zootaxa* 2737: 61-68.
- Freitas, M.A. 2014. Squamate reptiles of the Atlantic Forest of northern Bahia, Brazil. *Check List* 10: 1020-1030.
- Freitas, M.A. & Silva, T.F.S. 2005. *A herpetofauna da Mata Atlântica nordestina: guia ilustrado*. USEB, Pelotas, Brazil, 162 pp.
- Freitas, M. A.; Colli, G.R.; Entiauspe-Neto, O.M.; Trinchão, L.; Araújo, D.; Lima T.O.; Pereira, D.F.F.; Gaiga, R. & Dias, P. 2016. Snakes of Cerrado localities in western Bahia, Brazil. *Check List* 12: 1896.
- Freitas, M.A.; Abegg, A.D.; Silva, T.F.S.; Fonseca, P.M.; Hamdan, B. & Filadelfo, T. 2019. Herpetofauna of Serra do Timbó, an Atlantic Forest remnant in the State of Bahia, Northeastern Brazil. *Herpetology Notes* 12: 245-260.
- Frétey, T. 2019. Capitalised epithets in the works of Linnaeus (1758-1767.: findings and consequences in herpetology.

- Bionomina* 16: 22-45.
- Fritts, T.H. 1974. A multivariate evolutionary analysis of the Andean Iguanid lizards of the genus *Stenocercus*. *San Diego Society of Natural History Memoir* 7: 1-89.
- Frost, D.R. 1992. Phylogenetic analysis and taxonomy of the *Tropidurus* group of lizards (Iguania: Tropiduridae). *American Museum Novitates* 3033: 1-68.
- Frost, D.R. 2022. Amphibian Species of the World: an Online Reference. Version 6.1 (28/05/2022). Electronic Database accessible at <https://amphibiansoftheworld.amnh.org/index.php>. American Museum of Natural History, New York, USA. doi.org/10.5531/db.vz.0001
- Frost, D.R.; Rodrigues, M.T.; Grant, T. & Titus, T.A. 2001. Phylogenetics of the Lizard Genus *Tropidurus* (Squamata: Tropiduridae: Tropidurinae.: Direct Optimization, Descriptive Efficiency, and Sensitivity Analysis of Congruence Between Molecular Data and Morphology. *Molecular Phylogenetics and Evolution* 21: 352-371.
- Frost, D.R. & Etheridge, R. 2016. Liolaemidae. Electronic Catalogue. American Museum of Natural History. https://www.amnh.org/content/download/50889/771947/file/LIOLAEMIDAE_20Jan16.pdf
- Frota, J.G. 2005. Nova espécie de *Helicops* Wagler, 1830 (Serpentes, Colubridae. do rio Tapajós, Amazonia, Brasil. *Phyllomedusa* 4: 61-68.
- Frota, J.G.; Santos Jr.; A.P.; Menezes-Chalkidis, H. & Guedes, A.G. 2005. As serpentes da região do Baixo Rio Amazonas, Oeste do Estado do Pará, Brasil (Squamata). *Biociências* 13: 211-220.
- Fugler, C.M. 1983. Lista preliminar de los anfibios y reptiles de Tumi Chucua. *Museo Nacional de Historia Natural de Bolivia* 2: 4-11.
- Fugler, C.M. 1984. Tercera contribución a la fauna herpetológica del Oriente boliviano. *Ecología en Bolivia* 5: 63-72.
- Fugler, C.M. 1985. Adiciones y correcciones a la lista preliminar de la herpetofauna de Tumi Chucua, province Vaca Díez, Departamento de Beni. *Cuadernos Academia Nacional de Ciencias de Bolivia, Museo Nacional de Historia Nacional de Zoología* 3: 17-18.
- Fugler, C.M. 1986a. Una lista preliminar de las serpientes de Bolivia. *Revista Ecología en Bolivia* 8: 4572.
- Fugler, C.M. 1986b. La estructura de una comunidad herpetológica en las selvas benianas en la estación de sequía. *Revista Ecología en Bolivia* 8: 1-20.
- Fugler, C.M. 1988a. Consideraciones sobre la herpetofauna de las selvas tropicales bolivianas. *Museo Nacional de Historia Natural de Bolivia* 6: 3-12.
- Fugler, C.M. 1988b. *Anolis punctatus* (Daudin). (Reptilia: Iguanidae), un nuevo saurio registrado en Bolivia. *Museo Nacional de Historia Natural de Bolivia* 8: 5-6.
- Fugler, C.M. 1988c. *Plica plica* (Linnaeus. (Sauria: Iguanidae), adición a la herpetofauna boliviana. *Museo Nacional de Historia Natural de Bolivia* 8: 3-4.
- Fugler, C.M. 1988d. La existencia de *Hemidactylus mabouia* (Sauria: Gekkonidae) en las selvas bolivianas. *Museo Nacional de Historia Natural de Bolivia* 6: 17.
- Fugler, C.M. 1989. Lista de Saurios. *Ecología en Bolivia* 13: 57-75.
- Fugler, C.M. & De la Riva, I. 1990. Herpetología boliviana: lista provisional de las serpientes conocidas en el país. *Museo Nacional de Historia Natural de Bolivia* 9: 22-53.
- Fugler, C.M.; De la Riva, I. & Cabot, J. 1995a. Herpetologica Boliviana: una lista comentada de las serpientes de Bolivia con datos sobre su distribución. *Ecología en Bolivia* 24: 41-87.
- Fugler, C.M.; De la Riva, I. & Cabot, J. 1995b. Herpetologica Boliviana: *Oxybelis boulengeri* Procter (Serpentes: Colubridae., adición a la fauna del país. *Ecología en Bolivia* 24: 89-90.
- Gaffney, E.S. 1977. The side-necked turtle family Chelidae: a theory of relationships using shared derived characters. *American Museum Novitates* 2620: 1-28.
- Gagliardi, G.; Nogueira, C.C.; Embert, D.; Cisneros-Heredia, D.F.; Gonzales, L.; Catenazzi, A.; Schargel, W.; Rivas, G.; Silveira, A.L.; Argôlo, A.J.S.; Abrahão, C.R.; Strüssmann, C.; Loebmann, D.; Barbo, F.E.; Franco, F.L.; Costa, G.C.; de Moura, G.J.B.; Zaher, H.; Borges-Martins, M.; Martins, M.R.C.; Oliveira, M.E.; Hoogmoed, M.S.; Marques, O.A.V.; Passos, P.; Bérnils, R.S.; Kawashita-Ribeiro, R.A.; Sawaya, R.J. & da Costa, T.B.G. da (2019). *Pseudoeryx plicatilis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/177528/44951789> (accessed 2 August 2020).
- Gaiarsa, M.P.; de Alencar, L.R.V. & Martins, M. 2013. Natural history of Pseudoboine snakes. Museu de Zoologia da Universidade de Sao Paulo. *Papéis Avulsos de Zoologia* 53: 261-283.
- Gainsbury, A. 2019. Observations on nest-site selection of *Polychrus acutirostris* Spix, 1825 (Squamata: Polychrotidae), in the Brazilian Cerrado. *Herpetology Notes* 12: 813-814.
- Gallagher, D.S. & Dixon, J.R. 1992. Taxonomic revision of the South American lizard genus *Kentropyx* Spix (Sauria: Teiidae). *Museo Regionale di Scienze Naturali di Torino* 10: 125-171.
- Gallardo, J.M. 1951. Sobre un Teiidae (Reptilia, Sauria) poco conocido para la fauna Argentina. *Comunicaciones del Instituto Nacional De Investigación de Las Ciencias Naturales*, II: 1-8.
- Gallardo, J.M. 1959. Sobre un Iguanidae del Noroeste Argentino, *Leiocephalus caducus* (Cope). *Acta Zoologica Lilloana* 17: 484-497.
- Gallardo, J.M. 1966. *Liolaemus lentus* nov. Sp. Iguanidae. de la Pampa y Algunas observaciones sobre los saurios de picha provincia Argentina y del oeste de Buenos Aires. *Neotropica* 12: 15-29.
- Gallardo, J.M. 1968. Las especies Argentinas del género *Mabuya* Fitzinger (Scincidae, Sauria). *Revista del Museo Argentino de Ciencias Naturales "Bernardino Rivadavia"* 9: 177-196.
- Gallardo, J.M. 1969. Las especies de saurios (Reptilia. de la Provincia de Santa Fe, Argentina, y consideraciones sobre su ecología y zoogeografía. *Neotropica* 15: 73-81.
- Gallardo, J.M. 1972. Composición faunística de los saurios de la Provincia de la Pampa, Republica Argentina. *Neotropica* 17: 44-48.
- Gamble, T.; Daza, J.D.; Colli, G.R.; Vitt, L.J. & Bauer, A.M. 2011. A new genus of miniaturized and pug-nosed gecko from South America (Sphaerodactylidae: Gekkota). *Zoological Journal of the Linnean Society* 163: 1244-1266.
- Gans, C. 1960. Notes on a herpetological collecting trip through the southeastern lowlands of Bolivia. *Annals of the Carnegie Museum of Natural History* 13: 288-314.
- Gans, C. 1964a. New records of *Amphisbaena silvestrii* Boulenger, and the description of new two-pored species from the Northern Chaco. *Copeia* 3: 553-561.
- Gans, C. 1964b. The South American species of *Amphisbaena*

- with a vertically keeled tail (Reptilia, Amphisbaenidae). *Senckenbergiana biológica* 45: 387-416.
- Gans, C. 1964c. A redescription of, and geographic variation in, *Liophis miliaris* Linné, the common water snake of southeastern South America. *American Museum Novitates* 2178: 1-58.
- Gans, C. 1965. Notes on amphisbaenids (Amphisbaenia, Reptilia). A redescription and discussion of *Amphisbaena angustifrons* Cope and *Amphisbaena camura* Cope of southern South America. *American Museum Novitates* 2225: 1-32.
- Gans, C. 1966. Studies on amphisbaenids (Amphisbaenia, Reptilia) 3. The small species from southern South America commonly identified as *Amphisbaena darwini*. *Bulletin of the American Museum of Natural History* 134: 185-260.
- Gans, C. 1967a. Redescription of *Amphisbaena slateri* Boulenger, with comments on its range extension into Bolivia. *Herpetologica* 23: 223-227.
- Gans, C. 1967b. A check list of recent amphisbaenians (Amphisbaenia, Reptilia) *Bulletin of the American Museum of Natural History* 135: 61-106.
- Gans, C. 2005. Checklist and bibliography of the Amphisbaenia of the world. *Bulletin of the American Museum of Natural History* 289: 1-130.
- Garman, S. 1884. The reptiles and batrachians of North America. *Memoirs of the Museum of Comparative Zoölogy*, at Harvard College, Cambridge, Massachusetts, 8 (3), xxxiv + 185 pp.
- Garman, S. 1887. On West Indian reptiles in the Museum of Comparative Zoology at Cambridge, Massachusetts. *Proceedings of the American Philosophical Society* 24: 278-286.
- Garman, S. 1892. On *Cophias* and *Bachia*. *Bulletin of the Essex Institute* 24: 96-97.
- Gasc, J.P. & Rodrigues, M.T. 1980. Liste preliminaire des Serpents de la Guyane francaise. *Bulletin du Museum National d'Histoire Naturelle* 2: 559-598.
- GBIF Secretariat. GBIF Backbone Taxonomy. Available from: <https://www.gbif.org/> (accessed 21 July 2020).
- Glaw, F. & Vences, M. 1994. A Field guide to the Amphibians and Reptiles of Madagascar. Vences & Glaw Verlag, Köln, 496 pp.
- Girard, C. 1858. Descriptions of some new Reptiles, collected by the US. Exploring Expedition under the command of Capt. Charles Wilkes, U.S.N. Third Part. *Proceedings of the Academy of Natural Sciences of Philadelphia* 9: 181-182.
- Giraud, A.R. 2001. Serpientes de la Selva Paranaense y del Chaco Húmedo. *Literature of Latin América*, Buenos Aires, Argentina, 285 pp.
- Giraud, A.R. 2017. *Xenodon semicinctus*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/176857/15183683> (accessed 10 August 2020).
- Giraud, A.R. & Scrocchi, G. 2002. Argentinian snakes: an annotated checklist. *Smithsonian Herpetological Information Service* 132: 1-53.
- Giraud, A.R.; Vidoz, F.; Arzamendia, V. & Nenda, S.J. 2012a. Distribution and natural history notes on *Tachymenis chilensis chilensis* (Schlegel, 1837) in Argentina. *Check List* 8: 919-923.
- Giraud, A.R.; Arzamendia, V.; Bellini, G.P.; Bessa, C.A.; Calamante, C.C.; Cardozo, G.; Chiaraviglio, M.; Costanzo, M.B.; Etchepare, E.G.; Di Cola, V.; Di Pietro, D.; Kretschmar, S.; Palomas, S.; Nenda, S.J.; Rivera, P.C.; Rodríguez, M.E.; Scrocchi, G.J. & Williams, J.D. 2012b. Categorización del estado de conservación de las serpientes de la República Argentina. *Cuadernos de Herpetología*, 26: 303-326.
- Giraud, A.R.; Aparicio, J.; Gonzales, L.; Aguayo, R.; Muñoz, A. & Embert, D. 2019. *Tomodon orestes*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/56039823/56039826> (accessed 9 August 2020).
- Giraud, A.R.; Arzamendia, V.; Nenda, S. & Da Silva, J. N. Jr. 2021. Diversity of Coralsnakes of Argentina, Paraguay, and Uruguay. pp: 251-272. En: Silva Jr. N.J., Porras, L.W., Aird, S.D. & Prudente, A.L.C. (eds.). *Advances in Coralsnake Biology: with an emphasis on South America*. Eagle Mountain Publishing, Utah, USA and Goiana: Pontificia Universidade do Goiana.
- Goicoechea, N.; Padial, J.M.; Chaparro, J.C.; Castroviejo-Fisher, S. & De la Riva, I. 2013. Molecular phylogenetics, species diversity, and biogeography of the Andean lizards of the genus *Proctoporus* (Squamata: Gymnophthalmidae). *Molecular Phylogenetics and Evolution* 65: 953-964.
- Goicoechea, N.; Frost, D.R.; De la Riva, I.; Pellegrino, K.C.M.; Sites, J.; Rodrigues, M.T. & Padial, J. M. 2016. Molecular systematics of teioid lizards (Teioidea/Gymnophthalmoidea: Squamata) based on the analysis of 48 loci under tree-alignment and similarity-alignment. *Cladistics* 32: 624-671. <https://doi.org/10.1111/cla.12150>
- Gomes, J.F. 1918. Contribuição para o conhecimento dos ophidios do Brasil. II. Ophidios do Museu Rocha (Ceará). *Revista do Museu Paulista* 10: 505-527.
- Gómez-Murillo, P. & Arellano-Martín, I. 2019. Población introducida de *Chelonoidis carbonaria* en Villa Tunari, Bolivia. *Boletín de la Asociación Herpetológica Española* 30: 71-73.
- Gómez-Murillo, P. & Arellano-Martín, I. 2020. Amphibians and reptiles of Villa Tunari, Department of Cochabamba, Bolivia. *Boletín de la Asociación Herpetológica Española* 31: 102-119.
- Gómez-Murillo, P.; Arellano-Martín, I. & García-Antón, P. 2020. Registro adicional de *Bothrops sanctaecrucis* (Serpentes: Viperidae) en la provincia Chapare. *Boletín de la Asociación Herpetológica Española* 31: 101-103.
- Gonzales, L. 1998. La herpetofauna del Izozog. *Ecología en Bolivia* 31: 45-51.
- Gonzales, L. 2016. *Apostolepis dorbignyi*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/15155994/15156028> (accessed 29 July 2020).
- Gonzales, L. 2019. *Apostolepis breviceps*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15155778/15155780> (accessed 28 July 2020).
- Gonzales, L. & Reichle, S. 2002. Singularidades de la herpetofauna de la Serranía de Santiago de Chiquitos, Santa Cruz, Bolivia. *Revista Boliviana de Ecología y Conservación* 11: 77-85.
- Gonzales, L. & Sosa, R. 2005. Primera cita de *Anops kingi* Bell, 1833 (Squamata: Amphisbaenidae) para Bolivia. *Kempffiana* 1: 63-64.
- Gonzales, L. & Montaña, R. 2009a. *Mesoclemmys vanderhaegei*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados

- de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 619-620.
- Gonzales, L. & Montaña, R. 2009b. *Acanthochelys pallidipectoris*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 609-610.
- Gonzales, L. & Montaña, R. 2009c. *Dracaena paraguayensis*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 623-624.
- Gonzales, L. & Montaña, R. 2009d. *Apostolepis multicincta*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 281-282.
- Gonzales, L. & Muñoz, A. 2009. *Amphisbaena cegei*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 265-266.
- Gonzales, L.; Muñoz, A. & Cortez, E. 2006. Primer reporte sobre la herpetofauna de la Reserva Natural "El Corbalán", Tarija, Bolivia. *Kempffiana* 2: 72-94.
- Gonzales, L.; Muñoz, A. & Embert, D. 2016. *Amphisbaena cegei*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50956334/50956337> (accessed 3 July 2020).
- Gonzales, L.; Moravec, J.; Martins, M.R.C.; Nogueira, C.C. & Rodriguez, L. 2019. *Siphophis worontzowi*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/177566/53938059> (accessed 9 August 2020).
- Gonzales, L.; Reichle, S. & Entiauspe-Neto, O. M. 2020. A new species of *Oxyrhopus* Wagler, 1830 (Serpentes: Dipsadidae, from the Bolivian Andes. *Academia Brasileira de Ciências* 92: e20191428.
- Gonzales, L. & Nogueira, C.C. 2021. *Xenopholis werdingorum*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/15183719/15183721> (accessed 4 December 2022).
- González-Sánchez, V.H.; Johnson, J.D.; García-Padilla, E.; Mata-Silva, V.; DeSantis, D.L. & Wilson, L.D. 2017. The Herpetofauna of the Mexican Yucatan Peninsula: composition, distribution, and conservation status. *Mesoamerican Herpetology* 4: 264-380.
- Gorzula, S. & Señaris, J.C. 1999. Contribution to the herpetofauna of the Venezuelan Guayana. I: a data base. *Scientia Guianae* 8: 1-267.
- Gower, D.; Garrett, K. & Stafford, P. 2012. *Snakes*. Firefly Books, Buffalo, NY, 144 pp.
- Graboski, R.; Arredondo, J.C. & Grazziotin, F.G. 2018. Molecular phylogeny and hemipenial diversity of South American species of *Amerotyphlops* (Typhlopidae, Scolecophidia). *Zoologica Scripta*, 2018: 1-18.
- Gray, J.E. 1831. A synopsis of the species of Class Reptilia. In: Griffith, E & Pidgeon, E. The animal kingdom arranged in conformity with its organisation by the Baron Cuvier with additional descriptions of all the species hither named, and of many before noticed. Whittaker, Treacher and Co.; London, 481 pp.
- Gray, J.E. 1845. Catalogue of the specimens of lizards in the collection of the British Museum. Trustees of the British Museum/Edward Newman, London: xxvii + 289 pp.
- Gray, J.E. 1851. Description of a new genus and family of cyclosaurian lizards, from Pará. *Proceedings of the Zoological Society of London* 19: 38-39.
- Gray, J.E. 1852. Description of a new genus and family of Cyclosaurian lizards, from Para. *Annals and Magazine of Natural History* 10: 448-449.
- Gray, J.E. 1856. Catalogue of Shield Reptiles in the Collection of the British Museum. Part I. Testudinata (Tortoises). British Museum, London, 79 pp.
- Gray, J.E. 1860. Description of a new genus of *Boidae* discovered by Mr. Bates on the Upper Amazon. *Annals and Magazine of Natural History* 6: 131-132.
- Gray, J.E. 1865. A revision of the genera and species of amphisbaenians with the descriptions of some new species now in the collection of the British Museum. *Annals and Magazine of Natural History* 16: 365-377.
- Gray, J.E. 1870. Notice of a new Chilean tortoise (*Testudo chilensis*). *Annals and Magazine of Natural History* 6: 190-190.
- Grazziotin, F.G.; Zaher, H.; Murphy, R.W.; Scrocchi, G.; Benavides, M.A.; Ya-Ping, Z. & Bonatto, S.L. 2012. Molecular phylogeny of the New World Dipsadidae (Serpentes: Colubroidea): a reappraisal. *Cladistics* 1: 1-23.
- Greer, A.E. & Nussbaum, R.A. 2000. New character useful in the systematics of the scincid lizard genus *Mabuya*. *Copeia* 2: 615-618.
- Greer, A.E.; Arnold, C. & Arnold, E.N. 2000. The systematic significance of the number of presacral vertebrae in the scincid lizard genus *Mabuya*. *Amphibia-Reptilia* 21: 121-126.
- Griffin, L.E. 1916. A catalogue of the Ophidia from South America at present (June, 1916), contained in the Carnegie Museum with descriptions of some new species. *Memoirs Carnegie Museum* 3: 163-228.
- Griffin, L.E. 1917. A list of South American lizards of the Carnegie Museum, with descriptions of four new species. *Annals of the Carnegie Museum of Natural History* 11: 304-320.
- Grisales-Martínez, F.A.; Velasco, J.A.; Bolívar, W.; Williams, E.E. & Daza, J.M. 2017. The taxonomic and phylogenetic status of some poorly known *Anolis* species from the Andes of Colombia with the description of a nomen nudum taxon. *Zootaxa* 4303: 213-230.
- Guerra, D.; Fuentes, H. & Morán, V. 2012. *Serpientes de Guatemala: Guía para identificación de especies*. Unidad de Vida Silvestre, Facultad de Medicina Veterinaria y Zootecnia, Universidad de San Carlos de Guatemala. Guatemala, 186 pp.
- Guichenot, A. 1855. Animaux nouveaux ou rares recueillis pendant l'Expédition dans les parties centrales de l'Amérique du Sud, de Rio de Janeiro a Lima, et de Lima au Para. Exécutée par ordre du Gouvernement Français pendant les années 1843 a 1847, sous la direction du P. Bertrand, Paris.
- Günther, A. 1858. Catalogue of Colubrine snakes of the British Museum. London, I - XVI, 281 pp.
- Günther, A. 1860. Third list of the cold-blooded vertebrates collected by Mr. Fraser in Ecuador. *Proceedings of the Zoological Society of London* 2: 233-240.
- Günther, A. 1861. On the ophidian genus *Helicops*. *Annals and Magazine of Natural History* 7: 425-428.

- Günther, A. 1868. Sixth account of new species of snakes in the collection of the British Museum. *Annals and Magazine of Natural History* 1: 413-429.
- Günther, A. 1871. Description of a new species of Tejus (*Tejus rufescens*) from Mendoza. *Proceedings of the Zoological Society of London* 541-543.
- Günther, A. 1872. Seventh account of new species of snakes in the collection of the British Museum. *Annals and Magazine of Natural History* 9: 13-37.
- Günther, A. 1882. Observations on some rare Reptiles and a Batrachian now or lately living in the Society's Menagerie. *Transactions of the Zoological Society of London* 11: 215-222, 5 plates.
- Günther, A. 1885. Reptilia and Batrachia. Biologia Centrali-Americana. Taylor, & Francis, London, 326 pp.
- Gutberlet, R.L. & Campbell, J.A. 2001. Generic recognition for a neglected lineage of South American pitvipers (Squamata: Viperidae: Crotalinae), with the description of a new species from the Colombian Chocó. *American Museum Novitates* 3316: 1-15.
- Gutiérrez-Cárdenas, P. & Arredondo, J.C. 2005. *Imantodes cenchoa* (Chunk-headed snake, Bejuquilla). Diet. *Herpetological Review* 36: 324-324.
- Gutiérrez-Cárdenas, P.; Caicedo, J.; Rivas, G.; Cacciali, P.; Scott, N.; Montero, R.; Pelegrin, N.; Kacolis, F. & Murphy, J. 2019a. *Amerotyphlops brongersmanus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15203002/15203007> (accessed 23 August 2020).
- Gutiérrez-Cárdenas, P.; Caicedo, J.; Rivas, G.; Nogueira, C.C.; Cisneros-Heredia, D.F. & Gonzales, L. 2019b. *Philodryas viridissima*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15182284/15182298> (accessed 18 August 2020).
- Gutiérrez-Cárdenas, P.; Rivas, G.; Nogueira, C.C.; Gagliardi, G.; Catenazzi, A.; Gonzales, L. & Murphy, J. 2019c. *Clelia clelia*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/197468/2487325> (accessed 7 August 2020).
- Gutiérrez-Cárdenas, P.; Rivas, G.; Nogueira, C.C.; Gagliardi, G.; Catenazzi, A. & Gonzales, L. 2019d. *Leptophis ahaetulla*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/197499/2491090> (accessed 23 July 2020).
- Gutiérrez-Cárdenas, P.; Rivas, G.; Caicedo, J.; Gagliardi, G.; Gonzales, L.; Nogueira, C.C. & Murphy, J. 2019e. *Spilotes sulphureus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15183770/15183779> (accessed 27 July 2020).
- Gutiérrez-Cárdenas, P.; Caicedo, J.R.; Rivas, G. & Murphy, J. 2021a. *Bothrops atrox*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/44582135/44582154> (accessed 4 December 2022).
- Gutiérrez-Cárdenas, P.; Rivas, G.; Caicedo, J.R.; Ouboter, P.; Hoogmoed, M.S. & Murphy, J. 2021b. *Lachesis muta*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/62254/44946798> (accessed 4 December 2022).
- Gutiérrez R.C.; Chaparro J.C.; Vásquez, M.Y.; Quiroz, A.J.; Aguilar-Kirigin, A. & Abdala, C.S. 2018. Descripción y relaciones filogenéticas de una nueva especie de *Liolaemus* (Iguania: Liolaemidae, y notas sobre el grupo de *L. montanus* de Perú. *Cuadernos de Herpetología* 32: 81-99.
- Hallermann, J. 1998. Annotated catalogue of the type specimens of the herpetological collection in the Zoological Museum of the University of Hamburg. *Mitteilungen aus den Hamburgischen Zoologischen Museum und Institut* 95: 197-223.
- Hamdan, B. & Lira-da-Silva, R.M. 2012. The snakes of Bahia State, northeastern Brazil: species richness, composition and biogeographical notes. *Salamandra* 48: 31-50.
- Hamdan, B., Scali, S., & Fernandes, D.S. 2014. On the identity of *Chironius flavolineatus* (Serpentes: Colubridae). *Zootaxa*, 3794(1), 134-142.
- Hammerson, G.A.; Nogueira, C.C.; Catenazzi, A.; Hoogmoed, M.; Schargel, W. & Rivas, G. 2019a. *Chironius scurrulus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44580168/44580177> (accessed 20 July 2020).
- Hammerson, G.A.; Hladki, A.I.; Lee, J.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Vázquez-Díaz, J.; Cisneros-Heredia, D.F.; Gonzales, L.; Catenazzi, A.; Nogueira, C.C.; Schargel, W.; Rivas, G. & Murphy, J. 2019b. *Oxybelis aeneus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/198390/2523934> (accessed 23 July 2020).
- Harris, D.N. 1994. Review of the teiid lizard genus *Ptychoglossus*. *Herpetological Monographs* 8: 226-275.
- Harvey, M.B. 1994. A new species of montane pitviper (Serpentes: Viperidae: *Bothrops*) from Cochabamba, Bolivia. *Proceedings of the Biological Society of Washington* 107: 60-66.
- Harvey, M.B. 1995. A preliminary list of the reptiles and amphibians of the El Refugio biological reserve. In: Forsyth, A. Ed, A report on aspects of biodiversity and conservation potential in El Refugio. Conservation International. Washington, pp. 21-26.
- Harvey, M.B. 1997. Reptiles and amphibians from the vicinity of El Palmar in the Andes of Chuquisaca. In: Schulenberg, T.S. & Awbrey, K. Eds, A rapid assessment of the humid forests of south central Chuquisaca, Bolivia. Conservation International, Washington. RAP Working Papers 8: 33-36, 83-84.
- Harvey, M.B. 1998. Reptiles and amphibians of Parque Nacional Noel Kempff Mercado. In: Killeen, T.J. & Schulenberg, T.S. Eds, A biological assessment of Parque Nacional Noel Kempff Mercado, Bolivia. Conservation International Washington. RAP Working Papers 10: 144-166.
- Harvey, M.B. 1999. Revision of Bolivian *Apostolepis* (Squamata: Colubridae). *Copeia* 2: 388-409. <https://doi.org/10.2307/1447485>
- Harvey, M.B. 2008. New and poorly known *Dipsas* (Serpentes: Colubridae, from northern South America. *Herpetologica* 64: 422-451.
- Harvey, M.B. & Gutberlet, R.L. 1998. Lizards of the genus *Tropidurus* (Iguania: Tropiduridae) from the Serranía de Huanchaca, Bolivia: new species, natural history, and a key to the genus. *Herpetologica* 54: 493-520.
- Harvey, M.B. & Gutberlet Jr.; R.L. 2000. A phylogenetic analysis of the tropidurine lizards (Squamata: Tropiduridae), including new characters of squamation and epidermal microstructure. *Zoological Journal of the Linnean Society* 128: 189-233.
- Harvey, M.B. & Muñoz, A. 2004. A new species of *Tomodon*

- (Serpentes: Colubridae) from high elevations in the Bolivian Andes. *Herpetologica* 60: 364-372.
- Harvey, M.B. & Embert, D. 2009. Review of Bolivian *Dipsas* (Serpentes: Colubridae), with Comments on Other South American Species. *Herpetological Monographs* 22: 54-105.
- Harvey, M.B.; Aparicio, J.; Cortez, C.; Gonzales, L.; Guerra, J.F.; Montaña, M.E. & Pérez, M.E. 1998. Reptile and amphibian species of Parque Nacional Noel Kempff Mercado. In: Killeen, T.J. & Schulenberg, T.S. Eds, A biological assessment of Parque Nacional Noel Kempff Mercado, Bolivia. Conservation International Washington. *Rap Working Papers* 10: 348-355.
- Harvey, M.B.; González, L. & Scrocchi, G.J. 2001. New species of *Apostolepis* (Squamata: Colubridae) from the Gran Chaco in southern Bolivia. *Copeia* 2: 501-507.
- Harvey M.B.; Aparicio, J. & Gonzalez, L.A. 2003. Revision of the venomous snakes of Bolivia: Part 1. The coral snakes (Elapidae: Micrurus). *Annals of the Carnegie Museum* 72: 1-52.
- Harvey, M.B.; Aparicio, J. & Gonzales, L. 2005. Revision of the venomous snakes of Bolivia: Part II. The pitvipers (Serpentes: Viperidae). *Annals of Carnegie Museum* 74: 1-37.
- Harvey, M.B.; Aguayo, R. & Mirelles, A. 2008a. Redescription and biogeography of *Mabuya cochabambae* Dunn with comments on Bolivian congeners (Lacertilia: Scincidae). *Zootaxa* 1828: 43-56.
- Harvey, M.B.; Rivas, G.; Caicedo, J.R. & Rueda-Almonacid, J.V. 2008b. Systematics of the Enigmatic Dipsadine Snake *Tropidodipsas perijanensis* (Serpentes: Colubridae) and Review of Morphological Characters of Dipsadini. *Herpetological Monographs* 22: 106-132.
- Harvey, M.B.; Rivas, G.; Caicedo, J.R. & Rueda-Almonacid, J.R. 2009. Systematics of the Enigmatic Dipsadine Snake *Tropidodipsas perijanensis* Aleman (Serpentes: Colubridae) and Review of Morphological Characters of Dipsadini. *Herpetological Monographs* 22: 106-132.
- Harvey, M.B.; Ugueto, G.N. & Gutberlet Jr.; R.L. 2012. Review of Teiid Morphology with a Revised Taxonomy and Phylogeny of the Teiidae (Lepidosauria: Squamata). *Zootaxa* 3459: 1-156.
- Hedges, S.B. & Conn, C.E. 2012. A new skink fauna from Caribbean islands (Squamata, Mabuyidae, Mabuyinae). *Zootaxa* 3288: 1-244.
- Hedges, S.B.; Marion, A.B.; Lipp, K.M.; Marin, J. & Vidal, N. 2014. A taxonomic framework for typhlopids snakes from the Caribbean and other regions (Reptilia, Squamata). *Caribbean Herpetology* 49: 1-61.
- Hedges, S.B.; Powell, R.; Henderson, R.W.; Hanson, S. & Murphy, J.C. 2019. Definition of the Caribbean Islands biogeographic region, with checklist and recommendations for standardized common names of amphibians and reptiles. *Caribbean Herpetology* 67: 1-53.
- Heimes, P. 2016. Snakes of Mexico. Chimaira, Frankfurt, 572 pp.
- Hellmich, W. 1938. Anotaciones para el conocimiento de las culebras de Chile. Colecciones Goetsch-Hellmich, Schroeder, Kuhlmann, Ptlamer. *Revista Chilena Historia Natural* 41: 107-110.
- Hellmich, W. 1960. Die Saurier des Gran Chaco und seiner Randgebiete. *Bayerische Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse* 101: 1-131.
- Hellmich, W. 1961. Bemerkungen zur geographischen Variabilität von *Liolaemus alticolor* Barbour (Iguania). *Opuscula Zoologica* 58: 1-6.
- Henderson, R.W. 1997. A Taxonomic Review of the *Corallus hortulanus* Complex of Neotropical Tree Boas. *Caribbean Journal of Science* 33: 3-4, 198-221.
- Henderson, R.W.; Passos, P. & Feitosa, D. 2009. Geographic variation in the Emerald Tree boa, *Corallus caninus* (Squamata: Boidae). *Copeia* 3: 572-582.
- Hennig, A.S. 2004. *Haltung von Wasserschildkröten*. Natur und Tier Verlag (Münster), 125 pp.
- Hernández-Morales, C.; Sturaro, M.J.; Nunes, P.M.S.; Lotzkat, S. & Peloso, P.L. 2020. A species-level total evidence phylogeny of the microteiid lizard family Alopoglossidae (Squamata: Gymnophthalmoidea). *Cladistics* 36: 301-321. <https://doi.org/10.1111/cla.12407>
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Nogueira, C.C.; Gagliardi, G. & Gonzales, L. 2019a. *Taeniophallus occipitalis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15182954/15182961> (accessed 28 July 2020).
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Nogueira, C.C.; Hoogmoed, M.S. & Gonzales, L. 2019b. *Micrurus spixii*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44582072/44582077> (accessed 16 August 2020).
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Nogueira, C.C.; Gonzales, L.; Hoogmoed, M.; Schargel, W. & Rivas, G. 2019c. *Micrurus surinamensis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44582094/44582103> (accessed 16 August 2020).
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Gonzales, L.; Gagliardi, G.; Valencia, J.; Schargel, W. & Rivas, G. 2019d. *Micrurus obscurus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44581983/44581992> (accessed 15 August 2020).
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Scott, N.; Carreira, S.; Cacciali, P.; Montero, R.; Nogueira, C.C.; Schargel, W.; Rivas, G. & Murphy, J. 2019e. *Micrurus lemniscatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15202912/15202921> (accessed 15 August 2020).
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Nogueira, C.C.; Gagliardi, G.; Cisneros-Heredia, D.F.; Catenazzi, A.; Gonzales, L.; Schargel, W.; Rivas, G. & Murphy, J. 2019f. *Erythrolamprus aesculapii*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203509/2766817> (accessed 9 August 2020).
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Gonzales, L.; Gagliardi, G.; Nogueira, C.C.; Schargel, W. & Rivas, G. 2019g. *Thamnodynastes pallidus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/177552/44952409> (accessed 9 August 2020).
- Hladki, A.I.; Ramírez Pinilla, M.; Renjifo, J.; Urbina, N.; Gagliardi, G.; Nogueira, C.C.; Gonzales, L.; Schargel, W.; Rivas, G.; Silveira, A.L.; Prudente, A.L.C.; Argôlo, A.J.S.; Abrahão, C.R.; Barbo, F.E.; Costa, G.C.; Pontes, G.M.F.; Colli, G.R.; Zaher, H.; Borges-Martins, M.; Martins, M.R.C.; Oliveira, M.E.; Passos, P.; Bérnils, R.S.; Sawaya, R.J.; Cechin, C.T.Z. & Costa, T.B.G. da (2019h). *Erythrolamprus*

- taeniogaster*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15179400/15179403> (accessed 10 August 2020).
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Nogueira, C.C.; Gagliardi, G.; Cisneros-Heredia, D.F.; Hoogmoed, M.; Schargel, W. & Rivas, G. 2019i. *Dendrophidion dendrophis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203286/2762992> (accessed 22 July 2020).
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Nogueira, C.C.; Gonzales, L.; Catenazzi, A.; Cisneros-Heredia, D.F.; Hoogmoed, M.; Schargel, W.; Rivas, G. & Murphy, J. 2019j. *Drymarchon corais*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/62234/3110201> (accessed 22 July 2020).
- Hladki, A.I.; Ramírez-Pinilla, M.; Renjifo, J.; Urbina, N.; Moravec, J.; Avila-Pires, T.C.S.; Aparicio, J.; Perez, P. & Murphy, J. 2021. *Tupinambis teguixin*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/44579781/44579792> (accessed 3 December 2022).
- Hoge, A.R. 1966. Preliminary account on Neotropical Crotalinae (Serpentes: Viperidae). *Memórias do Instituto Butantan* 32: 109-184.
- Hoge, A.R. & Nina, A.C.M. 1964. Serpentes coletadas pelo Instituto Nacional de Pesquisas da Amazonia. *Memórias do Instituto Butantan* 30: 1960-1962, 71-96.
- Hoge, A.R. & Romano, S.A.R.W.L. 1977. Description of a new subsp. of *Oxyrhopus* Wagler (Serpentes: Colubridae). *Memórias do Instituto Butantan* 40: 55-62.
- Hoge, A.R.; Romano, S.A.R.W.L. & Cordeiro, C.L. 1978. Contribuição ao conhecimento das serpentes do Maranhão, Brasil. Serpentes, Boidae, Colubridae, e Viperidae. *Memórias do Instituto Butantan* 40: 37-52.
- Hollis, J.L. 2006. Phylogenetics of the genus *Chironius* Fitzinger 1826 (Serpentes, Colubridae) based on morphology. *Herpetologica* 62: 435-452.
- Hoogmoed, M.S. 1980. Revision of the genus *Atractus* in Surinam, with the resurrection of two species (Colubridae, Reptilia). Notes on the Herpetofauna of Surinam VII. *Zoologische Verhandlungen* 175: 1-47.
- Hoogmoed, M.S. 1982. Snakes of the Guianan Region. *Memórias do Instituto Butantan* 46: 219-254.
- Hoogmoed, M.S. 1985. *Xenodon werneri* Eiselt, a poorly known snake from Guiana, with notes on *Waglerophis merremii* (Wagler) (Reptilia: Serpentes: Colubridae). Notes on the herpetofauna of Surinam IX. *Zoologische Mededelingen* 59: 79-88.
- Hoogmoed, M.S. & Vaca, N. 1990. Herpetofauna. In: Frey, R. Ed, *Report Expedition Perseverancia* 19: 8-9.
- Hoogmoed, M.S. & Avila-Pires, T.C.S. 1991. Annotated checklist of the herpetofauna of Petit Saut, Sinnamary River, French Guiana. *Zoologische Mededelingen* 65: 53-88.
- Hoogmoed, M.S. & Ouboter, P. 2019a. *Chatogekko amazonicus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203172/2761399> (accessed 5 July 2020).
- Hoogmoed, M.S. & Ouboter, P. 2019b. *Kentropyx calcarata*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44579698/44579704> (accessed 19 July 2020).
- Hoogmoed, M.S.; Nogueira, C.C.; Catenazzi, A. & Gonzales, L. 2019a. *Bothrops taeniatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15203757/15203769> (accessed 17 August 2020).
- Hoogmoed, M.S.; Murphy, J.; Scrocchi, G.; Giraudo, A.; Arzamendia, V.; Fitzgerald, L. & Williams, J. 2019b. *Epictia albifrons*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50956519/50956529> (accessed 23 August 2020).
- Howell, K.; Msuya, C.A.; Ngalsan, W.; Luiselli, L.; Chirio, L.; Wagner, P.; Niagate, B.; LeBreton, M. & Bauer, A.M. 2021. *Hemidactylus mabouia*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/196915/2477783> (accessed 29 November 2022).
- Ibáñez, R.; Jaramillo, C.; Cacciali, P.; Carreira, S.; Avila-Pires, T.C.S.; Aparicio, J.; Gonzales, L.; Pérez, P.; Schargel, W.; Rivas, G. & Murphy, J. 2019a. *Amphisbaena alba*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176224/1436233> (accessed 3 July 2020).
- Ibáñez, R.; Jaramillo, C.; Gutiérrez-Cárdenas, P.; Rivas, G.; Caicedo, J.; Kacolis, F. & Pelegrin, N. 2019b. *Ameiva ameiva*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203180/2761608> (accessed 18 July 2020).
- Ibáñez, R.; Jaramillo, C.; Rivas, G.; Gutiérrez-Cárdenas, P.; Caicedo, J.; Nogueira, C.C.; Gagliardi, G.; Catenazzi, A.; Gonzales, L. & Murphy, J. 2019c. *Siphlophis cervinus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203597/2769018> (accessed 9 August 2020).
- Ibáñez, R.; Jaramillo, C.; Köhler, G.; Gutiérrez-Cárdenas, P.; Rivas, G.; Cisneros-Heredia, D.F.; Perez, P.; Aparicio, J.; Avila-Pires, T.C.S. & Gonzales, L. 2020. *Anolis fuscoauratus*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/203091/2760203> (accessed 29 November 2022).
- Ibisch, P.L. 2001. Bolivia is a megadiversity country and a developing country. pp 213-241. En: Barthlott, W.; M. Winiger & N. Biedinger (eds). Biodiversity. Springer, Berlin, Heidelberg.
- Ibisch, P.L. 2005. Biodiversity conservation in Bolivia: history, trends and challenges. In: Romero, A. & West, S.E. Eds, Environmental Issues in Latin America and the Caribbean. Springer-Verlag, pp. 55-71.
- Ibisch, P.L. & Böhme, W. 1993. Zur Kenntnis der innerandinen Herpetofauna Boliviens (Provinz Arque, Dep. Cochabamba). *Herpetofauna* 15: 15-26.
- Ibisch, P.L. & Mérida, G. 2003. Biodiversidad: La riqueza de Bolivia. Estado de conocimiento y conservación. Editorial FAN. Santa Cruz de la Sierra, 638 pp.
- IUCN. 2022. The IUCN Red List of Threatened Species. Version 2021-3, <https://www.iucnredlist.org>
- Iverson, J.B. 1992. A revised checklist with distribution maps of the turtles of the world. Privately published, Richmond, Indiana, USA, 363 pp.
- Iverson, J.B.; Le, M. & Ingram, C. 2013. Molecular phylogenetics of the mud and musk turtle family Kinosternidae. *Molecular Phylogenetics and Evolution* 69: 929-939.
- Jadin, R.C.; Burbrink, F.T.; Rivas, G.A.; Vitt, L.J.; Barrio-Amorós, C.L. & Guralnick, R.P. 2013. Finding arboreal snakes in an evolutionary tree: phylogenetic placement and systematic

- revision of the Neotropical birdsnakes. *Journal of Zoological Systematics and Evolutionary Research* 52: 257-264.
- Jadin, R.C.; Blair, C.; Orlofske, S.A.; Jowers, M.J.; Rivas, G.A.; Vitt, L.J.; Ray, J.M.; Smith, E.N. & Murphy, J.C. 2020. Not withering on the evolutionary vine: Systematic revision of New World Vine Snakes. *Organisms, Diversity & Evolution* 20: 723-746.
- Jadin, R.C.; Jowers, M.J.; Orlofske, S.A.; Duellman, W.E.; Blair, C. & Murphy, J.C. 2021. A new vine snake (Reptilia, Colubridae, Oxybelis) from Peru and redescription of *O. acuminatus*. *Evolutionary Systematics* 5: 1-12. <https://doi.org/10.3897/evolsyst.5.60626>
- Jan, G. 1862. Ueber die Familien der Eryciden und Tortriciden. *Archiv für Naturgeschichte* 28: 238-252.
- Jan, G. 1865. Iconographie générale des ophidiens. 14. *Livraison*. J.B. Bailière et Fils, Paris.
- Jan, G. & Sordelli, M.F. 1872. Iconographie Générale des Ophidiens. 41. *Livraison*. J.B. Bailière et Fils, Paris, 6 plates.
- Jansen, M. 2006. Primeros registros de *Bothrops pauloensis* Amaral, 1925 (Serpentes: Viperidae, en Bolivia. *Kempffiana* 2: 66-71.
- Jansen, M. 2008. Die Lanzenottern der Gattung *Bothrops* in Bolivien. *Draco* 8: 50-56.
- Jansen, M. 2009. *Liophis taeniurus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 647-648.
- Jansen, M. & Köhler, G. 2008. A new species of *Phalotris* from the eastern lowlands of Bolivia (Reptilia, Squamata, Colubridae). *Senckenbergiana Biologica* 88: 103-110.
- Jansen, M.; Köhler, G. & Streit, B. 2007. Die Herpetofauna Boliviens. *Elaphe* 15: 9-10.
- Jansen, M.; González, L. & Köhler, G. 2009. Description of a new species of *Xenopholis* (Serpentes: Colubridae, from the Cerrado of Bolivia, with comments on *Xenopholis scalaris* in Bolivia. *Zootaxa* 2222: 31-45.
- Jiménez-Robles, O.; Butron-Galvez P.; Carpio R. & De la Riva, I. 2016. Revised distribution, phenotypic variation, and conservation status of *Liolaemus fittkaui* (Squamata: Liolaemidae) a lizard endemic to the Andes of Central Bolivia. *Phyllomedusa* 15: 7-20.
- Jiménez-Robles, O. & De la Riva, I. 2017. Cannibalism in the Andean lizard *Liolaemus orientalis*. *Studies on Neotropical Fauna and Environment* 52: 224-247.
- Jiménez-Robles, O. & De la Riva, I. 2019. Lizards in the mist: Thermal niches constrained by habitat and microclimates in the Andes of southern Bolivia. *Journal of Biogeography* 46: 1676-1686.
- Jiménez-Robles, O.; Miranda-Calle, A.B. & De la Riva, I. 2021. Lizard oviparity at high elevations? The case of the Bolivian endemic *Liolaemus variegatus*. *South American Journal of Herpetology* 19: 76-84.
- Kacouliris F.P.; Berkunsky, I. & Williams, J. 2006. Herpetofauna of Impenetrable, Argentinean Great Chaco. *Phyllomedusa* 5: 149-158.
- Kacouliris, F.P.; Carreira, S.; Pelegrin, N. & Montero, R. 2020. *Aspronema dorsivittatum*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/47102592/47102603> (accessed 1 December 2022).
- Kahl, B.; Gaupp, P. & Schmidt, G. 1980. *Das Terrarium*. Falken Verlag, Niederhausen (Germany, 336 pp).
- Kaup, J.J. 1825. Einige Bemerkungen zu Merrems Handbuch. *Isis von Oken* 16: 589-593.
- Kawashita-Ribeiro, R.A.; Ávila, R.W. & Morais, D.H. 2013. A New Snake of the Genus *Helicops* Wagler, 1830 (Dipsadidae, Xenodontinae) from Brazil. *Herpetologica* 69: 80-90.
- Keiser, E.D. 1989. *Oxybelis boulengeri* Procter, a valid species of vine snake from South America. *Copeia* 3: 764-768.
- Kempff, N. 1975. Ofidios De Bolivia. Academia Nacional de Ciencias de Bolivia. Editorial Edvil. La Paz. 6.
- King, F.W. & Burke, R.L. 1989. Crocodilian, Tuatara, and Turtles Species of the World: A Taxonomic and Geographic Reference. [type catalogue] Association of Systematic Collections, Washington, DC, xii + 216 pp.
- Klaczko, J.; Machado, F.A.; Scrocchi, G. & Zaher, H. 2010. Taxonomic Status of *Chironius multiventris* and *Chironius cochraniae* (Serpentes). *Herpetologica* 66: 476-484.
- Kluge, A.G. 1964. A revision of the South American Gekkonid lizard genus *Homonota* Gray. *American Museum Novitates* 2193: 1-41.
- Kluge, A.G. 1969. The evolution and geographical origin of the New World *Hemidactylus mabouia-brooki* complex (Gekkonidae, Sauria). *Miscellaneous Publications* 138: 1-78.
- Koch, C.; Venegas, P.J. & Böhme, W. 2015. Three new endemic species of *Epictia* Gray, 1845 (Serpentes: leptotyphlopidae). *Zootaxa* 3964: 228-244.
- Köhler, G. 2000. Reptilien und Amphibien Mittelamerikas, Bd 1: Krokodile, Schildkröten, Echsen. Herpeton Verlag, Offenbach, 158 pp.
- Köhler, G. 2003. Reptiles of Central America. Herpeton, Germany, 368 pp.
- Köhler, G. 2008. Reptiles of Central America, 2nd Edition. Herpeton Verlag, Offenbach, Germany, 400 pp.
- Köhler, J.; Dirksen, L.; Ibsch, P.L.; Rauer, G.; Rudolph, D. & Böhme, W. 1995. Zur Herpetofauna des Sehuenca-Bergregenwaldes im Carrasco-Nationalpark, Bolivien. *Herpetofauna* 17: 12-25.
- Köhler, G.; Vargas, J.; Köhler, J.J. & Vesely, M. 2013. Noteworthy distributional records of amphibians and reptiles from Costa Rica. *Herpetological Review* 44: 280-283.
- Kornacker, P.M. 1999. Checklist and key to the snakes of Venezuela. PaKo-Verlag, Rheinbach, Germany, 270 pp.
- Kornacker, P.M. & Natera-Mumaw, M. 2008. Feldherpetologische Daten zu einigen Amphibien- und Reptilienarten im Wolkenwald des "Parque Nacional Henri Pittier", Rancho Grande, Venezuela. *Sauria* 30: 21-37.
- Kornilios, P.; Giokas, S.; Lymberakis, P. & Sindaco, R. 2013. Phylogenetic position, origin and biogeography of Palearctic and Socotran blind-snakes (Serpentes: Typhlopidae). *Molecular Phylogenetics and Evolution* 68: 35-41.
- Koslowsky, J. 1895. Un nuevo geco de Matto Grosso. *Revista del Museo de La Plata* 6: 371-373.
- Koslowsky, J. 1898. Enumeración sistemática y distribución geográfica de los reptiles argentinos. *Revista del Museo de La Plata* 8: 161-200.
- Kretzschmar, S. 2006. Revisión histórica y redescipción de *Leptotyphlops albipunctus* (Serpentes: Leptotyphlopidae). *Cuadernos de Herpetologia* 19: 43-56.
- Kunz, T.S. & Borges-Martins, M. 2013. A new microendemic species of *Tropidurus* (Squamata: Tropiduridae, from southern Brazil and revalidation of *Tropidurus catalanensis* Gudynas & Skuk, 1983. *Zootaxa* 3681: 413-439.
- Kwet, A. 2013. Die globale Reptilien Krise. *Terraria-Elaphe*

- 2013: 8-10.
- Kwet, A. 2017. Neue Arten: Liste der im Jahr 2016 neu beschriebenen Reptilien. *Terraria-Elaphe* 3: 54-70.
- Labra, A.; Pienaar, J. & Hansen, T.F. 2009. Evolution of thermal physiology in *Liolaemus* lizards: adaptation, phylogenetic inertia, and niche tracking. *American Naturalist* 174: 204-220.
- Lamar, W.; Porras, L.W.; Sasa, M.; Sunyer, J.; Velasco, J.; Cisneros-Heredia, D.F.; Valencia, J.; Gonzales, L.; Catenazzi, A.; Nogueira, C.C.; Schargel, W. & Rivas, G. 2019. *Xenodon rabdocephalus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/198540/2532293> (accessed 10 August 2020).
- Lancini, A.R. 1986. Serpientes de Venezuela. Segunda Edición. Armitano ed. Caracas, 262 pp.
- Lancini, A.R. & Kornacker, P.M. 1989. Die Schlangen von Venezuela. Armitano Editores C.A.; Caracas, 381 pp.
- Langstroth, R.P. 2005. Adiciones probables y confirmadas para la saurofauna boliviana. *Kempffiana* 1: 101-128.
- Langstroth, R.P. 2006. Notas sobre *Anolis meridionalis* Boettger, 1885 (Squamata: Iguania: Polychrotidae). en Bolivia y comentarios sobre *Anolis steinbachi*. *Kempffiana* 2: 154-172.
- Langstroth, R.P. 2011. On the species identities of a complex *Liolaemus* fauna from the Altiplano and Atacama Desert: insights on *Liolaemus stolzmanni*, *L. reichei*, *L. jamesi pachecoi*, and *L. poconchilensis* (Squamata: Liolaemidae). *Zootaxa* 2809: 20-32.
- Langstroth, R.P. 2021a. The identities of *Liolaemus signifer* (Duméril & Bibron 1837., *L. pantherinus* Pellegrin 1909, *L. schmidtii* (Marx 1960), and *L. erroneus* (Núñez & Yáñez 1984) (1983-1984). *Cuadernos de Herpetología*, 35: 111-167.
- Langstroth, R.P. 2021b. *Hoplocercus spinosus*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/203068/2759773> (accessed 29 November 2022).
- Langstroth, R.P. 2021c. *Liolaemus alticolor*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/56061164/56061177> (accessed 1 December 2022).
- Langstroth, R.P.; Aguilar-Kirigin, A. & Valladares, P. 2021. *Liolaemus erroneus*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. (Eds), Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 120-121.
- Langstroth, R.P.; Herrera, M.; Callapa, G.; Rivas, L.R.; Gonzales, L.; López, L.; DiMeglio, A.R.; Schneider, G. & Wallace, R.B. 2025. First records of *Tropidurus madeiramamore* Carvalho, Paredero, Villalobos-Chaves, Ferreira, Rodrigues & Curcio, 2024 (Squamata, Tropiduridae) from Bolivia. *Check List* 21(2): 467-474. <https://doi.org/10.15560/21.2.467>
- Laspiur, A. 2021. *Liolaemus chacoensis*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. (Eds), Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 254-255.
- Laspiur, A.; Villavicencio, H.J. & Acosta, J.C. 2007. *Liolaemus chacoensis* (NCN). Body temperature. *Herpetological Review* 38: 458-459.
- Laspiur, A.; Abdala, C.S. & Scrocchi, G.J. 2021. *Liolaemus ornatus*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. (Eds), Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 2. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 280-281.
- Laurent, R.F. 1973. Una nueva subespecie de culebra del noreste Argentina y de Bolivia. *Acta Zoológica Lilloana* 26: 291-298.
- Laurent, R.F. 1982. Description de trois espèces nouvelles du genre *Liolaemus* (Sauria, Iguanidae). *Spixiana* 5: 139-147.
- Laurent, R.F. 1983a. Sinonimia del género *Pelosaurus* Donoso-Barros con *Liolaemus* (Sauria, Iguanidae). *Boletín de la Asociación Herpetológica Argentina* 1: 9-10.
- Laurent, R.F. 1983b. Contribución al conocimiento de la estructura taxonómica del género *Liolaemus* Wiegmann (Iguanidae). *Boletín de la Asociación Herpetológica Argentina* 1: 16-18.
- Laurent, R.F. 1984. Tres especies nuevas del género *Liolaemus* (Reptilia, Iguanidae). *Acta Zoológica Lilloana* 37: 273-294.
- Laurent, R.F. 1985. Las especies septentrionales del género *Liolaemus* Wiegmann (Iguanidae). *Boletín de la Asociación Herpetológica Argentina* 2: 1-3.
- Laurent, R.F. 1986. Descripciones de nuevos Iguanidae del género *Liolaemus*. *Acta Zoologica Lilloana* 38: 87-105.
- Laurent, R.F. 1992. On some overlooked species of the genus *Liolaemus* Wiegmann (Reptilia Tropiduridae). from Peru. *Breviora* 494: 1-33.
- Laurent, R.F. 1995. Sobre una pequeña colección de lagartos del género *Liolaemus* (Tropiduridae) proveniente del extremo suroeste de Bolivia. *Cuadernos de Herpetología* 9: 1-6.
- Laurent, R.F. 1998. New forms of lizards of the subgenus *Eulaemus* of the genus *Liolaemus* (Reptilia: Squamata: Tropiduridae) from Peru and Northern Chile. *Acta Zoologica Lilloana* 44: 1-26.
- Laurenti, J.N. 1768. Specimen medicum, exhibens synopsis reptilium emendatam cum experimentis circa venena et antidota reptilium austracorum, quod auctoritate et consensu. Vienna, Joan. Thomae, 217 pp.
- Lavilla, E.O.; Gonzales, L. & Fernández, I. 1996. Herpetología Amboroense. Informe sobre la herpetofauna del Parque Nacional Amboquí y zonas aledañas. Consorcio FAN-TNC. Santa Cruz. 46 pp.
- Le, M.; Raxworthy, C.J.; McCord, W.P. & Mertz, L. 2006. A molecular phylogeny of tortoises (Testudines: Testudinidae). based on mitochondrial and nuclear genes. *Molecular Phylogenetics and Evolution* 450: 517-531.
- Lehr, E. 2001. New records for amphibians and reptiles from Departamentos Pasco and Ucayali, Peru. *Herpetological Review* 32: 130-132.
- Lehr, E. 2002. Amphibien und Reptilien in Peru. Natur und Tier-Verlag (Münster, 208 pp.
- Lehr, E.; Carrillo, N. & Hocking, P. 2004. New species of *Drymoluber* (Reptilia: Squamata: Colubridae). from Southeastern Peru. *Copeia* 1: 46-52.
- Lema, T. de. 1978. Novas espécies de opistoglifos do género *Apostolepis* Cope, 1861 do Paraguai (Ophidia: Colubridae: Colubrinae). *Comunicacoes do Museu de Ciencias da PUCRGS*, 18/19: 1-49.
- Lema, T. de. 1979. *Elapomorphus punctatus*, nova especie de Colubridae para Argentina (Ophidia). *Revista Brasileira*

- Biología* 39: 835-853.
- Lema, T. de. 2001. Fossorial snake genus *Apostolepis* from South America (Serpentes: Colubridae: Elapomorphinae). *Cuadernos de Herpetología* 15: 29-43.
- Lema, T. de. 2002. New species of *Phalotris* from northern Brazil with notes on the nasutus group (Serpentes: Elapomorphinae). *Comunicacoes do Museu de Ciencias e Tecnologia da PUCRS* 15: 201-214.
- Lema, T. de. 2004. Nova espécie de *Apostolepis* Cope do estado de Rondônia, Brasil (Serpentes, Elapomorphinae). *Comunicacoes do Museu de Ciencias da PUCRS* 17: 81-89.
- Lema, T. de & Renner, M.F. 2016. Status of *Apostolepis borellii* Peracca 1904 (Serpentes, Xenodontinae), with restriction of the *A. nigroterminata* concept. *Neotropical Biology and Conservation* 11: 62-71.
- Lema, T. de & Campbell, P. 2017. New Species of *Apostolepis* (Serpentes, Dipsadinae, Elapomorphini) from Bolivia, from the *Apostolepis borellii* Group. *Research & Reviews: Journal of Zoological Sciences* 5: 19-28.
- Lema, T. de, D'Agostini, F.M. & Cappelari, L.H. 2005. Nova espécie de *Phalotris*, redescricao de *P. tricolor* e osteologia craniana (Serpentes, Elapomorphinae). *Iheringia. Série Zoologia* 95: 65-78.
- Leynaud, G.C. & Bucher, E.H. 1999. La fauna de serpientes del Chaco Sudamericano: diversidad, distribución geográfica y estado de conservación. *Academia Nacional de Ciencias Miscelanea* 98: 1-46.
- Leyton, V.; Veloso, A. & Bustos-Obregón, E. 1982. Modalidad reproductiva y actividad cíclica gonadal en lagartos iguánidos de distintos pisos altitudinales del interior de Arica (Lat. 18° 10'S). In: Veloso, A. & Bustos, E. (Eds), El hombre y los ecosistemas de montaña. El ambiente natural y las poblaciones humanas de los Andes del norte grande de Chile (Arica, lat. 18° 28'S). Volumen I. La vegetación y los vertebrados inferiores de los pisos altitudinales entre Arica y el lago Chungara. Oficina Regional de Ciencia y Tecnología de la UNESCO para América Latina y el Caribe ROSTLAC. Montevideo, Uruguay. pp. 293-316.
- Lichtenstein, M. & Hinrich, C. 1823. Verzeichniss der Doubletten des zoologischen Museums der Königl. Universität zu Berlin nebst Beschreibung vieler bisher unbekannter Arten von Säugethieren, Vögeln, Amphibien und Fischen. Königl. Preuss. Akad. Wiss. T. Trautwein, Berlin. x, 118 pp.
- Lieb, C.S. 1988. Systematic status of the Neotropical snakes *Dendrophidion dendrophis* and *D. nuchalis* (Colubridae). *Herpetologica* 44: 162-175.
- Lima, A.C. & Prudente, A.L.C. 2009. Morphological variation and systematics of *Dipsas catesbyi* (Santzen, 1796) and *Dipsas pavonina* Schlegel, 1837 (Serpentes: Dipsadinae). *Zootaxa* 2203: 31-48.
- Liner, E.A. 1994. Scientific and common names for the Amphibians and Reptiles of Mexico in English and Spanish. *Herpetological Circular* 23: 1-113.
- Linnaeus, C. 1758. Systema naturæ per regna tria naturæ, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Tomus I. Editio decima, reformata. Laurentii Salvii, Holmiæ, 824 pp.
- Linnaeus, C. 1766. Systema naturæ per regna tria naturæ, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Tomus I. Editio duodecima, reformata. Laurentii Salvii, Stockholm, Holmiæ, 532 pp.
- Lions, M.L. & Alvarez, B.B. 1996. Geographic Distribution. *Sibynomorphus lavillai*. *Herpetological Review* 27: 214.
- Li Vigni, F. 2013. A Life for Reptiles and Amphibians, Volume 1. Chimaira, Frankfurt, 495 pp.
- Llanqui, I.B.; Salas, C.Y. & Oblitas, M.P. 2019. A preliminary checklist of amphibians and reptiles from the vicinity of La Nube Biological Station, Bahuaja-Sonene National Park, Peru. *Check List* 15: 773-796.
- Llobet, A.; Pacheco, L. & Aparicio, J. 2009. *Melanosuchus niger*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 261-262.
- Lobo, F. 2001. A phylogenetic analysis of lizards of the *Liolaemus chiliensis* group (Iguania: Tropiduridae). *Herpetological Journal* 11: 137-150.
- Lobo, F. & Abdala, C.S. 2002. La información cladística de un set de datos morfológicos en lagartos del género *Liolaemus* (Iguania: Liolaemidae). *Cuadernos de Herpetología* 16: 137-150.
- Lobo, F. & Espinoza, R.E. 2004. Two new *Liolaemus* from the Puna region of Argentina and Chile: Further resolution of purported reproductive bimodality in *Liolaemus alticolor* (Iguania: Liolaemidae). *Copeia* 4: 850-867.
- Lobo, F.; Espinoza, R.E. & Quinteros, S. 2010. A critical review and systematic discussion of recent classification proposals for liolaemid lizards. *Zootaxa* 2549: 1-30.
- Lönnberg, E. 1902. On a collection of snakes from north-western Argentina and Bolivia containing new species. *Annals and Magazine of Natural History* 10: 457-462.
- Lotzkat, S.; Natera-Mumaw, M.; Hertz, A.; Sunyer, J. & Mora, D. 2008. New state records of *Dipsas variegata* (Duméril, Bibron and Duméril 1854. (Serpentes: Colubridae) from northern Venezuela, with comments on natural history. *Herpetotropicos* 4: 25-29.
- Lynch, J.D. 2009. Snakes of the genus *Oxyrhopus* (Columbridae: Squamata) in Columbia: Taxonomy and geography variation. *Papeis Avulsos de Zoologia* 49: 319-337.
- MacCulloch, R.D. & Lathrop, A. 2004. A new species of *Dipsas* (Squamata: Colubridae) from Guyana. *Revista de Biología Tropical* 52: 239-247.
- Machado, S.R. 1993. A new genus of Amazonian vine snake. *Acta Biologica Leopoldensia* 15: 99-108.
- Magnusson, W.E.; Campos, Z. & Muniz, F. 2019. *Paleosuchus palpebrosus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/46587/3009946> (accessed 3 July 2020).
- Mamani, L.; Chaparro, J.C.; Correa, C.; Alarcón, C.; Salas, C.Y. & Catenazzi, A. 2020. A New Species of Andean Gymnophthalmid Lizard (Squamata: Gymnophthalmidae) from the Peruvian Andes, and Resolution of Some Taxonomic Problems. *Diversity* 12: 361.
- Marques, M.P.; Ceriaco, L.M.P.; Blackburn, D.C. & Bauer, A.M. 2018. Diversity and Distribution of the Amphibians and Terrestrial Reptiles of Angola. Atlas of Historical and Bibliographic Records (1840-2017). *Proceedings of the California Academy of Sciences*, (Ser. 4: 65 (Supplement II, 1-501).
- Marques, O.A.V.; Eterovic, A.; Nogueira, C.C. & Sazima, I. 2015. Serpentes do Cerrado: Guia Ilustrado. Ribeirão Preto: Holos Editora. 251 pp.
- Marra, S.; Repenning, M.; Beier, C. & Pontes, G.M. 2015. First

- record of *Chironius maculoventris* Dixon, Wiest & Ceí, 1993 (Squamata: Serpentes: Colubridae) in Brazil. *Herpetology Notes* 8: 169-171.
- Martínez, O. 2017. Acerca de la culebra endémica *Philodryas boliviana* Boulenger 1896 (Dipsadidae): una nueva especie en el Valle de la ciudad de La Paz (Bolivia) y estado de conservación de los valles secos en la región. *Kempffiana* 13: 132-145.
- Martins, L.A. & Lema, T. de. 2015. *Elapomorphini* (Serpentes Xenodontinae) do Brasil sudoeste. *Neotropical Biology and Conservation* 10: 93-102.
- Martins, M. & Oliveira, M.E. 1993. The snakes of the genus *Atractus* Wagler (Reptilia: Squamata: Colubridae) from the Manaus region, central Amazonia, Brazil. *Zoologische Mededelingen* 67: 1-26, 21-40.
- Martins, M. & Oliveira, M.E. 1998. Natural history of snakes in forests in the Manaus region, central Amazonia, Brazil. *Herpetological Natural History* 6: 78-150.
- Martins, M. & Lamar, W.W. 2010. *Crotalus durissus*. The IUCN Red List of Threatened Species 2010. Available from: <https://www.iucnredlist.org/es/species/178477/7554740> (accessed 17 August 2020).
- Marx, H. 1960. A new iguanid lizard of the genus *Ctenoblepharis*. *Fieldiana Zoology* 39: 407-409.
- Maslin, T. & Secoy, D.M. 1986. A checklist of the lizard genus *Cnemidophorus* (Teiidae). Contributions in Zoology University of Colorado Museum 1: 1-60.
- Mason, J.R.; Latella, I.M.; Willink, B.; García-Rodríguez, A. & Gilman, C.A. 2015. Notes on the breeding habits and new distribution records of seven species of snakes from southwest Costa Rica. *Herpetology Notes* 8: 669-671.
- Mata-Silva, V.; Johnson, J.D.; Wilson, L.D. & García-Padilla, E. 2015. The herpetofauna of Oaxaca, Mexico: composition, physiographic distribution, and conservation status. *Mesoamerican Herpetology* 2: 6-62.
- Mattison, C. 1995. The Encyclopedia of Snakes. New York: Facts on File, 256 pp.
- Mattison, C. 2007. The New Encyclopedia of Snakes. Princeton University Press, 272 pp.
- Mattos, J.V.; Tordoya, J.; Gómez, M.I.; Kazuya, N.; Aparicio, J.; Aguilar, A. & Ocampo, M. 2009. Evaluación de la fauna terrestre en la localidad de Sara Ana. 126-141. En: Beck, S.G.; Paniagua, N.; López, P. & Nagashiro, N. 2009 (Eds), "Biodiversidad y Ecología para la Conservación en Bolivia - Simposio de los 30 años del Instituto de Ecología". Instituto de Ecología, Universidad Mayor de San Andrés, La Paz. 700 p.
- Mausfeld, P.; Schmitz, A.; Böhme, W.; Misof, B.; Vrcibradic, D. & Rocha, C.F.D. 2002. Phylogenetic Affinities of *Mabuya atlantica* Schmidt, 1945, Endemic to the Atlantic Ocean Archipelago of Fernando de Noronha (Brazil): Necessity of Partitioning the Genus *Mabuya* Fitzinger, 1826 (Scincidae: Lygosominae). *Zoologischer Anzeiger* 241: 281-293.
- McCord, W.P. & Joseph-Ouni, M. 2002. Chelonian illustrations #1: South American Toadhead Turtles. *Reptilia* 21: 34-38.
- McCord, W.P. & Joseph-Ouni, M. 2004. Chelonian Illustrations #14: North and South American Tortoises. *Reptilia* 34: 47-50.
- McCord, W.P.; Joseph-Ouni, M. & Lamar, W.W. 2001. A taxonomic reevaluation of *Phrynos* (Testudines: Chelidae) with the description of two new genera and a new species of *Batrachemys*. *Revista de Biología Tropical* 49: 715-764.
- McCoy, J. 1971. Comments on Bolivian *Atractus*. *Herpetologica* 27: 314-316.
- McCranie, J.R. 2015. A checklist of the amphibians and reptiles of Honduras, with additions, comments on taxonomy, some recent taxonomic decisions, and areas of further studies needed. *Zootaxa* 3931: 352-386.
- McDiarmid, R.W.; Campbell, J.A. & Touré, T.A. 1999. Snake species of the world. Vol. 1. [type catalogue] Herpetologists' League, 511 pp.
- McNish, T. 2011. La fauna del archipiélago de San Andrés, Providencia y Santa Catalina, Colombia, Sudamérica. Colomba Andina de Impresos, 209 pp.
- Meier, H. 1983. Beobachtungen an einigen Teiden aus dem bolivianischen Chaco [*Ameiva ameiva*, *Teius cyanogaster*, *Cnemidophorus ocellifer*, *Pantodactylus schreibersii*, *Tupinambis rufescens*]. *Herpetofauna* 5: 30-34.
- Melo-Sampaio, P.R. & Maciel, J.M.L. 2012. Geographic distribution: *Imantodes lentiferus* (blunt-headed tree snake, dormideira). *Herpetological Review* 43: 307-308.
- Melo-Sampaio, P.R.; Passos, P.; Martins, A.R.; Jennings, W.; Moura-Leite, J.C.; Morato, S.A.A.; Venegas, P.J.; Chávez, G.; Venâncio, N.M. & Souza, M.B. 2021a. A Phantom on the Trees: Integrative Taxonomy Supports a Reappraisal of Rear-fanged Snakes Classification (Dipsadidae: Philodryadini). *Zoologischer Anzeiger* 290: 19-39.
- Melo-Sampaio, P.R.; Passos, P.; Prudente, A.L.C.; Venegas, P.J. & Torres-Carvajal, O. 2021b. Systematic review of the polychromatic ground snakes *Atractus* snethlageae complex reveals four new species from threatened environments. *Journal of Zoological Systematics and Evolutionary Research* 59: 718-747.
- Mella, J. 2017. Guía de campo de Reptiles de Chile. Tomo 1: Zona Central. Tomo 2: Zona Norte. Peñaloza APG. Santiago, Chile.
- Méndez, D. & Cortez, C. 2009. *Paleosuchus trigonatus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 605-606.
- Méndez, D.; Tavera, G. & Acebey, S. 2009. *Paleosuchus palpebrosus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 603-604.
- Mendoza, P. 2010. Patrones de distribución de la Herpetofauna de los Bosques Secos Interandinos de Bolivia. Tesis de grado de Licenciatura. Universidad Mayor de San Simón. Cochabamba-Bolivia.
- Mendoza-Miranda, P.; Callapa, G. & Muñoz A.S. 2017. Variación y primer registro de *Apostolepis multicincta* Harvey, 1999 (Squamata: Dipsadidae) para el departamento de Cochabamba, Bolivia. *Cuadernos de Herpetología* 31: 59-63.
- Menezes, F.A.; Abegg, A.D.; Silva, B.R.; Franco, F.L. & Feio, R.N. 2018. Composition and natural history of the snakes from the Parque Estadual da Serra do Papagaio, southern Minas Gerais, Serra da Mantiqueira, Brazil. *ZooKeys* 797: 117-160.
- Mertens, R. 1929. Herpetologische Mitteilungen. XXIII. Über einige Amphibien und Reptilien aus Süd-Bolivien. *Zoologischer Anzeiger* 86: 57-62.
- Mertens, R. 1969. Eine neue Halswender-Schildkröte aus Peru. *Senckenbergiana biológica* 50: 132.
- Michaud, E.J. & Dixon, J.R. 1987. Taxonomic revision of

- the *Liophis lineatus* complex (Reptilia, Colubridae) of Central and South America. *Milwaukee Public Museum, Contributions in Biology and Geology* 71: 1-26.
- Michels, J.P. & Bauer, A.M. 2004. Some corrections to the scientific names of amphibians and reptiles. *Bonner Zoologische Beiträge* 52: 83-94.
- Middendorf, G. & Reynolds, R.P. 2000. Herpetofauna of the Beni Biological Station Biosphere Reserve, Amazonian Bolivia: Additional Information, and Current Knowledge in Context. In: Biodiversity, Conservation and Management in the Region of the Beni Biological Station Biosphere Reserve, Bolivia. Biodiversity Program. Smithsonian Institution Press, pp. 151-169.
- Minoli, I.; Morando, M. & Avila, L.J. 2015. Reptiles of Chubut province, Argentina: richness, diversity, conservation status and geographic distribution maps. *ZooKeys* 498: 103-126.
- Miralles, A.; Barrio-Amoros, C.L.; Rivas, G. & Chaparro-Auza, J.C. 2006. Speciation in the "Varzea" flooded forest: a new Mabuya (Squamata, Scincidae) from Western Amazonia. *Zootaxa* 1188: 1-22.
- Miranda-Calle, A.B. & Aguilar-Kirigin, A.J. 2011. *Bothrops sanctaerucis* Hoge 1966 (Squamata: Viperidae). *Cuadernos de Herpetología* 25: 29-31.
- Miranda-Calle, A.B.; Aparicio, J. & Méndez de la Cruz, F.R. 2018. *Liolaemus chaltin*. Preferred and critical thermal temperatures. *Herpetological Review* 49: 489-490.
- Miranda-Calle, A.B.; Pacheco, L.F.; Aparicio, J. & Méndez de la Cruz, F. 2021. Thermoregulation of *Liolaemus aparicioi* (Iguania: Liolaemidae) along a 1000 m elevational gradient in La Paz Valley, La Paz, Bolivia. *Journal of Thermal Biology* 98: 102940.
- Missassi, A.F.R. & Prudente, A.L.C. 2015. A new species of *Imantodes* Duméril, 1853 (Serpentes, Dipsadidae) from the Eastern Cordillera of Colombia. *Zootaxa* 3980: 562-574.
- MMAYA. 2009. *Libro Rojo de la Fauna Silvestre de Vertebrados de Bolivia*. Ministerio de Medio Ambiente y Agua, La Paz.
- Montaño, R. 2013. Biodiversidad de Reptiles con Énfasis en Serpientes en 12 Estaciones de YPFB Transporte S.A. y sus Áreas de Influencia. YPFB Transporte S.A. Santa Cruz, Bolivia. Available from: <http://www.ypfbtransporte.com/>
- Montaño, R. & Gonzales, L. 2009. *Acanthochelys macrocephala*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 607-608.
- Montero, R. 1996. *Amphisbaena bolívica* Mertens 1929, nueva combinación (Squamata: Amphisbaenia). *Cuadernos de Herpetología* 9: 75-84.
- Montero, R. 2016. On the Validity of Several Argentinian Species of *Amphisbaena* (Squamata, Amphisbaenidae). *Journal of Herpetology* 50: 642-653.
- Montero, R. 2019a. *Amphisbaena kingii*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/56039179/56039188> (accessed 4 July 2020).
- Montero, R. 2019b. *Leposternon microcephalum*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/56039205/56039214> (accessed 4 July 2020).
- Montero, R.; Scrocchi, G.; Montaño, M. E. & Fernández, I. 1995. Nuevas citas de saurios, anfisbénidos y ofidios para Bolivia. *Cuadernos de Herpetología* 9: 7-13.
- Montero, R.; Sáfadez, I.F. & Álvarez, L.G. 1997. A new species of *Amphisbaena* from Bolivia. *Journal of Herpetology* 31: 218-220.
- Montero, R.; Cacciali, P.; Scott, N.; Carreira, S.; Moravec, J.; Aparicio, J. & Gonzales, L. 2016. *Amphisbaena angustifrons*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/56039121/56039126> (accessed 3 July 2020).
- Montingelli, G.G. 2009. Revisão taxonômica do gênero *Mastigodryas* Amaral, 1934 (Serpentes: Colubridae). Universidade de São Paulo.
- Montingelli, G.G.; Grazziotin, F.G.; Battilana, J.; Murphy, R.W.; Zhang, Y. & Zaher, H. 2019. Higher-level phylogenetic affinities of the Neotropical genus *Mastigodryas* Amaral, 1934 (Serpentes: Colubridae), species-group definition and description of a new genus for *Mastigodryas bifossatus*. *Journal of Zoological Systematics and Evolutionary Research* 57: 205-239.
- Monzel, M. & Wüster, W. 2008. Neotropische Grubenottern - Evolution, Biogeographie und Ökologie. *Draco* 8: 4-27.
- Moraes, L.J.C.L.; Almeida, A.P.; Fraga, R.; Rojas, R.R.; Pirani, R.M.; Silva, A.A.A.; deCarvalho, V.T.; Gordo, M. & Werneck, F.P. 2017. Integrative overview of the herpetofauna from Serra da Mocidade, a granitic mountain range in Northern Brazil. *ZooKeys* 715: 103-159.
- Morais, C.J.S.; Barreto-Lima, A.F.; Dantas, P.T.; Domingos, F.M.C.B.; Ledo, R.M.D.; Pantoja, D.L.; Sousa, H.C. de & Colli, G.R. 2014. First records of *Tropidurus callathelys* and *T. chromatops* (Reptilia: Squamata: Tropiduridae) in Brazil. *Check List* 10: 1213-1217.
- Morais, D.H.; Ávila, R.W.; Kawashita-Ribeiro, R.A. & Carvalho, M.A. 2011. Squamata, Elapidae, *Micrurus surinamensis* (Cuvier, 1817): New records and distribution map in the state of Mato Grosso, Brazil, with notes on diet and activity period. *Check List* 7:350-351.
- Morando, M.; Avila, L.J.; Baker, J. & Sites Jr.; J.W. 2004. Phylogeny and phylogeography of the *Liolaemus darwini* complex (Squamata: Liolaemidae): evidence for introgression and incomplete lineage sorting. *Evolution* 58: 842-861.
- Morato, S.A.A.; Calixto, P.O.; Mendes, L.R.; Gomes, R.; Galatti, U.; Trein, F.L.; Oliveira, F.S. & Ferreira, G.N. 2014. Guia fotográfico de identificação da herpetofauna da Floresta Nacional de Saracá-Taquera, Estado do Pará. Curitiba: STCP Engenharia de Projetos Ltda.; Porto Trombetas: MRN - Mineração Rio do Norte S.A.; 213 pp.
- Moravec, J. & Aparicio, J. 2004. Notes on the herpetofauna of Nacebe (Provincia Abuna, Departamento Pando, Bolivia). *Journal by the National Museum, Natural History Series* 173: 1-4, 13-28.
- Moravec, J. & Aparicio, J. 2005. Notes on the herpetofauna of Bioceania and Bolpebra (Provincia Nicolas Suárez, Departamento Pando, Bolivia). *Journal by the National Museum, Natural History Series* 174: 1-4, 95-113.
- Moravec, J. & Aparicio, J. 2006. First record of *Atractus latifrons* (Gunther, 1868) from Bolivia (Serpentes: Colubridae). *Journal by the National Museum, Natural History Series* 175: 1-2, 13-16.
- Moravec, J. & Langstroth, R. 2019. *Proctoporus guentheri*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/48283636/48283665> (accessed 20 July 2020).
- Moravec, J.; Aparicio, J.; Guerrero-Reinhard, M. & Calderon, G.

2009. First record of *Siphlophis worontzowi* (Prado, 1940) from Bolivia and Peru [Short Note]. *Herpetozoa* 22: 92-94.
- Moravec, J.; Aparicio, J.; Avila-Pires, T.C.S. & Pérez, P. 2019. *Exila nigropalmata*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/47102795/47102806> (accessed 18 July 2020).
- Moreau de Jonnés, A. 1818. Monographie du Mabouja des murailles, ou Gecko Mabouja des Antilles. *Bulletin des Sciences par la Société Philomathique de Paris* Series 3: 138-139.
- Mott, T. & Vieites, D.R. 2009. Molecular phylogenetics reveals extreme morphological homoplasy in Brazilian worm lizards challenging current taxonomy. *Molecular Phylogenetics and Evolution* 51: 190-200.
- Motte, M. & Cacciali, P. 2009. Descripción de un neotipo para *Anolis meridionalis* Boettger, 1885 (Sauria: Polychrotidae). *Cuadernos de Herpetología* 23 (1):19-24
- Motte, M.; Núñez, K.; Cacciali, P.; Brusquetti, F.; Scott, N. & Aquino, A.L. 2009. Categorización del estado de conservación de los anfibios y reptiles de Paraguay. *Cuadernos de Herpetología* 23: 5-18.
- Müller, L. 1923. Über neue oder seltene Mittel- und Südamerikanische Amphibien und Reptilien. *Mitteilungen aus dem Zoologischen Museum in Berlin* 11: 75-93.
- Müller, L. 1928. Herpetologische Mitteilungen. *Zoologischer Anzeiger* 77: 61-84.
- Muñoz, A. 2009a. *Dipsas variegata*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 289-290.
- Muñoz, A. 2009b. *Dipoglossus fasciatus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 621-622.
- Muñoz, A. 2009c. *Liolaemus chaltin*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 625-626.
- Muñoz, A. 2017. *Contomastix vittata*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/178408/50957512> (accessed 18 July 2020).
- Muñoz, A. & Rivas, R. 2009a. *Philodryas boliviana*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 291-292.
- Muñoz A. & Rivas R. 2009b. *Ameiva vittata*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 277-278.
- Muñoz, A. & Jansen, M. 2009. *Bothrops andianus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 653-654.
- Muñoz, A.; Aguayo, R. & Harvey, M. 2009a. *Tomodon orestes*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 293-294.
- Muñoz, A.; Gonzales, L. & Rivas, R. 2009b. *Micrurus serranus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 295-296.
- Muñoz, A.; Aguayo, R.; Gonzales, L. & Harvey, M.B. 2009c. *Bothrops jonathani*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 297-298.
- Muñoz, A.; Gonzales, L.; Embert, D.; Aparicio, J. & Aguayo, R. 2016a. *Eunectes beniensis*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/174126/18978378> (accessed 19 July 2020).
- Muñoz, A.; Gonzales, L.; Embert, D.; Aparicio, J. & Aguayo, R. 2016b. *Dipsas chaparensis*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/176789/53743496> (accessed 26 July 2020).
- Muñoz, A.; Avila, L.; Abdala, S.; Embert, D.; Aguayo, R.; Cruz, F.; Espinoza, R.E.; Aparicio, J. & Gonzales, L. 2016c. *Liolaemus chaltin*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/178474/56371863> (accessed 7 July 2020).
- Muñoz, A.; Gonzales, L.; Embert, D.; Aparicio, J. & Aguayo, R. 2016d. *Apostolepis multicincta*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/176344/53743113> (accessed 29 July 2020).
- Muñoz, A.; Aparicio, J.; Embert, D.; Aguayo, R.; Gonzales, L. & Colli, G.R. 2019. *Tropidurus chromatops*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/178351/56257328> (accessed 11 July 2020).
- Muñoz, A. 2021. *Philodryas boliviana*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/55965377/55965445> (accessed 4 December 2022).
- Muñoz, A.; Rivas-Torrico, L.R.; Gonzales, L. & Quispe, J. 2009. Notes on geographic distribution Reptilia, Serpentes, Elapidae, *Micrurus serranus*: distribution extension. *Check List* 5: 510-512.
- Murphy, J.C. 1997. *Amphibians and Reptiles of Trinidad and Tobago*. Krieger Publishing Company, Malabar, Florida, 245 pp.
- Murphy, J.C. & Jowers, M.J. 2013. Treerunners, cryptic lizards of the *Plica plica* group (Squamata, Sauria, Tropiduridae) of northern South America. *ZooKeys* 355: 49-77.
- Murphy, J.C. & Rutherford, M. 2014. The first report of the snail-eating snake *Dipsas variegata* (Duméril, Bibron and Duméril, on Trinidad, its relationship to *Dipsas trinitatis* Parker (Squamata, Dipsadidae), and a discussion of microcephalic and macrocephalic ecomorphs in *Dipsas*. *Herpetology Notes* 7: 757-760.
- Murphy, J. C. 2021. *Phrynonax polylepis*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/64003414/64003426> (accessed 3 December 2022).
- Myers, C.W. 1974. The systematics of *Rhadinaea* (Colubridae,

- a genus of New World snakes. *American Museum Natural History Bulletin* 153: 1-262.
- Myers, C.W. 1982. Blunt-headed vine snakes tlmantodesi in Panamá, including a new species and other revisionary notes. *American Museum Novitates* 2838: 1-50.
- Myers, C.W. & Cadle, J.E. 1994. A new genus for South American snakes related to *Rhadinaea obtusa* Cope (Colubridae) and resurrection of *Taeniophallus* Cope for the '*Rhadinaea brevirostris*' group. *American Museum Novitates* 3102: 1-33.
- Myers, C.W. & Donnelly, M.A. 1997. A Tepui herpetofauna on a granitic mountain (Tamacuari. in the borderland between Venezuela and Brazil: Report from the Phipps Tapirapeco Expedition. *American Museum Novitates* 3213: 1-71.
- Myers, C.W. & Cadle, J.E. 2003. On the snake hemipenis, with notes on *Psomophis* and techniques of eversion: a response to Dowling. *Herpetological Review* 34: 295-302.
- Myers, C.W. & McDowell, S.B. 2014. New taxa and cryptic species of neotropical snakes (Xenodontinae), with commentary on hemipenes as generic and specific characters. *Bulletin of the American Museum of Natural History* 385: 1-112.
- Nascimento, F.P. do.; Avila-Pires, T.C.S. & Cunha, O.R. da. 1987. Os reptéis da area de Carajas, Para, Brasil (Squamata). 2. *Boletim do Museu Paraense Emilio Goeldi, Nova Serie Zoologia* 3: 33-65.
- Natera-Mumaw, M. 2008. Nuevos registros geográficos y notas bioecológicas de *Dendrophidion dendrophis* (Schlegel, 1837) y *Dendrophidion nuchale* (Peters, 1863) (Serpentes: Colubridae. en Venezuela, con comentarios sobre la taxonomía de *Dendrophidion nuchale*. *Herpetotrópicos* 4: 11-16.
- Natera-Mumaw, M. & Battiston, P. 2008. Nuevos registros de distribución geográfica con notas bioecológicas sobre *Dipsas indica* Laurenti, 1768 (Serpentes: Colubridae) en Venezuela. *Herpetotrópicos* 4: 3-5.
- Natera-Mumaw, M.; Esqueda-González, L.F. & Castelaín-Fernández, M. 2015. Atlas Serpientes de Venezuela. Santiago de Chile, Dimacofi Negocios Avanzados S.A. 456 pp.
- Navarro, G. 2011. Clasificación de la vegetación de Bolivia. Editorial Centro de Ecología y Difusión I. Patiño. Santa Cruz de la Sierra, 713 pp.
- Navarro, G. & Maldonado, M. 2002. Geografía ecológica de Bolivia. Vegetación y Ambientes acuáticos. Editorial Centro de Ecología Simón I. Patiño. Cochabamba, 719 pp.
- Navarro-Cornejo, G. & Gonzales, L. 2013. Geographic distribution of *Philodryas laticeps* Werner, 1900 (Serpentes, Dipsadidae. in Bolivia: New distribution records. *Kempffiana* 9: 34-37.
- Navarro-Cornejo, G. & Gonzales, L. 2020. Primer registro de *Philodryas nattereri* (Steindachner 1870. (Serpentes, Dipsadidae. en Bolivia. *Cuadernos de Herpetología* 34: 329-331.
- Navarrete, L.F.; López-Johnston, J.C. & Dávila, A.B. 2009. Guía e las serpientes de Venezuela: biología, venenos, conservación y listado de especies. Second edition. Zoocriadero Ecopets, Bioreptilia, y Grupo Río Verde, Caracas, 102 pp.
- Neves, M.O.; Yves, A.; Pereira, E.A.; Alves, L.; Vasques, J.B.; Coelho, J.F.T. & Silva, P.S. 2019. Herpetofauna in a highly endangered area: the Triângulo Mineiro region, in Minas Gerais State, Brazil. *Herpetozoa* 32: 113-123.
- Nicholson, K.E. 2002. Phylogenetic analysis and a test of the current infrageneric classification of *Norops* (beta Anolis). *Herpetological Monographs* 16: 93-120.
- Nicholson, K.E.; Crother, B.I.; Guyer, C. & Savage, J.M. 2012. It is time for a new classification of anoles (Squamata: Dactyloidae). *Zootaxa* 3477: 1-108.
- Nicholson, K.E.; Crother, B.I.; Guyer, C. & Savage, J.M. 2018. Translating a clade based classification into one that is valid under the international code of zoological nomenclature: the case of the lizards of the family Dactyloidae (Order Squamata). *Zootaxa* 4461: 573-586.
- Nickel, H. & Auliya, M. 2004. Krokodile - faszinierende Überlebenskünstler. *Draco* 5: 4-19.
- Nogueira, C.C. 2001. New records of Squamate Reptiles in Central Brazilian Cerrado II: Brasília Region. *Herpetological Review* 32: 285-287.
- Nogueira, C.C. 2019a. *Pseudoboa nigra*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203581/2768913> (accessed 9 August 2020).
- Nogueira, C.C. 2019b. *Philodryas nattereri*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15181870/15181927> (accessed 23 August 2020).
- Nogueira, C.C. & Silveira, A.L. 2019. *Philodryas laticeps*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15181813/15181816> (accessed 10 August 2020).
- Nogueira, C.C. & Gonzales, L. 2019. *Erythrolamprus almadensis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50955546/50955599> (accessed 9 August 2020).
- Nogueira, C.C. & Strüssmann, C. 2019. *Amphisbaena vermicularis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50956374/50956379> (accessed 4 July 2020).
- Nogueira, C.C., Gagliardi, G. & Gonzales, L. 2016a. *Philodryas georgeboulengeri*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/50956409/50956413> (accessed 9 August 2020).
- Nogueira, C.C.; Cisneros-Heredia, D.F.; Catenazzi, A.; Gonzales, L.; Schargel, W. & Rivas, G. 2016b. *Atractus major*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/176355/44877793> (accessed 20 July 2020).
- Nogueira, C.C.; Argôlo, A.J.S.; Arzamendia, V.; Azevedo, J.A.; Barbo, F.E.; Bérnils, R.S.; Bolochio, B.E.; Borges-Martins, M.; Brasil-Godinho, M.; Braz, H.; Buononato, M.A. & Cisneros-Heredia, D.F. 2019a. Atlas of Brazilian snakes: verified point-locality maps to mitigate the Wallacean shortfall in a megadiverse snake fauna. *South American Journal of Herpetology*, 14 (Special Issue 1: 1-274.
- Nogueira, C.C.; Scott, N. & Gonzales, L. 2019b. *Mussurana bicolor*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176775/61318421> (accessed 22 September 2020).
- Nogueira, C.C.; Muñoz, A.; Gonzales, L.; Embert, D.; Aparicio, J. & Aguayo, R. 2019c. *Apostolepis phillipsae*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176345/53743316> (accessed 30 July 2020).
- Nogueira, C.C.; Gonzales, L.; Cisneros-Heredia, D.F.; Gagliardi, G.; Catenazzi, A.; Schargel, W.; Rivas, G. & Murphy, J. 2019d. *Helicops angulatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/>

- es/species/15178420/15178466 (accessed 30 July 2020).
- Nogueira, C.C.; Gagliardi, G.; Catenazzi, A.; Kornacker, P.; Embert, D.; Cisneros-Heredia, D.F.; Gonzales, L.; Schargel, W. & Rivas, G. 2019e. *Dipsas pavonina*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176791/44949097> (accessed 28 July 2020).
- Nogueira, C.C.; Gonzales, L.; Gagliardi, G.; Almendáriz, A.; Schargel, W.; Rivas, G. & Murphy, J. 2019f. *Hydrops triangularis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176819/44950510> (accessed 2 August 2020).
- Nogueira, C.C.; Gonzales, L.; Gagliardi, G.; Cisneros-Heredia, D.F.; Catenazzi, A.; Schargel, W. & Rivas, G. 2019g. *Erythrolamprus breviceps*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15179202/15179207> (accessed 9 August 2020).
- Nogueira, C.C.; Cisneros-Heredia, D.F.; Gonzales, L.; Schargel, W. & Rivas, G. 2019h. *Erythrolamprus miliaris*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44581708/44581717> (accessed 10 August 2020).
- Nogueira, C.C.; Gonzales, L.; Gagliardi, G.; Schargel, W. & Rivas, G. 2019i. *Philodryas olfersii*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15181934/15181944> (accessed 10 August 2020).
- Nogueira, C.C.; Catenazzi, A.; Gagliardi, G.; Gonzales, L.; Doan, T.M.; Lamar, W.W.; Lundberg, M.; Schargel, W. & Rivas, G. 2019j. *Oxyrhopus melanogenys*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/177432/44950687> (accessed 8 August 2020).
- Nogueira, C.C.; Williams, J.; Giraudo, A.; Fitzgerald, L.; Arzamendia, V.; Scrocchi, G.; Schargel, W. & Rivas, G. 2020. *Erythrolamprus poecilogyrus*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/50956250/50956261> (accessed 4 December 2022).
- Nogueira, C.C. 2021. *Apostolepis vittata*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/15157593/15157600> (accessed 4 December 2022).
- Norman, D. 1994. Anfibios y reptiles del Chaco Paraguayo, Tomo I. Private printing, San José, Costa Rica, 281 pp.
- Nunes, P.M.S.; Fouquet, A.; Curcio, F.F.; Kok, P.J.R. & Rodrigues, M.T. 2012. Cryptic species in *Iphisa elegans* Gray, 1851 (Squamata: Gymnophthalmidae) revealed by hemipenial morphology and molecular data. *Zoological Journal of the Linnean Society* 166: 361-376.
- Núñez, H. 2004. Cambios taxonómicos para la herpetofauna de Argentina, Bolivia y Chile. *Noticiario Mensual. Museo Nacional de Historia Natural, Chile* 353: 28-34.
- Núñez, H. & Yáñez, J. 1984. *Ctenoblepharis erroneus* nov. sp. de Iguanidae para la zona norte de Chile. *Museo Nacional de Historia Natural, Chile* 40: 91-95.
- Núñez, H. & Fox, S.F. 1989. *Liolaemus puritamensis*, a new species of iguanid lizard previously confused with *Liolaemus multiformis* (Squamata: Iguanidae). *Copeia* 2: 456-460.
- Núñez, H. & Jaksic, F. 1992. Lista comentada de los reptiles terrestres de Chile continental. *Boletín del Museo Nacional de Historia Natural, Chile* 43: 63-91.
- Núñez, H. & Veloso, A. 2001. Distribución geográfica de las especies de lagartos de la región de Antofagasta, Chile. *Boletín del Museo Nacional de Historia Natural* 50: 109-120.
- Núñez, H.; Valladares, P. & Langstroth, R. 2017a. *Liolaemus schmidtii*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/56151913/56151994> (accessed 8 July 2020).
- Núñez, H.; Ruiz de Gamboa, M.; Mella, J. & Lobos, G. 2017b. *Liolaemus pachecoi*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/56085384/56085400> (accessed 8 July 2020).
- Ocampo M. 2010. Estudios gonadales y parámetros fenotípicos en la biología reproductiva de tres especies de lagartijas del género *Liolaemus* (Squamata: Liolaemidae). Tesis de Licenciatura. Universidad Mayor de San Andrés. La Paz, Bolivia.
- Ocampo, M. & Aguilar-Kirigin, A.J. 2008. *Liolaemus chaltin* Lobo & Espinoza 2004 (Iguania: Liolaemidae). *Cuadernos de Herpetología* 22: 99-100.
- Ocampo, M.; Aguilar-Kirigin, A. & Quinteros, S. 2012. A new species of *Liolaemus* (Iguania: Liolaemidae) of the Alticolor group from La Paz, Bolivia. *Herpetologica* 68: 410-417.
- Oken, L. von. 1816. *Lehrbuch der Naturgeschichte*. Dritter Theil, Zoologie. Zweite Abtheilung, Fleisch Thiere. Jena, Schmid, i-xvi + 1272 pp.
- Olave, M.; Avila, L.J.; Sites Jr., J.W. & Morando, M. 2014. Multilocus phylogeny of the widely distributed South American lizard clade *Eulaemus* (Liolaemini, *Liolaemus*). *Zoologica Scripta* 43: 323-337.
- Oliveira, J.C.; Gonzalez, R.C.; Passos, P.; Vrcibradic, D. & Rocha, C.F.D. 2020. Non-Avian Reptiles of the state of Rio de Janeiro, Brazil: status of knowledge and commented list. *Papéis Avulsos de Zoologia* 60: e20206024.
- Olson, S.L. & David, N. 2014. The gender of the tortoise genus *Chelonoidis* Fitzinger, 1835 (Testudines: Testudinidae). *Proceedings of the Biological Society of Washington* 126: 393-394.
- Oppel, M. 1810. Memoire sur la classification des reptiles. *Annales du Muséum National d'Histoire Naturelle de Paris* 16: 376-393.
- Orias, J. 2005. Exploradores de Bolivia. El Dorado, La enciclopedia Boliviana. Santa Cruz. 202 p.
- Ortega, A.; Hoogmoed, M.; Cisneros-Heredia, D.F.; Catenazzi, A.; Nogueira, C.C.; Schargel, W. & Rivas, G. 2019a. *Chironius multiventris*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44580143/44580148> (accessed 20 July 2020).
- Ortega, A.; Cisneros-Heredia, D.F.; Yáñez-Muñoz, M.; Nogueira, C.C.; Catenazzi, A.; Schargel, W. & Rivas, G. 2019b. *Atractus elaps*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15158016/15158057> (accessed 27 July 2020).
- Ortiz, J.C. 1973. Étude sur le statut taxinomique de *Tachymenis peruviana* Wiegmann et *Tachymenis chilensis* (Schlgl.) (Serpentes: Colubridae). *Bulletin du Muséum national d'Histoire Naturelle, 3ème Série* 110: 1021-1039.
- Ortiz J.C. & Marquet P. 1987. Una nueva especie de lagarto altoandino: *Liolaemus islugensis* (Reptilia-Iguanidae). *Gayana Zoologia* 51: 1-4, 59-63.
- O'Shaughnessy, A.W.E. 1879. Description of new species of lizards in the collection of the British Museum. *Annals & Magazine of Natural History* 4: 295-303.

- O'Shaughnessy, A.W.E. 1881. An account of the collection of lizards made by Mr. Buckley in Ecuador, and now in the British Museum, with descriptions of the new species. *Proceedings of the Zoological Society of London* 227-245.
- Pacheco, L.F. 1988. Actividad, densidad y hábitos alimenticios de dos especies de *Liolaemus* (Iguanidae, en el valle de La Paz. Tesina en Biología. Universidad Mayor de San Andrés. La Paz, Bolivia.
- Pacheco, L.F. & Aparicio, J. 1996. Reptiles, pp. 73-93. In: Ergueta, P. & C.B. De Morales (Eds). Libro Rojo de los Vertebrados de Bolivia. CDC, Bolivia.
- Padial, J.M.; Castroviejo-Fisher, S.; Merchan, M.; Cabot, J. & Castroviejo, J. 2003. The herpetological collection from Bolivia in the "Estación Biológica de Doñana" (Spain). *Graellsia* 59: 5-13.
- Páez, V.; Daza, J.; Pérez, P.; Avila-Pires, T.C.S.; Aparicio, J. & Moravec, J. 2019. *Uranoscodon superciliosus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44579997/44580002> (accessed 12 July 2020).
- Parker, H.W. 1928. XI.—Notes on reptiles and batrachians from Matto Grosso and E. Bolivia. *Journal of Natural History*. 2: 96-99. Doi: 10.1080/00222932808672855
- Parker, H.W. 1940. Undescribed anatomical structures and new species of reptiles and amphibians. *The Annals and Magazine of Natural History* 11: 257-274
- Parkinson, C.L. 1999. Molecular systematics and biogeographical history of pitvipers as determined by mitochondrial ribosomal DNA sequences. *Copeia* 3: 576-586.
- Passos, P. & Fernandes, D.S. 2005. Variation and taxonomic status of the aquatic coral snake *Micrurus surinamensis* (Cuvier, 1817. (Serpentes: Elapidae). *Zootaxa* 953: 1-14.
- Passos, P. & Fernandes, R. 2008a. Revision of the *Epicrates cenchria* Complex (Serpentes: Boidae). *Herpetological Monographs* 22: 1-30.
- Passos, P. & Fernandes, R. 2008b. A new species of the colubrid snake genus *Atractus* (Reptilia: Serpentes) from the central Amazon of Brazil. *Zootaxa* 1849: 59-66.
- Passos, P. & Prudente, A.L.C. 2012. Morphological variation, polymorphism, and taxonomy of the *Atractus torquatus* complex (Serpentes: Dipsadidae). *Zootaxa* 3407: 1-21.
- Passos, P. & Powell, R. 2019. *Tantilla melanocephala*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203321/2763890> (accessed 27 July 2020).
- Passos, P.; Fernandes, D.S. & Caramaschi, U. 2004. The taxonomic status of *Leptognathus incertus* Jan, 1863, with revalidation of *Dipsas alternans* (Fischer, 1885) (Serpentes: Colubridae: Dipsadinae). *Amphibia-Reptilia* 25: 381-393.
- Passos, P.; Fernandes, R. & Borges-Nojosa, D.M. 2007. A New Species of *Atractus* (Serpentes: Dipsadinae, from a Relictual Forest in Northeastern Brazil. *Copeia* 4: 788-797.
- Passos, P.; Aguayo, R. & Scrocchi, G. 2009. Rediscovery of the Rare *Atractus bocki*, with Assessment of the Taxonomic Status of *Atractus canedii* (Serpentes: Colubridae: Dipsadinae). *Journal of Herpetology* 43: 710-715.
- Passos, P.; Azevedo, J.A.R.; Nogueira, C.C.; Fernandes, R. & Sawaya, R.J. 2019. An Integrated Approach to Delimit Species in the Puzzling *Atractus emmeli* Complex (Serpentes: Dipsadidae). *Herpetological Monographs* 33: 1-25.
- Paz, M.M. 2012. Actualización Filogenética del Grupo de *Liolaemus boulengeri* (Iguania: Liolaemidae). Tesis de Grado. Facultad de Ciencias Naturales. Universidad Nacional de Tucumán. San Miguel de Tucumán, Argentina.
- Pazmiño-Otamendi, G. & Rodríguez-Guerra, A. 2019. *Dipsas catesbyi* In: Torres-Carvajal, O.; Pazmiño-Otamendi, G. & Salazar-Valenzuela, D. Eds, Reptiles del Ecuador. Version 2019.0. Museo de Zoología, Pontificia Universidad Católica del Ecuador. Available from: <https://bioweb.bio/faunaweb/reptiliaweb/FichaEspecie/Dipsas%20catesbyi> (accessed 26 July 2020).
- Pearson, O.P. 1954. Habits of the lizard *Liolaemus multiformis multiformis* at high altitudes in southern Peru. *Copeia* 2: 111-116.
- Pearson, O.P. & Bradford, D.F. 1976. Thermoregulation of lizards and toads at high altitudes in Peru. *Copeia* 1: 155-170.
- Pedroza-Banda, R.; Ospina-Sarria, J.J.; Angarita-Sierra, T.; Anganoy-Criollo, M. & Lynch, J.D. 2014. Estado de la fauna de anfibios y reptiles del Casanare Ciencias naturales Estado del conocimiento de la fauna de anfibios y reptiles del departamento de Casanare, Colombia. *Revista de la Academia Colombiana de Ciencias Exactas, Físicas y Naturales* 38: 17-34.
- Pelegrin, N. & Bucher, E.H. 2015. Activity and reproductive patterns of lizards in the Chaco of Argentina. *Journal of Natural History* 49: 2693-2708.
- Pelegrin, N.; Montero, R.; Kacolicis, F.; Carreira, S.; Cacciali, P.; Avila-Pires, T.C.S.; Moravec, J.; Aparicio, J.; Nogueira, C.C.; Etchepare, E. & Alonso, J. 2019. *Kentropyx viridistriga*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/178701/61324694> (accessed 19 July 2020).
- Pellegrin, J. 1909. Description de cinq lézards nouveaux des hauts plateaux du Pérou et de la Bolivie. *Bulletin du Muséum d'Histoire Naturelle Paris* 15: 324-329.
- Peracca, M.G. 1896. Sopra un nuovo genere ed una nuova specie di colubride aglifo dell'America meridionale. *Bollettino dei Musei di Zoologia ed Anatomia Comparata della R. Università di Torino* 11: 1-7.
- Peracca, M. G. 1897. Rettili e Anfibi. Viaggio del Dott. Alfredo Borelli nel Chaco boliviano en ella Repubblica Argentina. *Bollettino dei Musei di Zoologia ed Anatomia Comparata della R. Università di Torino*, 12: 1-19.
- Peracca, M.G. 1904. Nouvelles espèces d'Ophidiens d'Asie et d'Amerique, faisant partie de la collection du Museum d'histoire naturelle de Genève. *Revue Suisse de Zoologie* 12: 663-668.
- Péres, A. & Colli, G.R. 2004. The taxonomic status of *Tupinambis rufescens* and *T. duseni* (Squamata: Teiidae., with a redescription of the two species. *Occasional Papers of the Sam Noble Oklahoma Museum of Natural History* 15: 1-12.
- Pérez, M.E. 1997. Una evaluación preliminar de los anfibios y reptiles de las Pampas del Heath (Province Iturrealde, Departamento de La Paz). *Ecología en Bolivia* 30: 43-54.
- Pérez, M.E.; Pérez, J.M.; Guerra, F. & Cortez, C. 2002. Herpetofauna del Parque Nacional Madidi, Bolivia. In: Montambault, J.R. Ed, Informes de las evaluaciones biológicas Pampas del Heath, Perú, Alto Madidi, Bolivia y Pando, Bolivia. RAP Working Papers 24, Conservation International, Washington, D.C.; pp. 58-65.
- Pérez, P.; Avila-Pires, T.C.S.; Aparicio, J. & Moravec, J. 2019. *Gonatodes hasemani*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/178717/44956909> (accessed 5 July 2020).

- Pérez, R. & Ribeiro, S.L.B. 2008. Reptilia, Squamata, Amphisbaenidae, *Leposternon* spp.: Distribution extension, new state record, and geographic distribution map. *Check List* 4: 291-294.
- Pérez-Mellado, V. & De la Riva, I. 1993. Sexual dimorphism and ecology: the case of a tropical lizard, *Tropidurus melanopleurus* (Sauria, Tropiduridae). *Copeia* 4: 969-976.
- Pérez-Santos, C. & Moreno, A.G. 1988. Ofidios de Colombia. Museo regionale di Scienze Naturali, Torino, Monographie VI, 517 pp.
- Peters, J.A. 1956. An analysis of variation in a South American snake, Catesby's snail-sucker (*Dipsas catesbyi* Sentzen). *American Museum Novitates* 1783: 1-41.
- Peters, J.A. 1960a. The snakes of the subfamily Dipsadinae. *Miscellaneous publications* 114: 1-224.
- Peters, J.A. 1960b. The snakes of Ecuador; check list and key. *Bulletin of the Museum of Comparative Zoology at Harvard College* 122: 489-541.
- Peters, J.A. & Orejas-Miranda, B. 1970. Catalogue of the Neotropical Squamata. Part I. Snakes. *Bulletin of United States National Museum* 297: 1-347.
- Peters, J.A. & Donoso-Barros, R. 1970. Catalogue of the Neotropical Squamata: Part II. Lizards and Amphisbaenians. *Bulletin of United States National Museum* 297: 1-293.
- Peters, J.A.; Donoso-Barros, R. & Orejas-Miranda, B. 1970. Catalogue of the Neotropical Squamata: Part I Snakes. Part II Lizards and Amphisbaenians. *Bulletin of United States National Museum* 297: 1-347.
- Peters, J.A.; Orejas-Miranda, B. & Vanzolini, P.E. 1986. Catalogue of the Neotropical Squamata (Revised Edition. Part I: Snakes. Smithsonian Institution Press (Washington D.C.; London).
- Peters, W.C.H. 1863. Über einige neue oder weniger bekannte Schlangenarten des zoologischen Museums zu Berlin. *Monatsb. Königl. Akad. Wiss. Berlin* 1863: 272-289.
- Peters, W.C.H. 1867. Über Flederthiere (*Pteropus gouldii*, *Rhinolophus deckenii*, *Vespertilio lobipes*, *Vesperugo temminckii*. und Amphibien (*Hypsilurus godeffroyi*, *Lygosoma scutatum*, *Stenostoma narirostre*, *Onychocephalus unguirostris*, *Ahaetulla poylepis*, *Pseudechis scutella*). *Monatsberichte der Königlichen Preussische Akademie des Wissenschaften zu Berlin* 703-712.
- Peters, W.C.H. 1869. Über neue Gattungen und neue oder weniger bekannte Arten von Amphibien (*Eremias*, *Dicrodon*, *Euprepes*, *Lygosoma*, *Typhlops*, *Eryx*, *Rhynchonyx*, *Elapomorphus*, *Achalinus*, *Coronella*, *Dromicus*, *Xenopholis*, *Anoplodipsas*, *Spilotes*, *Tropidonotus*). *Monatsberichte der Königlichen Preussische Akademie des Wissenschaften zu Berlin* 432-447.
- Peters, W.C.H. 1871. Über eine von Hrn. Dr. Robert Abendroth in dem Hochlande von Peru gemachte Sammlung von Amphibien, welche derselbe dem Königl. zoologischen Museum geschenkt hat. *Monatsberichte der Königlichen Preussische Akademie des Wissenschaften zu Berlin* 397-404.
- Peters, W.C.H. 1879. Über neue Amphibien des Kgl. Zoologischen Museums (*Euprepes*, *Acontias*, *Typhlops*, *Zamenis*, *Spilotes*, *Oedipus*). *Monatsberichte der Königlichen Preussische Akademie des Wissenschaften zu Berlin* 773-779.
- Pianka, E.R. & Vitt, L.J. 2003. Lizards - Windows to the Evolution of Diversity. University of California Press, Berkeley, 347 pp.
- Pincheira-Donoso, D. 2014. No evidence for conspecificity between two high Andes *Liolaemus* lizards (Squamata: Liolaemidae). *Acta Herpetologica* 9: 249-252.
- Pincheira-Donoso, D. & Núñez, H.S. 2005. Las especies chilenas del género *Liolaemus* (Iguania: Tropiduridae: Liolaeminae). Taxonomía, sistemática y evolución. *Publicación Ocasional Museo Nacional de Historia Natural*. Santiago, Chile 59: 7-486.
- Pinna, P.H.; Mendonça, A.F.; Bocchiglieri, A. & Fernandes, D.S. 2010. A new two-pored *Amphisbaena* Linnaeus from the endangered Brazilian Cerrado biome (Squamata: Amphisbaenidae). *Zootaxa* 2569: 44-54.
- Pinto, B.J.; Colli, G.R.; Higham, T.E.; Russell, A.P.; Scantlebury, D.P.; Vitt, L.J. & Gamble, T. 2018. Population genetic structure and species delimitation of a widespread, Neotropical dwarf gecko. *Molecular Phylogenetics and Evolution* 133: 54-66.
- Pinto, R.R.; Franco, F.L. & Hoogmoed, M.S. 2018. *Stenostoma albifrons* Wagler, 1824 (Squamata: Leptotyphlopidae): a name with two neotypes? *Salamandra* 54: 291-296.
- Pinto-Sánchez, N.R.; Calderón-Espinosa, M.L.; Miralles, A.; Crawford, A.J. & Ramírez-Pinilla, M.P. 2015. Molecular phylogenetics and biogeography of the Neotropical skink genus *Mabuya* Fitzinger (Squamata: Scincidae) with emphasis on Colombian populations. *Molecular Phylogenetics and Evolution* 93: 188-211.
- Pinto-Viveros, M.; Cuellar, K.; Sosa, R.; Villarroel, D. & Pinto Ledezma, J.N. 2017. Historia natural del Cerro Mutún. IV. La herpetofauna. *Kempffiana* 13: 106-118.
- Pires, M.G.; Feitosa, D.T.; Prudente, A.L.C. & Silva Jr.; N.J. 2013. First record of *Micrurus diana* Roze, 1983 (Serpentes: Elapidae. for Brazil and extension of its distribution in Bolivia, with notes on morphological variation. *Check List* 9: 1556-1560.
- Pires, M.G.; Feitosa, D.T.; Grazziotin, F.G.; Prudente, A.L.C.; Silva Jr.; N.J.; & Zaher, H. 2021. Historical and taxonomic relevance of *Coluber lemniscatus* Linnaeus, 1758. In: Silva, N.J.d. jr.; Porras, L.W.; Aird, S.D.; Prudente, A.L. d. C. Eds, *Advances in Coral Snake Biology. With an Emphasis in South America*. Eagle Mountain Publishing. 2021. Eagle Mountain, UT, USA. pp. 37-96
- Pizzatto, L. 2005. Body size, reproductive biology and abundance of the rare pseudoboini snakes genera *Clelia* and *Boiruna* (Serpentes, Colubridae). *Phyllomedusa* 4: 111-122.
- Portelli, S.N. & Quinteros, A.S. 2018. Phylogeny, time divergence, and historical biogeography of the South American *Liolaemus alticolor* group (Iguania: Liolaemidae). *PeerJ* 6: e4404.
- Poe, S. 1996. Data set incongruence and the phylogeny of Crocodilians. *Systematic Biology* 45: 393-414.
- Pontes, J.A.L.; Figueiredo, J.P.; Pontes, R.C. & Rocha, C.F.D. 2008. Snakes from the Atlantic Rainforest area of Serra do Mendanha, in Rio de Janeiro state, southeastern Brazil: a first approximation to the taxocenosis composition. *Brazilian Journal of Biology* 68: 601-609.
- Powell, R.L.; Eversole, C.B.; Crocker, A.V.; Lizarro, D. & Reinaldo Cholina, B.R. 2016. *Xenopholis werdingerorum*, Jansen, Álvarez & Köhler, 2009 (Squamata: Dipsadidae): range extension with comments on distribution. *Check List* 12: 1-3. <https://doi.org/10.15560/12.5.1985>
- Powell, R.L.; Eversole, C.B.; Lizarro, D.; Crocker, A.V.; Surovic, E.A. & Vaca, G.C. 2020. *Atractus albuquerquei* Cunha & Nascimento, 1983 (Serpentes, Dipsadidae): range extension and new country record for Bolivia. *Check List* 16: 383-386.

- <https://doi.org/10.15560/16.2.383>
- Powell, R.L.; Eversole, C.B.; Lizarro, D.; Crocker, A.V.; Vaca, G.C. & Surovic, E.A. 2021. *Rhinobothryum lentiginosum* (Scopoli, 1788. (Serpentes, Colubridae.: additional country record and first list of voucher specimens for Bolivia. *Check List* 17: 333-338. <https://doi.org/10.15560/17.2.333>
- Prado, A. 1940. Notas Ofiológicas 2. Observações sobre os ofídios da fauna amazonica, com a descrição de um novo genero e especie. *Memórias do Instituto Butantan* 13: [1939], 1-7.
- Presch, W. 1973. A review of the tejus lizard genus *Tupinambis* (Sauria: Teiidae) from South America. *Copeia* 4: 740-746.
- Procter, J. 1921. On a small collection of reptiles and batrachians made by Mr. Goodfellow in eastern Bolivia (1918-1919). *Annals Magazine Natural History Series* 9 7: 189-192.
- Procter, J. 1923. On new and rare reptiles from South America. *Proceedings Zoological Society London* 1061-1067.
- Prudente, A.L.C.; Silva, M.A.A. da, Rocha, W.A. da & Franco, F.L. 2008. Morphological variation in *Xenoxybelis boulengeri* (Procter, 1923. (Serpentes, Xenodontinae, Philodryadini). *Zootaxa* 1743: 53-61.
- Prudente, A.L.C.; Magalhães, F.; Menks, A. & Sarmiento, J.F.M. 2013. Checklist of Lizards of the Juruti, state of Pará, Brazil. *Check List* 9: 42-50.
- Pyron, R.A.; Burbrink, F.T. & Wiens, J.J. 2013. A phylogeny and revised classification of Squamata, including 4161 species of lizards and snakes. *BMC Evol Biol* 13, 93. <https://doi.org/10.1186/1471-2148-13-93>
- Quintana, A.Z. & Padial, J.M. 2003. Herpetofauna de la Reserva de Iténez (Bolivia). *Revista Boliviana de Ecología y Conservación Ambiental* 14: 97-103.
- Quintela, F.M. 2019. *Philodryas aestiva* (Brazilian Green Racer. Reproduction. *Herpetological Review* 50: 397-397.
- Quinteros, A.S. 2012. Taxonomy of the *Liolaemus alticolor-bibronii* group (Iguania: Liolaemidae., with descriptions of two new species. *Herpetologica* 68: 100-120.
- Quinteros, A.S. 2013. A morphology-based phylogeny of the *Liolaemus alticolor-bibronii* group (Iguania: Liolaemidae). *Zootaxa* 3670: 1-32.
- Quinteros, A.S. & Abdala, C.S. 2007. *Liolaemus puritamensis* Núñez y Fox, 1989 (Iguania: Liolaemidae). *Cuadernos de Herpetología* 21: 117.
- Quinteros, A.S.; Abdala, C.S. & Lobo, F.J. 2008. Redescription of *Liolaemus dorbignyi* Koslowsky, 1898 and description of a new species of *Liolaemus* (Iguania: Liolaemidae). *Zootaxa* 1717: 51-67.
- Quinteros, A.S. & Lobo, F. 2009. The Iguanian lizard *Liolaemus barbarae* Pincheira-Donoso and Núñez is a junior synonym of *Liolaemus puna* Lobo and Espinoza. *Journal of Herpetology* 43: 336-339.
- Quinteros, A.S.; Ruiz-Monachesi, M.R. & Abdala, C.S. 2020. Solving the *Liolaemus bibronii* puzzle, an integrative taxonomy approach: redescription of *L. bibronii* and description of three new species (Iguania: Liolaemidae). *Zoological Journal of the Linnean Society* 189: 315-348.
- Quinteros-Muñoz, O.; Peñaranda, D. and Navarro, F. 2010. Rodent consumption by *Philodryas psammophidea* (Serpentes: Colubridae), from the inter-andean dry valleys of central Bolivia. *Cuadernos de Herpetología* 24:55-59
- Quinteros-Muñoz, O. 2013. Serpentes, Dipsadidae, *Atractus occipitoalbus*: Second record and distribution extension in Bolivia. *Check List* 9: 76-77.
- Quinteros-Muñoz, O. 2015. A new prey item for the snake *Boiruna maculata* (Serpentes: Dipsadidae. in the yungas of Bolivia. *Phyllomedusa* 14: 79-81.
- Quinteros-Muñoz, O. & Aguayo, R. 2021. Predation by a Black Mussurana, *Clelia clelia* (Daudin 1803) (Serpentes: Dipsadidae), on an Andean Lancehead, *Bothrocophias andianus* (Amaral 1923), in Bolivia. *Reptiles & Amphibians* 28: 502-503.
- Quinteros-Muñoz, O. & Aguayo, R. 2021a. Predation on Gray-breasted Wood-Wren bird by False Coral Snake *Oxyrhopus petolarius* (Serpentes: Dipsadidae) in the Bolivian Yungas. *Herpetology Notes* 14: 279-282.
- Quinteros-Muñoz, O. & Aguayo, R. 2022. New elevational record for Walker's Slender Snake, *Tachymenis attenuata* Walker 1945 (Squamata: Dipsadidae., with notes on taxonomy and natural history. *Reptiles & Amphibians* 29: 152-154. <https://doi.org/10.17161/randa.v29i1.16313>
- Quinteros-Muñoz, O.; Carpio, R.; Pérez, E. & Onofre, F. 2022a. The Amazon Green Anole, *Anolis punctatus* Daudin 1802 (Squamata: Dactyloidae): A New Geographic and Elevational Record in Bolivia. *Reptiles & Amphibians* 29: 235-236.
- Quinteros-Muñoz, O.; Gómez-Murillo, P. Ochoa A. & Espinoza-Echeverría, J. 2022b. Signs of life: rediscovery of *Erythrolamprus andinus* (Dixon, 1983. (Serpentes: Dipsadidae) in Bolivia. *Graellsia* 78: (1.: e166. <https://doi.org/10.3989/graelisia.2022.v78.3>
- Quinteros-Muñoz, O.; Carpio, R.; Pérez, E. & Gómez-Murillo, P. 2022c. First formal evidence and distribution extension of *Erythrolamprus macrosomus* (Amaral, 1936) (Serpentes: Dipsadidae) in Bolivia. *Holotipus rivista di zoologia sistematica e tassonomia* III 2: 23-30. <https://doi.org/10.53561/QMFE4806.ISSN 2704-75479772704754008>
- Quinteros-Muñoz, O.; Gómez-Murillo, P. & Timms, J. 2022d. From the top: first case of arboreal behaviour in the pitvipers *Bothrocophias andianus* (Amaral, 1923) and *Bothrops monsignifer* Timms et al., 2019 in the Yungas of Bolivia. *Herpetology Notes* 15: 863-865.
- Quinteros-Muñoz, O.; Gómez-Murillo, P. & Marca, B. 2023. Swimming behavior of *Amphisbaena bassleri* Linnaeus 1758 (Squamata: Amphisbaenidae) from Bolivia. *Reptiles & Amphibians* 30: e19419. <https://doi.org/10.17161/randa.v30i1.19419>
- Quinteros-Muñoz, O.; Gómez-Murillo, P.; Camacho-Badani, T.; Aguayo, R.; Carpio-Real, R.; Pérez, E.; Marca, B.; Gonzales, L. & Torres-Carvajal O. 2024a. A new species of Sipo Snake, *Chironius* (Serpentes: Colubridae), from the Yungas of Bolivia. *Amphibian & Reptile Conservation* 18: 58-67 (e333)
- Quinteros-Muñoz, O.; Marca, B.; Gómez-Murillo, P. & Espinoza-Echeverría, J. 2024b. La culebra silbadora *Spilotes sulphureus* (Serpentes: Colubridae), extensión del área de distribución en Bolivia y notas sobre su comportamiento. *Kempffiana* 20: 14-17.
- Quinteros-Muñoz, O.; Carpio, R.; Quispe, R.; Marca, B. & Espinoza-Echeverría, J. 2024c. The Neotropical Birdsnake: *Phrynonax sexcarinatus* (Serpentes: Colubridae), a new geographic record in Bolivia. *Reptiles & Amphibians* 31: e21830.
- Quinteros-Muñoz, O.; Marca, B.; Carpio-Real, R.; Gómez-Murillo, P.; Coaquira, E.; Espinoza-Echeverría, J. 2024d. "Higher than the others: *Bothrops bilineatus* (Wied Neuwied, 1821) (Serpentes: Viperidae) a new altitudinal record and

- range extension in Bolivia". *Acta zoológica lilloana* 68: 631-637. doi: <https://doi.org/10.30550/j.azl/2042>
- Quipildor, M. & Quinteros, A.S. 2021a. *Liolaemus chaltin*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 1. RIL Editores, Universidad de Tarapacá. Santiago, Chile. p. 48.
- Quipildor, M. & Quinteros, A.S. 2021b. *Liolaemus puna*. In: Abdala, C.S.; Laspiur, A.; Scrocchi, G.; Semhan, R.V.; Lobo, F. & Valladares, P. Eds, Las lagartijas de la familia Liolaemidae. Sistemática, distribución e historia natural de una de las familias de vertebrados más diversas del Cono Sur de Sudamérica. Volumen 1. RIL Editores, Universidad de Tarapacá. Santiago, Chile. pp. 52-53.
- Raddi, G. 1820. Di alcune specie nuovi di rettili e piante brasiliana. *Memorie di Matematica e di Fisica della Società Italiana delle Scienze residente in Modena* 18: 313-343.
- Ramalho, W.P.; Silva, J.R.; Soares, P.T.; Ferraz, D.; Arruda, F.V. & Prado, V.H.M. 2018. The anurans and squamates of a peri-urban Cerrado remnant in the State of Goiás, Central Brazil. *Herpetology Notes* 11: 573-583.
- Ramírez Pinilla, M.P. 1991. Estudio Histológico de los Tractos Reproductivos y Actividad Cíclica Anual Reproductiva de Machos y Hembras de dos Especies del Género *Liolaemus* (Reptilia: Sauria: Iguanidae). Tesis Doctoral. Universidad Nacional de Tucumán. San Miguel de Tucumán, Argentina.
- Ramírez L.G. & Pincheira-Donoso, D. 2005. *Fauna del Altiplano y Desierto de Atacama*. Phrynosaura Ediciones, 395 pp.
- Recoder, R.S.; Werneck, F. de P.; Teixeira Jr.; M.; Colli, G.R.; Sites Jr.; J.W. & Rodrigues, M.T. 2014. Geographic variation and systematic review of the lizard genus *Vanzosaura* (Squamata, Gymnophthalmidae), with the description of a new species. *Zoological Journal of the Linnean Society* 171: 206-225.
- Reed, R.N. & Rodda, G.H. 2009. Giant Constrictors: Biological and Management Profiles and an Establishment Risk Assessment for Nine Large Species of Pythons, Anacondas, and the *Boa constrictor*. U.S. Geological Survey, xviii + 323 pp.
- Reichle, S. 2019. Serpientes de Bolivia. Centro de Ecología y Difusión Simon I. Patiño. *Revista Bolivia Ecológica* 87: 36.
- Reichle, S. & Embert, D. 2005. New species of *Clelia* (Colubridae, from the Inter-Andean dry valleys of Bolivia. *Journal of Herpetology* 39: 379-383.
- Reichle, S.; Cortez, C.; Padial, J.M. & De la Riva, I. 2004. Notes on *Enyalioides palpebralis* (Boulenger, 1883) (Reptilia: Squamata: Hoplocercidae) in Bolivia. *Boletín de la Asociación Herpetológica Española* 15: 14-16.
- Reinhardt, J. 1862. On some small pits with which some scales of certain Ophidia are adorned. *Annals and Magazine of Natural History* 9: 255-256.
- Reinhardt, J. & Lütken, C. 1862. Bidrag til Kundskab om Brasiliens Padder og Krybdyr. Første Afdeling Paddern og Oglerne. *Videnskabelige Meddelelser fra den Naturhistoriske Forening i Kjöbenhavn* 1861: 143-242.
- Rendahl, H. 1937. Einige Reptilien aus Ecuador und Bolivia. *Arkiv för Zoologi* 29: 1-19.
- Rese, R. 1983. Die Grosstejus der Gattung *Tupinambis*. *Sauria* 5: 5-17.
- Restrepo, A.; Molina-Zuluaga, C.; Hurtado, J.P.; Marín, C.M. & Daza, J.M. 2017. Amphibians and reptiles from two localities in the northern Andes of Colombia. *Check List* 13: 203-237.
- Reuss, A. 1834. Zoologische Miscellen, Reptilien. Saurier. Batrachier. *Museum Senckenbergianum, Frankfurt am Main* 1: 27-62.
- Rey-Ortiz, G. 2013. Hábitos alimenticios de *Liolaemus variegatus* en la ladera sur-occidental del Parque Nacional Tunari (Cochabamba, Bolivia). Tesis de Licenciatura. Universidad Mayor de San Simón. Cochabamba, Bolivia.
- Rey-Ortiz, G. & Cortez, C. 2009. *Chelonoidis denticulata*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 615-616.
- Reynolds, R.G. & Henderson, R.W. 2018. Boas of the World (Superfamily Booidae.: A Checklist with Systematic, Taxonomic, and Conservation Assessments. *Bulletin of the Museum of Comparative Zoology* 162: 1-58.
- Reynolds, R.G.; Niemiller, M.L. & Revell, L.J. 2014. Toward a Tree-of-Life for the boas and pythons: Multilocus species-level phylogeny with unprecedented taxon sampling. *Molecular Phylogenetics and Evolution* 71: 201-213.
- Reynolds, R.P. & Foster, M.S. 1992. Four new species of frogs and one new species of snake from the Chapare region of Bolivia, with notes on other species. *Herpetological Monographs* 6: 83-104.
- Rhodes, C. 1963. On *Amphisbaena fuliginosa* Linné from Bolivia. *Herpetologica* 19: 175-178.
- Rhodin, A.G.J.; Mittermeier, R.A. & McMorris, J.R. 1984. *Platemys macrocephala*, a new species of chelid turtle from central Bolivia and the pantanal region of Brazil. *Herpetologica* 40: 38-46.
- Rhodin, A.G.J.; Mittermeier, R.A. & Ernst, C.H. 1990. *Acanthochelys macrocephala* (Rhodin, Mittermeier, and McMorris) big-headed Pantanal swamp turtle. *Catalogue of American Amphibians and Reptiles* 481: 1-2.
- Rhodin, A.G.J.; Vinke, T.; Vinke, S.; Métrailler, S. & Mittermeier, R.A. 2018. *Acanthochelys macrocephala* (errata version published in 2019). The IUCN Red List of Threatened Species 2018. Available from: <https://www.iucnredlist.org/es/species/97259978/144765482> (accessed 27 July 2020).
- Ribeiro, S.; Vaz-Silva, W. & Santos Jr.; A.P. 2008. New pored *Leposternon* (Squamata, Amphisbaenia. from Brazilian Cerrado. *Zootaxa* 1930: 18-38.
- Ribeiro-Júnior, M.A. 2013. Fauna de lagartos da Amazônia brasileira: diversidade, biogeografia e conservação. Zoología, Universidade Federal do Pará.
- Ribeiro-Júnior, M.A. 2015a. Catalogue of distribution of lizards (Reptilia: Squamata, from the Brazilian Amazonia. II. Gekkonidae, Phyllodactylidae, Sphaerodactylidae. *Zootaxa* 3981: 001-055.
- Ribeiro-Júnior, M.A. 2015b. Catalogue of distribution of lizards (Reptilia: Squamata, from the Brazilian Amazonia. I. Dactyloidae, Hoplocercidae, Iguanidae, Leiosauridae, Polychrotidae, Tropiduridae). *Zootaxa* 3983: 1-110. <http://dx.doi.org/10.11646/zootaxa.3983.1.1>
- Ribeiro-Júnior, M.A. & Amaral, S. 2016a. Catalogue of distribution of lizards (Reptilia: Squamata, from the Brazilian Amazonia. III. Anguidae, Scincidae, Teiidae. *Zootaxa* 4205: 401-430.
- Ribeiro-Júnior, M.A. & Amaral, S. 2016b. Diversity, distribution, and conservation of lizards (Reptilia: Squamata) in the Brazilian Amazonia. *Neotropical Biodiversity* 2: 195-421.

- Ribeiro-Júnior, M.A. & Amaral, S. 2017. Catalogue of distribution of lizards (Reptilia: Squamata) from the Brazilian Amazonia. IV. Alopoglossidae, Gymnophthalmidae. *Zootaxa* 4269: 151-196.
- Ribeiro-Júnior, M.A.; Silva, M.B. da & Lima, J.D. 2016. A New Species of *Bachia* Gray 1845 (Squamata: Gymnophthalmidae) from the Eastern Guiana Shield. *Herpetologica* 72: 148-156.
- Ribeiro-Júnior, M.A.; Choueri, E.; Lobos, S.; Venegas, P.; Torres-Carvajal, O. & Werneck, F. 2020. Eight in one: morphological and molecular analyses reveal cryptic diversity in Amazonian alopoglossid lizards (Squamata: Gymnophthalmoidea). *Zoological Journal of the Linnean Society* 190: 227-270.
- Rios, D. & Miranda-Calle, A.B. 2020. Geographic Distribution: *Micrurus narducci* (Andean Blackback Coral Snake). *Herpetological Review* 51: 275-275.
- Ríos, J.N. 2022. Estado poblacional del lagarto (*Caiman yacaré*) y del caimán negro (*Melanosuchus niger*) en sus áreas de distribución natural en Bolivia. *Boletín Bioamazonía, Serie Artículos Técnicos* 14: 1-13.
- Rivas, G. & La Marca, E. 2001. Geographic distribution (Serpentes). *Pseudoboa coronata*. *Herpetological Review* 32: 124.
- Rivas, G. & Barrio-Amorós, C.L. 2005. New Amphibian and Reptile records from Cojedes State, Venezuela. *Herpetological Review* 36: 205-209.
- Rivas, G.; Molina, C.R.; Ugueto, G.N.; Barros, T.R.; Barrio-Amorós, C.L. & Kok, P.J.R. 2012. Reptiles of Venezuela: an updated and commented checklist. *Zootaxa* 3211: 1-64.
- Rivas, G.; Gutiérrez-Cárdenas, P.; Caicedo, J.; Hoogmoed, M.; Gagliardi, G.; Cisneros-Heredia, D.F.; Nogueira, C. & Gonzales, L. 2016. *Corallus batesi*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/203207/2762173> (accessed 3 December 2022).
- Rivas, G.; Gutiérrez-Cárdenas, P. & Caicedo, J. 2019a. *Drymoluber dichrous*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44580218/44580227> (accessed 22 July 2020).
- Rivas, G.; Gutiérrez-Cárdenas, P.; Valencia, J.; Gonzales, L.; Nogueira, C.C. & Murphy, J. 2019b. *Mastigodryas boddaerti*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/203299/2763506> (accessed 23 July 2020).
- Rivas, G.; Gutiérrez-Cárdenas, P.; Caicedo, J.; Valencia, J.; Gonzales, L.; Catenazzi, A.; Gagliardi, G. & Nogueira, C.C. 2019c. *Xenodon severus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/15183689/15183698> (accessed 10 August 2020).
- Rivas, L.R.; Mendoza-Miranda, P. & Muñoz-Saravia, A. 2018. Lista preliminar de la herpetofauna del Parque Nacional Torotoro, Potosí, Bolivia. *Cuadernos de Herpetología* 32: 41-46.
- Rivas, L.R.; Mendoza-Miranda, P. & Miranda, O. 2022. Guía Ilustrada de Anfibios y Reptiles de la Ciudad de Trinidad, Beni. Universidad Autónoma del Beni José Ballivián, Wildlife Conservation Society y Grupo de Trabajo para los Llanos de Moxos. Trinidad, Beni. pp. 255.
- Rivas, L.R.; Callapa, G.; Eversole, C.B.; Powell, R.L. & Wallace, R. 2023. *Mussurana bicolor* (Peracca, 1904). (Squamata, Colubridae): additional country records and first list of voucher specimens from Bolivia. *Check List* 19: 1-6. <https://doi.org/10.15560/19.1.1>
- Rivas, L.R.; Rey-Ortiz, G.; Eversole, C.B.; Powell, R.L.; Navarro-Cornejo, G.; Cortez, E.; Ocampo, M.; Callapa, G. & Muñoz, A. 2024a. Vine snakes (*Oxybelis*) and Sharpnose snakes (*Xenoxylis*) (Squamata, Serpentes) from lowlands of Bolivia, with first records of *Oxybelis inkaterra* for the country. *Herpetozoa* 37: 201-211. <https://doi.org/10.3897/herpetozoa.37.e120130>
- Rivas, L.R.; Callapa, G.; Mendoza-Miranda, P.; Muñoz, A.; Eversole, C.B.; Powell, R.L. 2024b. *Dryophylax chaquensis* (Bergna & Álvarez, 1993) (Serpentes, Colubridae): first record from Cochabamba Department and a geographic range extension in Bolivia. *Check List* 20: 530-535. <https://doi.org/10.15560/20.2.530>
- Rivas-Martínez S.; Rivas-Saenz S. & Penas A. 2011. Worldwide bioclimatic classification system. *Global Geobotany* 1: 1-634.
- Rivera, D.S. 2009a. *Bothriopsis taeniata*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 659-660.
- Rivera, D.S. 2009b. *Bothrocophias microphthalmus*. In: Aguirre, L.F.; Aguayo, R.; Balderrama, J.; Cortez, C. & Tarifa, T. Eds, Libro rojo de la fauna silvestre de vertebrados de Bolivia. 2009. [MMAYA] Ministerio de Medio Ambiente y Agua, La Paz, Bolivia, pp. 651-652.
- Rivera, D.S.; Prates, I.; Rodrigues, M.T. & Carnaval, A.C. 2020. Effects of climate and geography on spatial patterns of genetic structure in tropical skinks. *Molecular Phylogenetics and Evolution* 143: 106661.
- Rocha, C.F.D.; Bergallo, H.G.; Pompal Jr.; J.P.; Geise, L.; Van Sluys, M.; Fernandes, R. & Caramaschi, U. 2004. Fauna de anfíbios, répteis e mamíferos do Estado Do Rio de Janeiro, Sudeste do Brasil. *Publicações Avulsos de Zoologia. Museu Nacional* 104: 3-23.
- Rodrigues, M.T. 1986. Uma nova especie do genero *Phylllopezus* de Cabaceiras: Paraíba: Brasil; com comentarios sobre a fauna de lagartos da area (Sauria Gekkonidae). *Papéis Avulsos de Zoologia* 36: 237-250.
- Rodrigues, M.T. 1987. Sistemática, ecologia e zoogeografia dos *Tropidurus* do grupo *torquatus* ao sul do rio Amazonas (Sauria, Iguanidae). *Arquivos de zoologia do Estado de São Paulo* 31: 10-230.
- Rodrigues, M.T. 1991. Herpetofauna das dunas interiores do Rio São Francisco, Bahia, Brazil. III. *Procellosaurinus*: um novo genero de microteiideos sem palpebra, com a redefinicao do genero *Gymnophthalmus* (Sauria, Teiidae). *Papéis Avulsos de Zoologia* 37: 329-342.
- Rodrigues, M.T. 2003. Herpetofauna da Caatinga. In: Leal, I.R.; Tabarelli, M. & Silva, J.M.C. Eds, Ecologia e conservação da Caatinga. Editora Universitária, Universidade Federal de Pernambuco, Recife, Brasil, pp. 181-236.
- Rodrigues, M.T.; Pellegrino, K.C.M.; Dixo, M.B.O.; Verdade, V.K.; Pavan, D.; Suzart-Argolo, A.J. & Sites, J.W. 2007. A New Genus of Microteiid Lizard from the Atlantic Forests of State of Bahia, Brazil, with a New Generic Name for *Colobosaura mentalis*, and a Discussion of Relationships Among the Heterodactylini (Squamata, Gymnophthalmidae). *American Museum Novitates* 3565: 1-27.
- Rodriguez-Cordero, A.L.; Balaguera-Reina, S.A. & Densmore, L.D. 2019. Regional conservation priorities for crocodylians

- in Bolivia. *Journal for Nature Conservation* 52: 125753.
- Rojas-Morales, J.A. 2012. On the geographic distribution of the false coral snake, *Rhinobothryum bovallii* (Serpentes: Dipsadidae), in Colombia - a biogeographical perspective. *Salamandra* 48: 243-248.
- Romano, S.A.R.W. & Hoge, A.R. 1972. Nota sobre *Xenodon* e *Ophis* (Serpentes Colubridae). *Memórias do Instituto Butantan* 36: 209-211.
- Rösler, H. 1995. *Gekkos der Welt - Alle Gattungen*. Urania, Leipzig, 256 pp.
- Rösler, H. 2000. Kommentierte Liste der rezent, subrezent und fossil bekannten Geckotaxa (Reptilia: Gekkonomorpha). *Gekkota* 2: 28-153.
- Ross, J.P. 2000. *Melanosuchus niger*. The IUCN Red List of Threatened Species 2000. Available from: <https://www.iucnredlist.org/es/species/13053/3407604> (accessed 3 July 2020).
- Roze, J.A. 1952. Colección de reptiles del Profesor Scorza, de Venezuela. *Acta Biologica Venezuelica* 1: 93-114.
- Roze, J.A. 1957. Resumen de una revision del género *Hydrops* (Wagler., 1830 (Serpentes: Colubridae). *Acta Biologica Venezuelica* 2: 51-95.
- Roze, J.A. 1958. Resultados zoológicos de la expedición de la Universidad Central de Venezuela a la región del Auyantepui en la Guyana Venezolana, Abril de 1956. Los reptiles del Auyantepui, Venezuela, basandose en las colecciones de las expediciones de Phelps-Ta. *Acta Biologica Venezuelica* 2: 243-270.
- Roze, J.A. 1966. La taxonomia y zoogeografía de los ofidios de Venezuela. Universidad Central de Venezuela. Ediciones de la biblioteca de Caracas, 362 pp.
- Roze, J.A. 1983. New World coral snakes (Elapidae.: a taxonomic and biological summary. *Memórias do Instituto Butantan* 46: 305-338.
- Roze, J.A. 1996. Coral Snakes of the Americas. Krieger, Malabar, Florida, 328 pp.
- Ruibal, R. 1952. Revisionary notes of some South American Teiidae. *Bulletin of the Museum of Comparative Zoology at Harvard College* 106: 475-529.
- Ruiz de Gamboa, M.; Valladares, P. & Langstroth, R. 2017. *Liolaemus erguetae*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/species/56058825/56058900>. Accessed on 05 March 2022.
- Ruiz de Gamboa, M.; Mella, J. & Nunez, H. 2020. *Liolaemus islugensis*. The IUCN Red List of Threatened Species 2020: Available from: <https://www.iucnredlist.org/species/109619258/56085437> Accessed on 05 March 2022.
- Rufay, V.; Thonnell, A. & Cobigo, M. Découverte d'une nouvelle espèce de serpent en Guyane française: *Chironius flavolineatus* Jan, 1863. *Bulletin de la Société Herpétologique de France* 154: 70-72.
- Ruthven, A.G. 1927. Description of an apparently new species of *Apostolepis* from Bolivia. *Occasional Papers of the Museum of Zoology, University of Michigan* 188: 1-2.
- Salomão, M.G.; Wüster, W.; Thorpe, R.S. & BBBSP. 1997. DNA evolution of South American pitvipers of the genus *Bothrops*. In: Thorpe, R.S.; Wüster, W. & Malhotra, A. Eds, *Venomous Snakes: Ecology, Evolution and Snakebite*. Symposia of the Zoological Society of London, Clarendon Press, Oxford, pp. 89-98.
- Salomão, M.G.; Albolea, A.B.P. & Almeida-Santos, S.M. 2003. Colubrid Snakebite: A Public Health Problem in Brazil. *Herpetological Review* 34: 307-312.
- Sanabrina, E.A.; Quiroga, L.; Galvani, G.; Pastor, P.; Herrera, M.; Navas, A.; Moreno, D. & Cataldo, A. 2011. *Liolaemus chacoensis* (NCN). Cluth size. *Herpetological Review* 42: 431.
- Santos-Costa, M.C. dos, Outeiral, A.B.; D'Agostini, F.M. & Cappellari, L.H. 2000. Envenomation by the neotropical colubrid *Boiruna maculata* (Boulenger, 1896.: A case report. *Revista do Instituto de Medicina Tropical de São Paulo* 42: 283-286.
- Santos-Costa, M.C. dos, Maschio, G.F. & Prudente, A.L.C. 2015. Natural history of snakes from Floresta Nacional de Caxiuanã, eastern Amazonia, Brazil. *Herpetology Notes* 8: 69-98.
- Sabaj Perez, M. H. Ed. 2014. Standard symbolic codes for institutional resource collections in herpetology and ichthyology: An Online Reference. Version 5.0 (22 September 2014). Electronically accessible at <http://www.asih.org/>. American Society of Ichthyologists and Herpetologists, Washington, D.C.; USA.
- Savage, J.M. 1960. A revision of the Ecuadorian snakes of the colubrid genus *Atractus*. *Miscellaneous publications* 112: 1-86.
- Savage, J.M. 2002. The Amphibians and Reptiles of Costa Rica: A Herpetofauna Between Two Continents, Between Two Seas. University of Chicago Press, 934 pp.
- Savage, J.M. 2011. The correct species-group name for an *Oxyrhopus* (Squamata: Dipsadidae. variously called *Coluber petalarius*, *C. pethola*, *C. petola*, or *C. petolarius* by early authors. *Proceedings of the Biological Society of Washington* 124: 223-225.
- Schargel, W.E. & Rivas, G. 2019. *Erythrolamprus dorsocorallinus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50955935/50955947> (accessed 10 August 2020).
- Schargel, W.E.; Lamar, W.W.; Passos, P.; Valencia, J.H.; Cisneros-Heredia, D.F. & Campbell, J.A. 2013. A new giant *Atractus* (Serpentes: Dipsadidae. from Ecuador, with notes on some other large Amazonian congeners. *Zootaxa* 3721: 455-474.
- Schargel, W.E.; Rivas, G. & Ouboter, P. 2019. *Dipsas catesbyi*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176788/44948867> (accessed 26 July 2020).
- Schätti, B. & Kramer, E. 1991. A new pitviper from Ecuador, *Bothriechis mahnerti* n. sp. *Revue Suisse de Zoologie* 98: 9-14.
- Schätti, B. & Kramer, E. 1993. Ecuadorianische Grubenottern der Gattungen *Bothriechis*, *Bothrops* und *Porthidium* (Serpentes: Viperidae). *Revue Suisse de Zoologie* 100: 235-278.
- Schinz, H.R. 1822. Das Thierreich eingetheilt nach dem Bau der Thiere als Grundlage ihrer Naturgeschichte und der vergleichenden Anatomie von dem Herrn Ritter von Cuvier. Vol. 2. J. G. Cotta, Stuttgart.
- Schlegel, H. 1837. Essai sur la physionomie des serpens. Partie Descriptive. La Haye (J. Kips, J. HZ. et W. P. van Stockum., xvi + 606 pp.
- Schlegel, H. 1839. Abbildungen neuer oder unvollständig bekannter Amphibien, nach der Natur oder dem Leben entworfen und mit einem erläuternden Texte begleitet. Arne and Co.; Düsseldorf, xiv + 141 pp.
- Schlüter, U. 2013. Buntleguane-Lebensweise, Pflege und Fortpflanzung. KUS-Verlag, 80 pp.
- Schmidt, D. & Kunz, K. 2005. Ernährung von Schlangen. Natur und Tier Verlag, Münster, 159 pp.

- Schmidt, K.P. 1936. Preliminary account of coral snakes of South America. *Zoological Series of Field Museum of Natural History* 20: 189-203.
- Schmidt, K.P. 1953. Hemprich's coral snake, *Micrurus hemprichi*. *Fieldiana Zoology* 34: 165-170.
- Schmidt, K.P. 1955. Coral snakes of the genus *Micrurus* in Colombia. *Fieldiana Zoology* 34: 337-359.
- Schmidt, K.P. & Walker, W.F. 1943. Peruvian snakes from the University of Arequipa. *Zoological Series of Field Museum of Zoology* 24: 279-296.
- Schmidt, K.P. & Inger, R.F. 1951. Amphibians and reptiles of the Hopkins-Branner expedition to Brazil. *Fieldiana Zoology* 31: 439-465.
- Schneider, J.G. 1783. Allgemeine Naturgeschichte der Schildkröten, nebst einem Systematischen Verzeichnisse der einzelnen Arten. Müller, Leipzig, xlviii + 364 pp.
- Schneider, J.G. 1792. Beschreibung und Abbildung einer neuen Art von Wasserschildekröte nebst Bestimmungen einiger bisher wenig bekannten fremden Arten. *Schriften der Gesellschaft Naturforschender Freunde zu Berlin* 10: 259-283.
- Schneider, J.G. 1801. *Historiae Amphibiorum naturalis et literariae. Fasciculus secundus continens Crocodilos, Scincos, Chamaesauras, Boas, Pseudoboas, Elapes, Angues, Amphisbaenas et Caecilias*. Frommanni, Jena, 374 pp.
- Schöneberg, Y. & Köhler, G. 2022. Distribution and identification of the species in the genus *Helicops* Wagler, 1830 (Serpentes, Colubridae, Xenodontinae). *Biodiversity Data Journal* 10: e69234. <https://doi.org/10.3897/BDJ.10.e69234>
- Schulte II, J.A.; Macey, J.R.; Espinoza, R.E. & Larson, A. 2000. Phylogenetic relationships in the iguanid lizard genus *Liolaemus*: multiple origins of viviparous reproduction and evidence for recurring Andean vicariance and dispersal. *Biological Journal of the Linnean Society* 69: 75-102.
- Schwartz, A. & Henderson, R.W. 1991. *Amphibians and Reptiles of the West Indies*. University of Florida Press, Gainesville, 720 pp.
- Schweigger, A.F. 1812. *Prodromus Monographia Cheloniorum auctore Schweigger. Königsberg Archiv für Naturwissenschaft und Mathematik*, 1: 271-368, 406-458.
- Slater, W.L. 1891. List of snakes in the Indian Museum. Trustees of the Indian Museum, Calcutta, 79 pp.
- Scopoli, G.A. 1788. *Deliciae Florae et Faunae insubricae. Vol. III. Monast. S. Salvatoris, Ticino*, ii + 87 pp.; 25 pls.
- Scott, N. & Lovett, J.W. 1975. A collection of reptiles and amphibians from the Chaco of Paraguay. *Occasional Papers, University of Connecticut Biological Science Series* 2: 257-266.
- Scott, N.; Giraudo, A.R.; Scrocchi, G.; Aquino, A.L.; Cacciali, P. & Motte, M. 2006. The genera *Boiruna* and *Cleila* (Serpentes: Pseudoboini) in Paraguay and Argentina. *Papeis Avulsos de Zoologia* 46: 77-105.
- Scott, N.; Carreira, S. & Cacciali, P. 2016a. *Amphisbaena camura*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/63487978/63487986> (accessed 3 July 2020).
- Scott, N.; Pelegrin, N.; Montero, R.; Kacolis, F.; Fitzgerald, L.; Carreira, S.; Cacciali, P.; Moravec, J.; Cisneros-Heredia, D.F.; Aparicio, J. & Avila-Pires, T.C.S. 2016b. *Salvator merianae*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/178340/61322552> (accessed 19 July 2020).
- Scott, N.; Montero, R.; Carreira, S. & Cacciali, P. 2017. *Micrurus pyrrhocryptus*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/174108/55928697> (accessed 16 August 2020).
- Scott, N.; Cacciali, P.; Moravec, J.; Aparicio, J. & Avila-Pires, T.C.S. 2019a. *Dracaena paraguayensis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/44579658/44579662> (accessed 19 July 2020).
- Scott, N.; Cacciali, P.; Pérez, P.; Avila-Pires, T.C.S.; Aparicio, J.; Moravec, J. & Nogueira, C.C. 2019b. *Micrablepharus maximiliani*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/63488678/63488686> (accessed 19 July 2020).
- Scott, N. & Cacciali, P. 2020. *Anolis meridionalis*. The IUCN Red List of Threatened Species 2020. Available from: <https://www.iucnredlist.org/es/species/63488563/63488567> (accessed 29 November 2022).
- Scrocchi, G.J. 2017. *Xenodon pulcher*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/15183645/15183668> (accessed 10 August 2020).
- Scrocchi, G.J. & Cruz, F.B. 1993. Description of a new species of the genus *Lystrophis* Cope and a revalidation of *Lystrophis pulcher* (Jan, 1863), (Serpentes; Colubridae). *Papeis Avulsos de Zoologia* 38: 171-185.
- Scrocchi, G.J. & Gonzales, L. 1996a. Informe sobre la herpetofauna del Parque Nacional Noel Kempff Mercado, Santa Cruz - Bolivia. Consorcio FANTNC. Santa Cruz, 32 pp.
- Scrocchi, G.J. & Gonzales, L. 1996b. *Kentropyx calcarata* (NCN). Behavior. *Herpetological Review* 27: 201-201.
- Scrocchi, G.J. & Giraudo, A.R. 2012. First record of *Erythrolamprus sansebastiani* Jansen and Köhler, 2008 (Serpentes: Dipsidae) from Argentina. *Check List* 5: 900-902.
- Scrocchi, G.J.; Porto, M. & Rey, L. 1993. Descripción de una especie nueva y situación del género *Sibynomorphus* (Serpentes: Colubridae) en la Argentina. *Revista Brasileira de Biologia*, 53: 197-208.
- Scrocchi, G.J.; Moreta, J.C. & Kretzschmar, S. 2006. Serpientes del Noroeste Argentino [Jujuy, Salta, Tucumán, Catamarca, La Rioja, Santiago del Estero]. Fundación Miguel Lillo, Tucumán, 178 pp.
- Scrocchi, G.J.; Arzamendia, V.; Fitzgerald, L.; Giraudo, A. & Williams, J. 2017. *Oxyrhopus guibei*. The IUCN Red List of Threatened Species 2017. Available from: <https://www.iucnredlist.org/es/species/15179489/15179492> (accessed 8 August 2020).
- Scrocchi, G.J.; Montero, R.; Giraudo, A.; Fitzgerald, L.; Arzamendia, V.; Williams, J.; Pelegrin, N. & Kacolis, F. 2019. *Atractus snethlageae*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176361/44877490> (accessed 27 July 2020).
- Seba, A. 1735. *Locupletissimi rerum naturalium thesauri accurata descriptio, et iconibus artificiosissimis expressio, per universam physices historiam. Opus, cui, in hoc rerum genere, nullum par exstitit. Ex toto terrarum orbe collegit, digessit, et depingendum curavit. Tomus II. Amstelaedami. Wetstenium, Smith & Janssonio-Waesbergios.*, 154 pp.; 144 pls. [reprinted in 2001 by Taschen, K.; 582 pp.; 448 pls.].
- Sentzen, U.J. 1796. *Ophiologische Fragmente. Meyer's Zoologische Stockholm Archiv* 2: 59-66.
- Señaris, J.C.; Aristeguieta, M.M.; Rojas, H. & Rojas-Runjaic, F.J.M. 2018. Guía ilustrada de los anfibios y reptiles del

- valle de Caracas, Venezuela. Ediciones IVIC, Instituto Venezolano de Investigaciones Científicas (IVIC). Caracas, Venezuela, 348 pp.
- Shaw, G. 1802. General Zoology, or Systematic Natural History. Vol. III, part II. Amphibia. G. Kearsley, London, viii + pp. 313-615, pls. 87-140.
- Shaw, G. & Nodder, F.P. 1789. The Naturalist's Miscellany; or colored figures of natural objects; drawn and described immediately from nature. Vol. I. London, Nodder & Co.; plates 1-37, 158 unnumbered pages.
- Shaw, G. & Nodder, F.P. 1795. The Naturalist's Miscellany; or colored figures of natural objects; drawn and described immediately from nature. Vol. VI. London, Nodder & Co.; plates 183-218, 145.
- Shaw, G. & Nodder, F.P. 1796. The Naturalist's Miscellany; or colored figures of natural objects; drawn and described immediately from nature. Vol. VII. London, Nodder & Co.; plates 219-254, 136 unnumbered pages.
- Shaw, G. & Nodder, E. 1810. The Naturalist's Miscellany; or colored figures of natural objects; drawn and described immediately from nature. Vol. XXI. London, Nodder & Co.; plates 877-924, 186 unnumbered pages, [published in monthly issues between August 1, 1809, and July 1, 1810].
- Sheehy, C.M.; Yáñez-Muñoz, M.H.; Valencia, J.H. & Smith, E.N. 2014. A New Species of *Siphlophis* (Serpentes: Dipsadidae: Xenodontinae) from the Eastern Andean Slopes of Ecuador. *South American Journal of Herpetology* 9: 30-45.
- Shreve, B. 1938. A new *Liolaemus* and two new *Syrrophus* from Perú. *Journal of the Washington Academy of Sciences* 28: 404-407.
- Shreve, B. 1948. A new *Liolaemus* from Paraguay. *Copeia* 2: 111-112.
- Siebenrock, F. 1902. Zur Systematik der Schildkrötengattung *Podocnemis* Wagl. Anzeiger der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse 27: 104-106.
- Siebenrock, F. 1905. Chelonologische Notizen. *Zoologischer Anzeiger* 29: 460-468.
- Silva, F.M. da, Menks, A.C.; Prudence, A.L.C.; Costa, J.C.L.; Travassos, A.E.M. & Galati, U. 2011. Squamate Reptiles from municipality of Barcarena and surroundings, state of Pará, north of Brazil. *Check List* 7: 220-226.
- Silva Jr.; J.N. da (1993). The snakes from Samuel hydroelectric power plant and vicinity, Rondônia, Brasil. *Herpetological Natural History* 1: 37-86.
- Silva Jr.; N.J. da & Sites, Jr.; J.W. 1999. Revision of the *Micrurus frontalis* complex (Serpentes: Elapidae). *Herpetological Monographs* 13: 142-194.
- Silva Jr.; Porras, L.W.; Aird, S.D. & Prudente, A.L.C. 2021. Advances in Coralsnake Biology: with an emphasis on South America. Eagle Mountain Publishing, LC, Eagle Mountain, Utah, USA. xxxiv + 775 pages. ISBN 978-0-9720154-6-2
- Silva, V.X. da & Rodrigues, M.T. 2008. Taxonomic revision of the *Bothrops neuwiedi* complex (Serpentes, Viperidae) with description of a new species. *Phyllomedusa* 7: 45-90.
- Silva-Haad, J.J. 2004. Las serpientes del género *Atractus* Wagler, 1828 (Colubridae: Xenodontinae) en la Amazonia colombiana. [The snakes of the genus *Atractus* Wagler, 1828 (Colubridae; Xenodontinae) in the Colombian Amazonia.]. *Revista de la Academia Colombiana de Ciencias Exactas, Físicas y Naturales* 108: 409-446.
- Silva-Jr, N.J.; Porras, L.; Aird, S. & Prudente, A.L.C. 2021. Advances in Coralsnake Biology: with an Emphasis on South America. Eagle Mountain Publishing, 775 pp.
- Silveira, A.L.; Nogueira, C.C.; Borges-Nojosa, D.M.; Costa, G.C.; Moura, G.J.B. de.; Winck, G.; Colli, G.R.; Silva, J.R.S.; Viñas, L.V.; Ribeiro-Júnior, M.A.; Hoogmoed, M.S.; Tinôco, M.S.T.; Almeida-Santos, P.; Valadão, R.; Oliveira, R.B. de.; Avila-Pires, T.C.S.; Ferreira, V.L. & Menezes, V.A. de (2019a). *Bachia cacerensis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/48279925/154323672> (accessed 5 May 2021).
- Silveira, A.L.; Prudente, A.L.C.; Argôlo, A.J.S.; Abrahão, C.R.; Nogueira, C.C.; Barbo, F.E.; Costa, G.C.; Pontes, G.M.F.; Colli, G.R.; Zaher, H.; Borges-Martins, M.; Martins, M.R.C.; Oliveira, M.E.; Passos, P.; Bérnills, R.S.; Sawaya, R.J.; Cechin, C.T.Z & Costa, T.B.G. da (2019b). *Apostolepis christineae*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/15155834/123739390> (accessed 29 July 2020).
- Silveira, A.L.; Argôlo, A.J.S.; Abrahão, C.R.; Nogueira, C.C.; Strüssmann, C.; Loebmann, D.; Barbo, F.E.; Franco, F.L.; Costa, G.C.; Moura, G.J.B. de.; Zaher, H.; Borges-Martins, M.; Martins, M.R.C.; Oliveira, M.E.; Hoogmoed, M.S.; Marques, O.A.V.; Passos, P.; Bérnills, R.S.; Kawashita-Ribeiro, R.A.; Sawaya, R.J. & Costa, T.B.G. da (2019c). *Atractus albuquerquei*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176349/123178702> (accessed 27 July 2020).
- Silveira, A.L.; Nogueira, C. de C.; Borges-Nojosa, D.M.; Costa, G.C.; de Moura, G.J.B.; Winck, G.; Colli, G.R.; Silva, J.R.S.; Viñas, L.V.; Ribeiro Júnior, M.A.; Hoogmoed, M.S.; Tinôco, M.S.T.; Almeida-Santos, P.; Valadão, R.; Avila-Pires, T.C.S.; de Oliveira, R.B.; Ferreira, V.L. & de Menezes, V.A. 2021a. *Kentropyx paulensis*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/44579718/44579726> (accessed 3 December 2022).
- Silveira, A.L.; Nogueira, C. de C.; Borges-Nojosa, D.M.; Costa, G.C.; de Moura, G.J.B.; Winck, G.; Colli, G.R.; Silva, J.R.S.; Viñas, L.V.; Ribeiro Júnior, M.A.; Hoogmoed, M.S.; Tinôco, M.S.T.; Almeida-Santos, P.; Valadão, R.; de Oliveira, R.B.; Avila-Pires, T.C.S.; Ferreira, V.L. & de Menezes, V.A. 2021b. *Kentropyx vanzoi*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/44579760/44579764> (accessed 3 December 2022).
- Simões, T.R. & Pyron, R.A. 2021. The squamate tree of life. *Bulletin of the Museum of Comparative Zoology*, Harvard University; 163(2):47-95. <https://doi.org/10.3099/0027-4100-163.2.47>.
- Sinitsin, D.T. 1930. Description of a new species of *Neusticurus* from South America (Lizards, Teiidae). *American Museum Novitates* 408: 1.
- Siqueira, D.M.; Nascimento, L.P. & Santos-Costa, M.C. 2012. Feeding biology of Boddaert's tropical racer, *Mastigodryas boddaerti* (Serpentes, Colubridae) from the Brazilian Amazon. *South American Journal of Herpetology* 7: 226-232.
- Slowinski, J.B. 1995. A phylogenetic analysis of the New World coral snakes (Elapidae: *Leptomicrurus*, *Micruroides*, and *Micrurus*) based on allozymic and morphological characters. *Journal of Herpetology* 29: 325-338.
- Smith, H.M. & Lafe, L. 1945. A new South American *Leptotyphlops*. *Proceedings Biological Society Washington* 58: 29-32.
- Smith, H.M.; Martin, R.L. & Swain, T.A. 1977. A new genus

- and two new species of South American geckos (Reptilia: Lacertilia). *Papéis Avulsos de Zoologia* 30: 195-213.
- Smith, H.M.; Williams, K.L. & Pérez-Higareda, G. 1986. The specific name for the Linnaean *Oxyrhopus*, or the calico false coral snake. *Bulletin Maryland Herpetological Society* 22: 10-13.
- Solórzano, A. 2004. Serpientes de Costa Rica: distribución, taxonomía e historia natural. INBio, Heredia, Costa Rica, 791 pp.
- Souto, N.M.; Pinna, P.H.; Machado, A.S. & Lopes, R.T. 2017. New records, morphological variation, and description of the skull of *Liophis dorsocorallinus* Esqueda, Natera, La Marca and Ilija-Fistar, 2005 (Serpentes: Dipsadidae). *Herpetological Review* 48: 532-537.
- Souza, F.L. 2004. Uma revisão sobre padrões de atividade, reprodução e alimentação de cágados brasileiros (Testudines, Chelidae) [A review on activity patterns, reproduction, and feeding habits in Brazilian chelid turtles (Testudines, Chelidae)]. *Phyllomedusa* 3: 15-28.
- Spawls, S.; Howell, K.; Hinkel, H. & Menegon, M. 2018. Field Guide to East African Reptiles. Bloomsbury, 624 pp.
- Spix, J. B. von. 1825. Animalia nova sive species nova lacertarum quas in itinere per Brasiliam annis MDCCCXVII-MDCCCXX jussu et auspiciis Maximiliani Josephi I Bavariae Regis suscepto collegit et descripsit Dr. J. B. de Spix. Lipsiae: T. O. Weigel; F. S. Hübschmanni, Monachii, 26 pp.
- Starace, F. 1998. Guide des Serpents et Amphibènes de Guyane. Ibis Rouge Editions, Guadeloupe, Guyane, 450 pp.
- Stebbins, R.C. 1985. A Field Guide to Western Reptiles and Amphibians, 2nd ed. Houghton Mifflin, Boston, 338 pp.
- Stebbins, R.C. 2003. A Field Guide to Western Reptiles and Amphibians. Houghton Mifflin Company, Boston, 560 pp.
- Steindachner, F. 1870. Herpetologische Notizen (II). Sitzungsber. Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse 62: 326-350.
- Stejneger, L. 1902. An annotated list of batrachians and reptiles collected in the vicinity of La Guaira, Venezuela, with descriptions of two new species of snakes. *Proceedings of the United States National Museum* 24: 179-192.
- Stejneger, L. 1916. Notes on amphisbaenian nomenclature. *Proceedings of the Biological Society of Washington* 29: 85.
- Strathemann, U. 1983. *Leimadophis viridis* und *Leimadophis sagittifer* im Hydrokulturterrarium. *Herpetofauna* 5: 23-25.
- Strauch, A. 1881. Bemerkungen über die Eidechsenfamilie der Amphisbaeniden. *Mélanges Biologiques tires du Bulletin de l'Académie Impériale des Sciences de St.-Petersbourg* 11: 355-479. Reprinted: *Bulletin de l'Académie Impériale des Sciences de Saint-Petersbourg* 28: 45-131.
- Strauch, A. 1884. Bemerkungen über die Schlangengattung *Elapomorphus* aus der Familie der Calamariden. 2nd. Ed. *Bulletin de l'Académie Impériale des Sciences de Saint-Petersbourg* 29: 541-590.
- Strimple, P. 1993. Captive propagation of the Green anaconda *Eunectes murinus murinus* (Linnaeus). *Litteratura Serpentina* 13: 199-204.
- Strüssmann, C.; Nogueira, C.C. & Barcelos-Ribeiro, S. de. 2019. *Amphisbaena silvestrii*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/50956343/50956348> (accessed 4 July 2020).
- Stuart, L.C. 1939. A new name for the genus *Eudryas* Fitzinger 1843. *Copeia* 1: 55.
- Stull, O.G. 1938. Three new subspecies of the family Boidae. *Occasional Papers of the Boston Society of Natural History* 8: 297-300.
- Sturaro, M.J.; Avila-Pires, T.C.S. & Rodrigues, M.T. 2017. Molecular phylogenetic diversity in the widespread lizard *Cercosaura ocellata* (Reptilia: Gymnophthalmidae) in South America. *Systematics and Biodiversity* 15: 532-540.
- Sturaro, M.J.; Rodrigues, M.T.; Colli, G.R.; Knowles, L.L. & Avila-Pires, T.C.S. 2018. Integrative taxonomy of the lizards *Cercosaura ocellata* species complex (Reptilia: Gymnophthalmidae). *Zoologischer Anzeiger* 275: 37-65.
- Tarifa, T.; Aparicio, J. & Yensen, E. 2007. Mammals, amphibians, and reptiles of the Bolivian high Andes: an initial comparison of diversity patterns in *Polylepis* woodlands. In: Kelt, D.A.; Lessa, E.P.; Salazar-Bravo, J. & Patton, L. Eds, *The Quintessential Naturalist: honoring the life and legacy of Oliver P. Pearson*. University of California Publications in Zoology, California, EEUU. pp. 214-274.
- Taylor, E.H. 1954. Further studies on the serpents of Costa Rica. *Kansas University Science Bulletin* 36: 673-800.
- Tedesco, M.E. & Aguirre, R.H. 1998. *Cercosaura ocellata petersi* Ruibal, 1952 (Squamata, Gymnophthalmidae), nuevo registro para la lacertofauna de la Republica Argentina. *Cuadernos de Herpetología* 12: 37-42.
- Tedesco, M.E. & Ceil J.M. 1999. Remarks on the taxonomic status of the Argentine subspecies of *Pantodactylus schreibersii* (Wiegmann, 1834. (Gymnophthalmidae, Scleroglossa, Squamata). *Museo Regionale di Scienze Naturali di Torino* 16: 1-2, 309-320.
- Teixeira Jr.; M.; Dal Vechio, N.; Sales-Nunes, P.M.; Mollo-Neto, A.; Moreira-Lobo, L.; Storti, L.F.; Junqueira-Gaiga, R.A.; Freire-Dias, P.H. & Rodrigues, M.T. 2013. A new species of *Bachia* Gray, 1845 (Squamata: Gymnophthalmidae) from the western Brazilian Amazonia. *Zootaxa* 3636: 401-420. [erratum in *Zootaxa* 3646: 200].
- Teixeira Jr.; M.; Dal Vechio, N.; Mollo-Neto, A. & Rodrigues, M.T. 2014. A New Two-Pored *Amphisbaena* Linnaeus, 1758, from Western Amazonia, Brazil (Amphisbaenia: Reptilia). *South American Journal of Herpetology* 9: 62-74.
- Teixeira Jr.; M.; Prates, I.; Nisa, C.; Silva, N.S.C.; Strüssmann, C. & Rodrigues, T.M. 2015. Molecular data reveal spatial and temporal patterns of diversification and a cryptic new species of lowland *Stenocercus* Duméril & Bibron, 1837 (Squamata: Tropicoduridae). *Molecular Phylogenetics and Evolution* 94: 410-423.
- TFTSG. 1996a. *Mesoclemmys vanderhaegei* (errata version published in 2016). The IUCN Red List of Threatened Species 1996. Available from: <https://www.iucnredlist.org/es/species/17084/97270472> (accessed 9 November 2020).
- TFTSG. 1996b. *Chelonoidis chilensis*. The IUCN Red List of Threatened Species 1996. Available from: <https://www.iucnredlist.org/es/species/9007/12949680> (accessed 27 July 2020).
- TFTSG. 1996c. *Podocnemis unifilis* (errata version published in 2016). The IUCN Red List of Threatened Species 1996. Available from: <https://www.iucnredlist.org/es/species/17825/97397562> (accessed 30 June 2020).
- TFTSG. 1996d. *Podocnemis expansa* (errata version published in 2016). The IUCN Red List of Threatened Species 1996. Available from: <https://www.iucnredlist.org/es/species/17822/97397263> (accessed 29 June 2020).
- TFTSG. 1996e. *Podocnemis sextuberculata* (errata version published in 2016). The IUCN Red List of Threatened

- Species 1996. Available from: <https://www.iucnredlist.org/species/17824/97397468> (accessed 14 December 2021).
- Thomas, R. 1976. A revision of the South American colubrid snake genus *Philodryas* Wagler, 1830. Disertación doctoral. Texas AandMUniversity, College Station, Texas, EE.UU.; 338 pp.
- Thomas, R. & Johnson, J.D. 1984. *Philodryas varius* (Jan, 1863., a senior synonym of *Philodryas borellii* Peracca (Serpentes: Colubridae). *Journal of Herpetology* 18: 80.
- Thomas, R.; Laurent, R. & Barrio, A. 1977. *Philodryas borellii* Peracca (Serpentes: Colubridae), a distinct species. *Herpetologica* 33: 82-86.
- Thorbjarnarson, J.B. 2010. Black Caiman *Melanosuchus niger*. In: Manolis, S.C. & Stevenson, C. *Crocodiles. Status Survey and Conservation Action Plan. Third Edition*. Crocodile Specialist Group: Darwin, pp. 29-39.
- Timms, J.; Chaparro, J.C.; Venegas, P.J.; Salazar-Valenzuela, D.; Scrocchi, G.; Cuevas, J.; Leynaud, G. & Carrasco, P.A. 2019. A new species of pitviper of the genus *Bothrops* (Serpentes: Viperidae: Crotalinae, from the Central Andes of South America. *Zootaxa* 4656: 99-120.
- Tipton, B. 2005. Snakes of the Americas, checklist and lexicon. Krieger Publishing Company, Florida, USA, 477 pp.
- Torres, S. 1996. *Urostrophus gallardoi*: Geographic Distribution. *Herpetological Review* 27: 212.
- Torres, S.; Scrocchi, G.J. & Harvey, M.B. 2000. The South American Tropicidurid lizard *Stenocercus marmoratus*: Redescription, distribution, and natural history. *Journal of Herpetology* 34: 129-134.
- Torres-Carvajal, O. 2007. A taxonomic revision of South American *Stenocercus* (Squamata: Iguania) lizards. *Herpetological Monographs* 21: 76-178.
- Torres-Carvajal, O. & Carvajal-Campos, A. 2009. Reptilia, Squamata, Iguanidae, *Stenocercus aculeatus*: Distribution extension and first record for Ecuador. *Check List* 5: 753-754.
- Torres-Carvajal, O. & Terán, C. 2021. Molecular phylogeny of Neotropical Parrot Snakes (Serpentes: Colubrinae: Leptophis) supports underestimated species richness. *Molecular Phylogenetics and Evolution* 164: 1-7.
- Torres-Carvajal, O.; Schulte II, J.A. & Cadle, J.E. 2006. Phylogenetic relationships of South American lizards of the genus *Stenocercus* (Squamata: Iguania): A new approach using a general mixture model for gene sequence data. *Molecular Phylogenetics and Evolution* 39: 171-185.
- Torres-Carvajal, O.; Etheridge, R. & Queiroz, K. de. 2011. A systematic revision of neotropical lizards in the clade Hoplocercinae (Squamata: Iguania). *Zootaxa* 2752: 1-44.
- Torres-Carvajal, O.; Lobos, S.E. & Venegas, P.J. 2015. Phylogeny of Neotropical *Cercosaura* (Squamata: Gymnophthalmidae) lizards. *Molecular Phylogenetics and Evolution* 93: 281-288.
- Torres-Carvajal, O.; Lobos, S.E.; Veneras, P.J.; Chávez, G.; Aguirre-Peñafiel, V.; Zurita, D. & Echevarría, L.Y. 2016. Phylogeny and biogeography of the most diverse clade of South American gymnophthalmid lizards (Squamata, Gymnophthalmidae, Cercosaurinae). *Molecular Phylogenetics and Evolution* 99: 63-75.
- Torres-Carvajal, O.; Koch, C.; Venegas, P.J. & Poe, S. 2017. Phylogeny and diversity of neotropical monkey lizards (Iguanidae: Polychrus Cuvier, 1817). *PLoS One* 12: 6., e0178139.
- Torres-Carvajal, O.; Echevarría, L.Y.; Lobos, S.E.; Venegas, P.J. & Kok, P.J.R. 2018. Phylogeny, diversity and biogeography of Neotropical sipo snakes (Serpentes: Colubrinae: *Chironius*). *Molecular Phylogenetics and Evolution* 130: 315-329.
- Torres-Carvajal, O.; Pazmiño-Otamendi, G. & Salazar-Valenzuela, D. 2019. Reptiles of Ecuador: a resource-rich portal, with a dynamic checklist and photographic guides. *Amphibian & Reptile Conservation* 13: 209-229 (e178).
- Trevine, V.C.; Grazziotin, F.G.; Giraudo, A.; Sallesbery-Pinchera, N.; Vianna, J.A.; & Zaher, H. 2022. The systematics of Tachymenini (Serpentes, Dipsadidae.: An updated classification based on molecular and morphological evidence. *Zoologica Scripta* 00: 1-21. <https://doi.org/10.1111/zsc.12565>
- Troncoso-Palacios, J. 2014. Revisión del estatus taxonómico de *Liolaemus filiorum* Pincheira-Donoso y Ramírez, 2005 (Iguania: Liolaemidae). *Cuadernos de Herpetología* 28: 111-117.
- Troncoso-Palacios, J. 2015. On the taxonomic status of *Liolaemus filiorum* Pincheira-Donoso & Ramírez, 2005 (Iguania: Liolaemidae.: A response to Pincheira-Donoso. *Acta Herpetologica* 10: 125-127.
- Troschel, F.H. 1848. Amphibien. In: Schomburgk, M.R. Eds, Reisen in Britisch-Guiana in den Jahren 1840-44. Versuch einer Zusammenstellung der Fauna und Flora von British-Guiana. Ditter Theil. J.J. Weber, Leipzig, pp. 645-661.
- Trutnau, L. 2008. Momente aus dem Leben der Chaco-Lanzenotter *Bothrops diporus* Garman, 1862. *Draco* 8: 39-42.
- Tschudi, J.J. von. 1845. Reptilium conspectum quae in republica Peruana reperiuntur er pleraque observata vel collecta sunt in itenere. *Archiv für Naturgeschichte* 11: 150-170.
- TTWG [van Dijk, P.P.; Iverson, J.B.; Shaffer, H.B.; Bour, R. & Rhodin, A.G.J.] 2011. Turtles of the World: Annotated Checklist and Atlas of Taxonomy, Synonymy, Distribution, and Conservation Status. *Chelonian Research Monographs* 5.
- TTWG [van Dijk, P.P.; Iverson, J.B.; Rhodin, A.G.J.; Shaffer, H.B. & Bour, R.] 2014. Turtles of the World, 7th Edition: Annotated Checklist and Atlas of Taxonomy, Synonymy, Distribution, and Conservation Status. *Chelonian Research Monographs* 5.
- TTWG [Rhodin, A.G.J.; Iverson, J.B.; Bour, R.; Fritz, U.; Georges, A.; Shaffer, H.B. & van Dijk, P.P.] 2017. Turtles of the World, 8th Edition: Annotated Checklist and Atlas of Taxonomy, Synonymy, Distribution, and Conservation Status. In: Rhodin, A.G.J.; Iverson, J.B.; van Dijk, P.P.; Saumure, R.A.; Buhlmann, K.A.; Pritchard, P.C.H.; and Mittermeier, R.A. Eds, Conservation Biology of Freshwater Turtles and Tortoises: A Compilation Project of the IUCN/SSC Tortoise and Freshwater Turtle Specialist Group. *Chelonian Research Monographs*, 7: 1-292.
- TTWG [Rhodin, A.G.J.; Iverson, J.B.; Bour, R.; Fritz, U.; Georges, A.; Shaffer, H.B.; & van Dijk, P.P.] 2021. Turtles of the World: Annotated Checklist and Atlas of Taxonomy, Synonymy, Distribution, and Conservation Status (9th Ed). In: Rhodin, A.G.J.; Iverson, J.B.; van Dijk, P.P.; Stanford, C.B.; Goode, E.V.; Buhlmann, K.A.; and Mittermeier, R.A. Eds, Conservation Biology of Freshwater Turtles and Tortoises: A Compilation Project of the IUCN/SSC Tortoise and Freshwater Turtle Specialist Group. *Chelonian Research Monographs* 8: 1-472.
- Uetz, P., Freed, P., Aguilar, R., Reyes, F., Kudera, J. & Hošek, J. (eds.) (2025) The Reptile Database, <http://www.reptile-database.org>
- Uzzell, T.M. 1966. Teid Lizards of the genus *Neusticurus*

- (Reptilia, Sauria). *Bulletin of the American Museum of Natural History* 132: 279-327.
- Uzzell, T.M. 1969. A new genus and species of Teiid lizard from Bolivia. *Postilla* 129: 1-15.
- Uzzell, T.M. 1970. Teiid lizards of the genus *Proctoporus* from Bolivia and Peru. *Postilla* 142: 1-39.
- Uzzell, T.M. 1973. A revision of the genus *Prionodactylus* with a new genus for *P. leucostictus* and notes on the genus *Euspondylus* (Sauria, Teiidae). *Postilla* 159: 1-67.
- Vacher, J.P.; Dewynter, M.; Marty, C. & Blanc, M. 2002. New records for *Drepanoides anomalus* (Jan, 1863) in French Guiana (Ophidia: Colubridae). *Herpetozoa* 14: 133-135.
- Vaeth, R. & Rossman, D. 1984. Geographic Distribution. Serpentes. *Drymobius rhombifer*. *Herpetological Review* 15: 78.
- Valencia, J.; Veloso, A. & Sallaberry, M. 1982. Nicho Trófico de las Especies de los Herpetozoos del Transecto Arica-Chungara. In: Veloso, A. & Bustos, E. Eds, El Hombre y los Ecosistemas de Montaña. El Ambiente Natural y las Poblaciones Humanas de los Andes del Norte Grande de Chile (Arica, lat 18°28'S). Volumen I. La Vegetación y los Vertebrados Inferiores de los Pisos Altitudinales entre Arica y el Lago Chungara. Oficina Regional de Ciencia y Tecnología de la UNESCO para América Latina y el Caribe ROSTLAC. Montevideo, Uruguay. pp. 269-292.
- Valencia, J.H.; Garzón-Tello, K. & Barragán-Paladines, M.E. 2016. Serpientes venenosas del Ecuador: sistemática, taxonomía, historia natural, conservación, envenenamiento y aspectos antropológicos. Quito, Ecuador, Fundación Herpetológica Gustavo Orcés, Universidad de Texas, Fondo Ambiental Nacional, 652 pp.
- Valladares, P.; Etheridge, R.; Schulte, II J.A.; Manriquez, G. & Spotorno, A. 2002. Nueva especie de lagartija del norte de Chile, *Liolaemus molinae* (Reptilia: Liolaeminae). *Revista Chilena de Historia Natural* 75: 473-489.
- Valladares, P.; León, P.F.; Chipana, C.J.; Navarro, M.; Apaza, J.I. & Cáceres, C. 2021. Primer registro de *Liolaemus chungara* Quinteros *et al.*; 2014 y *Liolaemus pleopholis* Laurent, 1998 para Perú (Reptilia, Liolaemidae). *Cuadernos de Herpetología* 35: 245-249.
- Vance, T. 1978. The identity of *Cnemidophorus vittatus* Boulenger (Reptilia, Lacertilia, Teiidae) with a redescription of the holotype. *Journal of Herpetology* 12: 98-100.
- Vanzolini, P.E. 1951. *Amphisbaena fuliginosa*. Contribution to the knowledge of the Brazilian lizards of the family Amphisbaenidae Gray, 1825. 6. On the geographical distribution and differentiation of *Amphisbaena fuliginosa* Linné. *Bulletin of the Museum of Comparative Zoology at Harvard College* 106: 1-67.
- Vanzolini, P.E. 1953. Notas sobre alguns lagartos sul americanos (Sauria, Gekkonidae). *Revista Brasileira de Biologia* 13: 73-74.
- Vanzolini, P.E. 1957. O genero *Coleodactylus* (Sauria, Gekkonidae). *Papéis Avulsos de Zoologia* 13: 1-17.
- Vanzolini, P.E. 1961. *Bachia*: Especies Brasileiras e conceito generico (Sauria: Teiidae). *Papéis Avulsos Zoologia* 14: 193-209.
- Vanzolini, P.E. 1972. *Typhlops brongersmai* spec. nov. from the coast of Bahia, Brasil (Serpentes, Typhlopidae). *Zoologische Mededelingen* 47: 27-29.
- Vanzolini, P.E. 1976. *Typhlops brongersmianus*, a new name for *Typhlops brongersmai* Vanzolini, 1972, preoccupied (Serpentes, Typhlopidae). *Papéis Avulsos Zoologia* 29: 247.
- Vanzolini, P.E. 1977. An annotated bibliography of the land and fresh-water reptiles of South America (1758-1975). Vol. I (1758-1900). Museu de Zoologia, Univ. Sao Paulo, Sao Paulo, IV + 186 pp.
- Vanzolini, P.E. 1986. Levantamento herpetológico da área do Estado de Rondônia sob a influência da rodovia Br-364. Ministério da Ciência e Tecnologia, Brasília, (Relatório de pesquisa, Programa Polonoroeste/ Ecologia Animal, n.1, 50 pp.
- Vanzolini, P.E. 1992. *Cercolophia*, a new genus for the species of *Amphisbaenia* with a terminal vertical keel on the tail (Reptilia, Amphisbaenia). *Papéis Avulsos Zoologia* 37: 401-412.
- Vanzolini, P.E. 1995. *Neusticurus ocellatus*, 1930: A valid species of teiid lizard from Bolivia. *American Museum Novitates* 3123: 1-7.
- Vanzolini, P.E. 2002. An aid to the identification of the south american species of *Amphisbaena* (Squamate, Amphisbaenida). *Papéis Avulsos Zoologia* 42: 351-362.
- Vanzolini, P.E. & Valencia, J. 1966. The genus *Dracaena*, with a brief consideration of macroteiid relationships (Sauria, Teiidae). *Arquivos de Zoologia* 13: 1965, 7-35.
- Vanzolini, P.E. & Carvalho, C.M.D. 1991. Two sibling and sympatric species of *Gymnophthalmus* in Roraima, Brazil (Sauria: Teiidae). *Papéis Avulsos Zoologia* 37: 173-226.
- Varela, R.O. & Bucher, E.H. 2002. Seed dispersal by *Chelonoidis chilensis* in the Chaco Dry Woodlands of Argentina. *Journal of Herpetology* 36: 137-140.
- Vargas-Álvarez, J.; García-Rodríguez, A.; Batista, A.; Acosta-Chaves, V.; Nogueira, C.C.; Gonzales, L.; Cisneros-Heredia, D.F.; Gagliardi, G. & Hoogmoed, M.S. 2019. *Drymobius rhombifer*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176799/1446864> (accessed 22 July 2020).
- Vargas-Ramírez, M.; Caballero, S.; Morales-Betancourt, M.A.; Lasso, C.A.; Amaya, L.; Martínez, J.G.; Silva-Viana, M.N.; Vogt, R.C.; Pires-Farias, I.; Hrbek, T.; Campbell, P.D. & Fritz, U. 2020. Genomic analyses reveal two species of the matamata (Testudines: Chelidae: Chelus spp). and clarify their phylogeography. *Molecular Phylogenetics and Evolution* 106823.
- Veloso, A. & Navarro, J. 1988. Lista sistemática y distribución geográfica de anfibios y reptiles de Chile. *Bollettino del Museo Regionale di Scienze Naturali Torino* 6: 481-539.
- Veloso, A.; Sallaberry, M.; Navarro, J.; Iturra, P.; Valencia, J.; Penna, M. & Díaz, N. 1982. Contribución sistemática al conocimiento de la herpetofauna del extremo norte de Chile. In: Veloso, A. & Bustos, E. Eds, El hombre y los ecosistemas de montaña. El ambiente natural y las poblaciones humanas de los Andes del norte grande de Chile (Arica, lat. 18° 28'S). Volumen I. La vegetación y los vertebrados inferiores de los pisos altitudinales entre Arica y el lago Chungara. Oficina Regional de Ciencia y Tecnología de la UNESCO para América Latina y el Caribe ROSTLAC. Santiago, Chile. pp. 135-269.
- Venegas, P.; Embert, D.; Aguayo, R.; Aparicio, J. & Gonzales, L. 2016. *Erythrolamprus taeniurus*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/44581738/44581747> (accessed 10 August 2020).
- Venegas, P.; Aparicio, J.; Lundberg, M.; Martins, M.R.C.; Aguayo,

- R. & Embert, D. 2019. *Bothrops oligolepis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/species/178034/51283248> (accessed 2 May 2022).
- Verdade, L.M.; Larriera, A. & Piña, C.I. 2010. Broad-snouted Caiman *Caiman latirostris*. In: Manolis, S.C. & Stevenson, C. Crocodiles. Status Survey and Conservation Action Plan. Third Edition. Crocodile Specialist Group: Darwin, pp. 18-22.
- Vidal, N.; Kindl, S.G.; Wong, A. & Hedges, S.B. 2000. Phylogenetic Relationships of Xenodontine Snakes Inferred from 12S and 16S Ribosomal RNA Sequences. *Molecular Phylogenetics and Evolution* 14: 389-402.
- Villa, J.; Wilson, L.D. & Johnson, J.D. 1988. *Middle American Herpetology: A Bibliographic Checklist*. University of Missouri Press, 132 pp.
- Villarreal, S.; Aparicio, J.; Landivar, C.M.; Guizada, L.; Pacheco, L.F. & Dávila, P. 2012. *Liolaemus forsteri* (NCN). Cannibalism. *Herpetological Review* 43: 70-71.
- Villarreal Aguilar, S.V. 2017. Oportunidades de termorregulación de dos poblaciones de lagartijas (*Liolaemus forsteri*. a diferente elevación. Tesis de Licenciatura. Universidad Mayor de San Andrés. La Paz, Bolivia.
- Vinke, T. & Vinke, S. 2010. Die Pantanal-Plattschildkröte, *Acanthochelys macrocephala* - eine Schildkröte, die noch immer viele Fragen aufwirft. *Reptilia* 15: 42-45.
- Vinke, T. & Vinke, S. 2016. *Acanthochelys pallidipectoris*. The IUCN Red List of Threatened Species 2016. Available from: <https://www.iucnredlist.org/es/species/75/3139283> (accessed 27 June 2020).
- Vinke, T.; Vinke, S. & Köhler, G. 2013. What is known about *Mesoclemmys vanderhaegei* (Bour, 1973.: a systematic review of the available literature. *Paraquaria Natural* 1: 21-31.
- Visinoni, A. 1995. Contribuciones para el conocimiento de la herpetofauna boliviana: *Lachesis muta* (Linnaeus, 1766) (Serpentes: Viperidae) en Bolivia. *Ecología en Bolivia* 24: 103-112.
- Vrcibradic, D.; Rocha, C.F.D.; Kiefer, M.C.; Hatano, F.H.; Fontes, A.F.; Almeida-Gomes, M.; Siqueira, C.C.; Pontes, J.A.L.; Borges-Junior, V.N.T.; Gil, L.O.; Klaion, T.; Rubião, E.C.N. & Sluys, M. 2011. Herpetofauna, Estação Ecológica Estadual do Paraíso, state of Rio de Janeiro, southeastern Brazil. *Check List* 7: 745-749.
- Wagler, J.G. 1824. Serpentes Brasiliensium species novae, ou histoire naturelle des espèces nouvelles de serpens, recueillies et observées pendant le voyage dans l'intérieur du Brésil dans les années 1817, 1818, 1819, 1820, exécuté par ordre de Sa Majesté le Roi de Bavière, publiée par Jean de Spix, ... décrite d'après les notes du voyageur par Jean Wagler. Monachii, Franc. Seraph. Hübschmann, vii + 75 pp.
- Wagler, J.G. 1830. Natürliches System der Amphibien, mit vorangehender Classification der Säugetiere und Vögel. Ein Beitrag zur vergleichenden Zoologie. J.G. Cotta, München, Stuttgart, and Tübingen, 354 pp.
- Walker, W.F. 1945. A study of the snake, *Tachymenis peruviana* Wiegmann and its allies. *Bulletin of the Museum of Comparative Zoology at Harvard College* 96: 1-56.
- Wallach, V. 2016. Morphological review and taxonomic status of the *Epictia phenops* species group of Mesoamerica, with description of six new species and discussion of South American *Epictia albifrons*, *E. goudotii*, and *E. tenella* (Serpentes: Leptotyphlopidae: Epictinae) *Mesoamerican Herpetology* 3: 216-374.
- Wallach, V.; Williams, K.L. & Boundy, J. 2014. *Snakes of the World: A Catalogue of Living and Extinct Species*. [type catalogue] Taylor and Francis, CRC Press, 1237 pp.
- Waller, T. 1987. Registro de las localidades de distribución de las especies del género *Caiman* (Crocodylia, Alligatoridae. en Argentina. *Amphibia-Reptilia* 1: 68-75.
- Waller, T. & Buonghermini, P.E. 1998. *Epicrates cenchria alvarezi*. Geographical distribution. *Herpetological Review* 29: 249.
- Waller, T.; Barros, M.; Cacciali, P. & Buonghermini, E. 2021a. *Epicrates alvarezi*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/15154478/15154509> (accessed 3 December 2022).
- Waller, T.; Camera, B.; Cacciali, P.; Miranda, E.; Buonghermini, E.; Micucci, P.; Smaniotto, N.; Strüssmann, C.; Barros, M. & Draque, J. 2021b. *Eunectes notaeus*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/44580058/44580062> (accessed 3 December 2022).
- Werner, F. 1899. Beschreibung neuer Reptilien und Batrachier. *Zoologischer Anzeiger* 22: 479-483.
- Werner, F. 1900. Beschreibung einiger noch unbekannter neotropischer und indischer Reptilien. *Zoologischer Anzeiger* 23: 196-198.
- Werner, F. 1910. Über neue oder seltene Reptilien des Naturhistorischen Museums in Hamburg. II. Eidechsen. *Mitteilungen aus dem Naturhistorischen Museum in Hamburg* 27: 1-46.
- Werner, F. 1913. Neue oder seltene Reptilien und Frösche des Naturhistorischen Museums in Hamburg. *Mitteilungen aus dem Naturhistorischen Museum in Hamburg* 30: 1-51.
- Werner, F. 1916. Bemerkungen über einige niedere Wirbeltiere der Anden von Kolumbien mit Beschreibungen neuer Arten. *Zoologischer Anzeiger* 47: 301-311.
- Whithworth, A. & Beirne, C. 2011. *Reptiles of the Yachana Reserve*. Global Vision International, 130 pp.
- Wied-Neuwied, A.P.M. zu. 1821. *Reise nach Brasilien in den Jahren 1815 bis 1817. Vol. 2*. Heinrich Ludwig Bronner, Frankfurt.
- Wied-Neuwied, A.P.M. zu. 1824. Verzeichniss der Amphibien, welche im zweyten Bande der Naturgeschichte Brasiliens vom Prinz Max von Neuwied werden beschrieben werden. *Isis von Oken* 14: 661-673.
- Wied-Neuwied, A.P.M. zu. 1825. Beiträge zur Naturgeschichte von Brasilien. I. Verzeichniss der auf einer Reise zwischen dem 13ten und 23sten Grade südlicher Breite im östlichen Brasilien beobachteten Amphibien, Säugethiere und Vögel Gr. H.S. priv. Laudes-Industrie-Comptoirs, Weimar, xxii + 614 pp.; 3 pls.
- Wiest, J. 1978. Revision of the neotropical snake genus *Chironius* Fitzinger (Serpentes, Colubridae). Disertación doctoral, Texas Aand M University, College Station, Texas, EE.UU.; 370 pp.
- Williams, E.E. 1960. Two species of tortoises in northern South America. *Breviora* 120: 1-13.
- Williams, E.E. 1965. South American *Anolis* (Sauria: Iguanidae): Two new species of the *punctatus* group. *Breviora* 233: 1-15.
- Williams, E.E. & Vanzolini, P.E. 1966. Studies on South American anoles - *Anolis transversalis* A. Duméril. *Papéis Avulsos Zoology* 19: 197-204.
- Williams, J. & Francini, F. 1991. A checklist of the Argentine snakes.

- Museo Regionale di Scienze Naturali di Torino 9: 55-90.
- Williams, J.; Scrocchi, G.; Giraudo, A.; Fitzgerald, L. & Arzamendia, V. 2019a. *Phalotris lemniscatus*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/177435/61319823> (accessed 1 August 2020).
- Williams, J.; Giraudo, A.; Arzamendia, V.; Fitzgerald, L. & Scrocchi, G. 2019b. *Erythrolamprus jaegeri*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176835/61319417> (accessed 22 September 2020).
- Williams, J.; Giraudo, A.; Arzamendia, V.; Fitzgerald, L. & Scrocchi, G. 2019c. *Lygophis dilepis*. The IUCN Red List of Threatened Species 2019. Available from: <https://www.iucnredlist.org/es/species/176833/61319015> (accessed 10 August 2020).
- Williams, J.; Montero, R.; Arzamendia, V.; Giraudo, A.; Fitzgerald, L.; Nogueira, C.C. & Gonzales, L. 2021. *Hydrodynastes gigas*. The IUCN Red List of Threatened Species 2021. Available from: <https://www.iucnredlist.org/es/species/15179152/15179161> (accessed 4 December 2022).
- Wilson, B.S. 2011. Conservation of Jamaican amphibians and reptiles. In: Hailey A.; Wilson, B.S. & Horrocks, J. Eds, *Conservation of Caribbean Island Herpetofauna, Volume 2*: 273-310.
- Wilson, L.D. & Mena, C. 1980. Systematics of the *melanocephala* group of the colubrid snake genus *Tantilla*. *Memoirs San Diego Society Natural History* 11: 5-58.
- Wilson, L.D.; Townsend, J.H. & Johnson, J.D. 2010. *Conservation of Mesoamerican Amphibians and Reptiles*. Eagle Mountain Publishing, Eagle Mountain, Utah, 816 pp.
- Winchell, S. 2010. Die Reptilien Argentinien. *Reptilia* 15: 20-27.
- Woolrich-Piña, G.A.; García-Padilla, E.; DeSantis, D.L.; Johnson, J.D.; Mata-Silva, V. & Wilson, L.D. 2017. The herpetofauna of Puebla, Mexico: composition, distribution, and conservation status. *Mesoamerican Herpetology* 4: 791-884.
- Wucherer, O. 1861. Description of the new species of *Elapomorphus* from Brazil. *Proceedings of the Zoological Society of London* 325-326.
- Wüster, W. & Bérnals, R.S. 2011. On the generic classification of the rattlesnakes, with special reference to the Neotropical *Crotalus durissus* complex (Squamata: Viperidae). *Zoologia* 28: 417-419.
- Zaher, H. 1996. A new genus and species of pseudoboine snake, with a revision of the genus *Clelia* (Serpentes, Xenodontinae). *Museo Regionale di Scienze Naturali di Torino* 14: 289-337.
- Zaher, H. & Caramaschi, U. 1992. Sur le statut taxinomique d'*Oxyrhopus trigeminus* et *O. guibei* (Serpentes, Xenodontinae). *Bulletin de Muséum National d'Histoire Naturelle* 14: 805-827.
- Zaher, H. & Prudente, A.L.C. 1999. Intraspecific variation of the hemipenis in *Siphlophis* and *Tripanurgos*. *Journal of Herpetology* 33: 698-702.
- Zaher, H. & Prudente, A.L.C. 2003. Hemipenes of *Siphlophis* (Serpentes, Xenodontinae) and techniques of hemipenial preparation in snakes: a response to Dowling. *Herpetological Review* 34: 302-307.
- Zaher, H. & Prudente, A.L.C. 2019. The enigmatic Amazonian genus *Eutrachelophis*: morphological evidence and description of new taxa (Serpentes: Dipsadidae: Xenodontini). *Amphibia-Reptilia* 41: 215-231.
- Zaher, H.; Souza, I.; Gower, D.J.; Hingst-Zaher, E. & Silva Jr.; N.J. da. 2005. Redescription of *Atractus albuquerquei* (Serpentes: Colubridae: Dipsadinae), with comments on geographical distribution and intraspecific variation. *Papéis Avulsos De Zoologia* 45: 19-32.
- Zaher, H.; Oliveira, M.E. & Franco, F.L. 2008a. A new, brightly colored species of *Pseudoboa* Schneider, 1801 from the Amazon Basin (Serpentes, Xenodontinae). *Zootaxa* 1674: 27-37.
- Zaher, H.; Scrocchi, G. & Masiero, R. 2008b. Rediscovery and redescription of the type of *Philodryas laticeps* Werner, 1900 and the taxonomic status of *P. oligolepis* Gomes, 1921 (Serpentes, Colubridae). *Zootaxa* 1940: 25-40.
- Zaher, H.; Grazziotin, F.G.; Cadle, J.E.; Murphy, R.W.; Moura-Leite, J.C. & Bonatto, S.L. 2009. Molecular phylogeny of advanced snakes (Serpentes, Caenophidia. with an emphasis on South American Xenodontines: a revised classification and descriptions of new taxa. *Papéis Avulsos De Zoologia* 49: 115-153.
- Zaher, H.; Murphy, R.W.; Arredondo, J.C.; Graboski, R.; Machado-Filho, P.R.; Mahlow, K.; Montingelli, G.G.; Botallos Quadros A.; Orlov, N.L.; Wilkinson, M.; Zhang, Y-P. & Grazziotin, F.G. 2019. Large-scale molecular phylogeny, morphology, divergence-time estimation, and the fossil record of advanced caenophidian snakes (Squamata: Serpentes). *Plos One* 14.
- Zaracho, V.H.; Ingaramo, M.R.; Semhan, R.V.; Etchepare, E.; Acosta, J.L.; Falcione, A.C. & Álvarez, B. 2014. Herpetofauna de la Reserva Natural Provincial Isla Apipé Grande (Corrientes, Argentina). *Cuadernos de Herpetología* 28: 153-160.
- Ziegler, T.; Böhme, W. & Unger, J. 2002a. First record of *Gymnophthalmus rubricauda* Boulenger 1902 for Paraguay, with notes on its morphology, ecology and habitat (Reptilia: Sauria: Gymnophthalmidae). *Faunistische Abhandlungen, Staatliches Museum für Tierkunde Dresden* 22: 347-351.
- Ziegler, T.; Unger, J.; Feiler, A. & Lehr, E. 2002b. The first Gran Chaco expedition of the Museum für Tierkunde Dresden: Records of amphibians, reptiles and mammals from the Dry Chaco of Paraguay (Amphibia, Reptilia, Mammalia). *Faunistische Abhandlungen, Staatliches Museum für Tierkunde Dresden* 23: 219-238.
- Zug, G.R.; Hedges, S.B. & Sunkel, S. 1979. Variation in reproductive parameters of three neotropical snakes, *Coniophanes fissidens*, *Dipsas catesbyi*, and *Imantodes cenchoa*. *Smithsonian Contributions to Zoology* 1-20.
- Zug, G.R.; Vitt, L.J. & Caldwell, J.P. 2001. *Herpetology, 2nd ed.* Academic Press San Diego, London, [..] XIV + 630 pp.

Appendix I: Museum Abbreviations (Collection codes)

- ANSP: Academy of Natural Sciences, Department of Herpetology, Philadelphia, Pennsylvania, USA.
- AMNH: American Museum of Natural History, Division of Vertebrate Zoology (Herpetology), New York, USA.
- BMNH: Natural History Museum, London, England.
- CAS: California Academy of Sciences, Department of Herpetology, San Francisco, California, USA.
- CBF: Colección Boliviana de Fauna, Herpetología, La Paz, Bolivia.
- CM: Carnegie Museum, Department of Herpetology, Pittsburgh, Pennsylvania, USA.
- CNAR: Colección Nacional de Anfibios y Reptiles (UNAM), México.

- DZSJRP: División de Herpetología, Museo Ecuatoriano de Ciencias Naturales, Quito, Ecuador.
 EBD: Estación Biológica de Doñana, Sevilla, Spain.
 FML: Fundación Miguel Lillo, Tucumán, Argentina.
 FMNH: Field Museum, Division of Amphibians and Reptiles, Chicago, Illinois, USA.
 IAV: Instituto de Animales Venenosos "Dr. Jorge W. Abaloz", Santiago del Estero, Argentina.
 IBSP: Instituto Butantan, São Paulo, Brazil.
 INPA: Instituto Nacional de Pesquisas da Amazonia, Manaus, Brazil.
 KU: University of Kansas, Museum of Natural History, Division of Herpetology, Lawrence, Kansas, USA.
 MNH: Natural History Museum, London, England.
 MACN: Museo Argentino de Ciencias Naturales "Bernardino Rivadavia", Sección Herpetología, Buenos Aires, Argentina.
 MBUCV: Centro Museo de Biología de la Universidad Central de Venezuela.
 MCP: Museu de Ciências e Tecnologia da PUCRS, Porto Alegre, Brazil.
 MCZ: Museum of Comparative Zoology, Harvard University, Cambridge, Massachusetts, USA.
 MHNAD: Museo de Historia Natural de Cochabamba "Alcide d'Orbigny", Cochabamba, Bolivia.
 MHNG: Muséum d'Histoire Naturelle, Geneva, Switzerland.
 MHNN: Muséum d'histoire naturelle de Neuchâtel, Switzerland.
 MLP: Museo La Plata, Collection Herpetología, La Plata, Argentina.
 MLUH: Museum der Martin Luther Universität, Halle, Germany.
 MNHN: Museum National d'Histoire Naturelle, Laboratoire des Amphibiens et Reptiles, Paris, France.
 MNHNC: Museo Nacional de Historia Natural de Chile, Santiago, Chile.
 MNHNP: Museum National d'Histoire Naturelle, Laboratoire des Amphibiens et Reptiles, Paris, France.
 MNK: Museo de Historia Natural "Noel Kempff Mercado", Santa Cruz de la Sierra, Bolivia.
 MPEG: Museu Paraense Emilio Goeldi, Belém, Brazil.
 MRSN: Museo Regionale di Scienze Naturali, Torino, Italy.
 MSNM: Museo Civico di Storia Naturale di Milano, Milano, Italy.
 MZUC: Museo de Zoología, Universidad de Concepción, Chile.
 MZUF: Florence University Zoology Museum, Italy.
 MZUSP: Universidade de São Paulo, Museu de Zoologia, São Paulo, Brazil.
 NHRM: Naturhistoriska Rijksmuseet, Section for Vertebrate Zoology, Stockholm, Sweden.
 NKR: Museo de Historia Natural "Noel Kempff Mercado", Santa Cruz de la Sierra, Bolivia.
 NMBA: Naturhistorisches Museum der Benediktiner-Abtei, Basel, Switzerland.
 NMW: Naturhistorisches Museum Wien, Vienna, Austria.
 NRM: Naturhistoriska Rijksmuseet, Switzerland.
 NRS: Royal Museum Stockholm, Sweden.
 QCAZ: Museo de Zoología, Pontificia Universidad Católica del Ecuador, Quito, Ecuador.
 RMNH: Naturalis Biodiversity Center, Netherlands.
 SMF: Forschungsinstitut und Natur-Museum Senckenberg, Germany.
 TCWC: Texas Cooperative Wildlife Collection, Department of Wildlife Science, Texas A&M University, Texas, USA.
 ULABG: Universidad de los Andes, Departamento de Geografía, Mérida, Venezuela.
 UMMZ: University of Michigan, Museum of Zoology, Michigan, USA.
 UNNE: Facultad de Ciencias Exactas y Naturales y Agrimensura, Universidad Nacional del Nordeste, Corrientes, Argentina.
 UUZM: Uppsala Universitet, Zoologiska Museum, Uppsala, Sweden.
 USNM: National Museum of Natural History, Division of Amphibians and Reptiles, Washington, D.C., USA.
 UTA: University of Texas at Arlington, Department of Biological Sciences, Arlington, Texas, USA.
 ZFMK: Zoologisches Forschungsinstitut und Museum Alexander Koenig, Herpetologische Abteilung, Germany.
 ZMB: Universität Humboldt, Zoologisches Museum, Berlin, Germany.
 ZMH: Zoological Museum Hamburg, Germany.
 ZMUC: Universitets København, Zoologisk Museum, København, Denmark.
 ZMUU: Zoological Museum, Uppsala University, Sweden.
 ZSM: Zoologische Staatssammlung München, Germany.

CUADERNOS *de* HERPETOLOGÍA

VOLUMEN 39 - SUPLEMENTO 1 - NOVIEMBRE 2025

ojs.aha.org.ar - aha.org.ar

VOLUMEN 39 - SUPLEMENTO 1

TRABAJOS

Catalogue of the reptiles (Reptilia) of Bolivia: checklist, distribution and literature

Pedro Gómez-Murillo, Oliver Quinteros-Muñoz, Enrique Domic, Teresa Camacho-Badani, Romeo Rojas-Estrada, Irene Arellano-Martín, Rodrigo Aguayo, Lucindo Gonzales, Luis F. Esqueda, Carlos Urdiales Alonso, Dennis E. Lizarro (†), Edson Cortez, Mauricio Ocampo, Steffen Reichle, Octavio Jiménez-Robles, Rene Carpio-Rea, Omar M. Entiauspé-Neto, Luis Rolando Rivas, Alfonso Llobet, Alejandro Bruno Miranda-Calle, Alvaro J. Aguilar-Kirigin & Ignacio De la Riva 2



Miembro de Publication Integrity & Ethics



Revista de la Asociación Herpetológica Argentina

Indizada en:

Zoological Record, Directory of Open Journals, Latindex, Periódica.
Ebsco, Academic Journal Database, Biblat. e-revistas, Cite Factor,
Universal Impact Factor, Sedir, InfoBase Index.